

## The National Coordinating Center for the Regional Genetics Networks

# **Glossary of**

# Autism Spectrum Disorder (ASD) Genetics Terms

## English – Korean

2022 Edition

Compiled and edited by: Cynthia E. Roat, MPH

In collaboration with: The Cross Cultural Health Care Program (CCHCP) This page intentionally left blank.

## Acknowledgments

#### **Mission of the NCC**

The National Coordinating Center for the Regional Genetics Networks (NCC) has been funded by the Health Resources and Services Administration (HRSA) since 2004. Our mission is to improve access to genetics for underserved populations. This mission is accomplished through different programs, many of which are educational tools and resources for non-genetics professionals. Learn more at <u>https://nccrcg.org</u>.

#### **NCC Funding Acknowledgment**

This project is supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) under Cooperative Agreement #UH9MC30770 from 6/2020-5/2024 for \$800,000 per award year. This information or content and conclusions are those of the author and should not be construed as the official position or policy of, nor should any endorsements be inferred by HRSA, HHS or the U.S. Government.

#### **Additional Acknowledgments**

#### Cynthia E. Roat, MPH

Cindy Roat is an international consultant in language access in health care and patient navigation. She provides training and consulting for health care interpreters, providers, administrators, and patient navigators. Cindy compiled and edited this glossary for the NCC.

#### The Cross Cultural Health Care Program

The mission of The Cross Cultural Health Care Program (CCHCP) is to serve as a bridge between communities and health care institutions to advance access to quality health care that is culturally and linguistically appropriate. CCHCP provides resources, such as bilingual medical glossaries, as well as medical interpreter, patient navigator, and cultural competence training for individuals and institutions with the goal of systems change. Learn more at: <a href="https://xculture.org">https://xculture.org</a>

CCHCP is supporting and coordinating the translation process of this glossary and is providing the glossary free of charge in its online store: <u>https://xculture.org/store/</u>

## **Table of Contents**

Preface	5
How to Use the Glossary	5
Glossary of Terms	7
References	23
Index	25



#### Preface

The seven Regional Genetics Networks (RGNs), the National Genetics Education and Family Support Center (Family Center), and the National Coordinating Center for the Regional Genetics Networks (NCC) mission is to improve access to quality genetic services for medically underserved populations. This bilingual glossary of terms related to Autism Spectrum Disorders (ASD) is provided to help enable access to ASD medical services to limited English proficiency populations.

#### How to Use the Glossary

This glossary is organized alphabetically in English. The first column shows the term in English. The second column has the definition of the term in English. The third column has the translation of the term.

At the end of the translations is a list of references used for the definitions and places where you can find more information.

This page intentionally left blank.

## **Glossary of Terms**

#### English – Korean

(n) – noun (v) – verb (adj) – adjective (adv) – adverb

Term	Definition	Translation
A-B-C analysis (n)	An approach to understanding behavior by examining the Antecedent (the cause), the Behavior, and the Consequence (the result). <sup>1</sup>	A-B-C 분석
Abstract language (n)	Any vocabulary or phrases with meanings that are not clearly stated. Examples include idioms like, "it's raining cats and dogs" or "break a leg" where the intended meaning does not match the literal meaning. There are also many examples of this in books and poetry where the author may describe something using abstract language like "it felt like a weight on my chest." <sup>5</sup>	추상어
Adaptive behavior or adaptive skills (n)	Includes communication, self-care, home living, social skills, community use, self-direction, health and safety, functional academics, leisure, and work. These are skills that help the person be successful in their environment and are learned skills rather than innate abilities. <sup>2</sup>	적응 행동 또는 적응 기술
Age of majority (n)	The age established under state law when an individual is no longer a minor and has the right to make certain legal decisions without consent. <sup>1</sup>	성년
Anxiety disorder (n)	A pattern of constant worry or tension under many different circumstances. <sup>1</sup>	불안장애
Applied Behavior Analysis (ABA) (n)	ABA is the name of a professional field that uses principles of learning to increase performance of socially desirable behaviors. ABA practitioners carefully observe and measure behaviors and the context in which they occur in order to individualize teaching plans to improve specific behaviors. ABA is commonly used as one component in interventions for Autism Spectrum Disorders. <sup>2</sup>	응용 행동 분석 (ABA)
Apraxia (n)	See "Dyspraxia." <sup>2</sup>	실행증

Term	Definition	Translation
Attention Deficit Hyperactivity Disorder (ADHD) (n)	A disorder that shows up in the areas of inattention, hyperactivity, and impulsiveness. It is evidenced by frequent shifting from one activity or focus to another, having difficulty organizing and completing tasks correctly, impulsive response, or failure to follow rules. It may occur with or without hyperactivity which includes behaviors such as excessive running, talking, fidgeting, and/or restlessness. <sup>2</sup>	주의력결핍 과잉행동장애 (ADHD)
Audiologist (n)	A specialist who evaluates for hearing loss as a potential cause or contributor to developmental delay, and designs/supports interventions to minimize the impact of hearing loss when it is found. <sup>2</sup>	청력학자
Augmentative and Alternative Communication (AAC) (n)	Any method of communicating without speech, such as by signs, gestures, picture boards, or electronic or non-electronic devices. These methods can help individuals who are unable to use speech or who need to supplement their speech to communicate effectively. <sup>2</sup>	증강 및 대안 의사 소통 (AAC)
Autism Spectrum Disorder (ASD) (n)	<ul> <li>A neurodevelopmental disorder. ASD symptoms are typically evident before a child is 3 years of age. The symptoms range from mild to severe – and individuals often have varied skills levels in different domains of functioning. Autism affects the person's overall development in 2 primary areas:</li> <li>1. social communication, or the way a person uses gestures, body language, and language to communicate and interact socially and relate with others.</li> <li>2. the presence of restricted, repetitive patterns of behavior, interests, or activities (e.g., repetitive motor movements, echolalia/repeating speech, idiosyncratic phrases, extreme distress at small changes/difficulty with transitions, strong attachment to unusual objects/topics, adverse or intense responses to sensory input).<sup>2</sup></li> </ul>	자폐 스펙트럼 장애 (ASD)
Aversive (adj)	An unwanted stimulus designed to change an individual's behavior through punishment. These should rarely be used in the treatment of autism. <sup>1</sup>	혐오성/유해 자극
Behavior Intervention Plan (BIP) (n)	A plan to improve an individual's behavior, created based on the results of a Functional Behavior Assessment. <sup>1</sup>	행동 중재 계획 (BIP)
Behavioral disorder (n)	A condition in which behavior significantly deviates from acceptable norms. <sup>1</sup>	행동 장애
Biomarker (n)	An indicator of a certain biological state. <sup>1</sup>	바이오마커
Bipolar disorder (n)	A brain disorder that causes unusual shifts in mood, energy, activity levels, and the ability to carry out day-to-day tasks; also known as manic-depressive illness. <sup>1</sup>	양극성 장애/조울증

Term	Definition	Translation
Board Certified Behavior	A professional certified to provide ABA therapy by	국제 응용 행동분석학회
Analyst (BCBA) (n)	the Behavior Analyst Certification Board (BACB). <sup>1</sup>	(BCBA)
Body language (n)	A form of non-verbal communication that is an	신체 언어
, , , , , , , , , , , , , , , , , , , ,	important part of social communication. It includes	
	things like gestures (head nodding or shaking),	
	personal space, facial expressions, and eye contact. <sup>5</sup>	
Case manager (n)	A professional from a school or service agency such	사례 관리자
	as the Department of Developmental Disabilities	
	who serves as a direct contact for families and helps	
	gather resources, team members and ideas. <sup>1</sup>	
Catatonia (n)	A state in which a person does not move and does not respond to others. <sup>1</sup>	긴장증
Challenging behaviors (n)	Behaviors that are destructive and harmful to the	도전적 행동
	individual or others (e.g., hitting, biting, running	
	away), that prevent learning and cause others to	
	label or isolate the individual for being odd or different. <sup>1</sup>	
Civil commitment (n)	A legal process in which an individual experiencing a	민사적 감금제도
	mental health crisis is ordered into treatment	
	against his or her will, including to a hospital. <sup>1</sup>	
Cognitive behavioral	Type of therapy designed to help improve an	인지 행동 치료
therapy (n)	individual's inappropriate or challenging behaviors	
	by replacing the negative thoughts that cause these	
	behaviors with positive thoughts. <sup>1</sup>	
Cognitive development (n)	How children learn to think, interpret information, make decisions, and solve problems. Areas of	인지 발달
(1)	cognitive development include verbal reasoning (using	
	language), non-verbal reasoning (using visual/spatial	
	information), as well as executive	
	control/functioning. <sup>2</sup>	
Communication (n)	The developmental area that involves skills which	의사소통
	enable people to understand (receptive	-1-10
	communication) and share (expressive	
	communication) thoughts and feelings. Waving	
	goodbye, smiling, nodding, making eye-contact, using	
	spoken language, following directions, and reading	
	and writing are examples of communication. <sup>2</sup>	
Communication disorder	Difficulty with understanding and/or expressing	의사소통 장애
(n)	messages. <sup>2</sup> Communication disorders include	
	problems with hearing, with making speech sounds	
	(articulation), with having a clear voice (voice disorders), stuttering (fluency disorders), difficulty	
	learning, knowing, and using grammar (language	
	disorders), difficulty using language to get things done	
	(social communication or pragmatic language	
	disorders), and using language to learn (language-	
	based learning disabilities such as dyslexia). <sup>2</sup>	
Comorbid (adj)	Pertaining to a disease or disorder that occurs	동반이환
	simultaneously with another. <sup>1</sup>	

Term	Definition	Translation
Compulsion (n)	The drive to do something in particular or in a particular way, such as the need to straighten all the forks at the dinner table. <sup>1</sup>	강제
Conservatorship (n)	The legal right given to a person to be responsible for the assets and finances of a person deemed fully or partially incapable of providing these necessities for himself or herself. <sup>1</sup>	후견인 제도
Crisis plan (n)	A document that outlines in specific detail the necessary strategies and steps that must be taken when a crisis occurs. <sup>1</sup>	위기 관리 대책
Data analysis (n)	The process of thoroughly inspecting information related to challenging behaviors in order to draw out useful information and conclusions that may result in strategies to improve behavior. <sup>1</sup>	데이터 분석
De-escalation (n)	The process of stopping a challenging behavior or crisis from intensifying and calming the situation. <sup>1</sup>	단계적 축소
Depression (n)	A mood disorder in which feelings of sadness, anger, or frustration interfere with everyday life for an extended period of time. <sup>1</sup>	우울증
Developmental assessment (n)	A structured evaluation of a child's development in one or more areas including cognitive, language, motor, social/emotional, and adaptive. Professionals that conduct developmental assessments include developmental behavioral pediatricians, psychologists, speech language pathologists, occupational therapists, physical therapists, educators, and audiologists. Types of tests that are used during developmental assessments include interview, observation, questionnaires, standardized tests, and non- standardized tests. <sup>2</sup>	발달 검사
Developmental delay (n)	The term used to describe the condition of an infant or young child who is not achieving new skills in the typical time frame and/or is exhibiting behaviors that are not appropriate for his or her age. Some children who are developmentally delayed eventually have a specific diagnosis of a particular developmental disability. Other children with delays catch up with their typically developing peers. <sup>2</sup>	발달 지연
Developmental Disability (DD) (n)	A severe chronic disability that is attributed to a physical or mental impairment, other than the sole diagnosis of mental illness, or to a combination of mental and physical impairments, is manifested before the individual attains the age of 22, is likely to continue indefinitely, results in the inability to live independently without external support or continuing and regular assistance, reflects the need for a combination and sequence of special, interdisciplinary, or generic care, treatment, or other services that are planned and coordinated for that individual. <sup>2</sup>	발달 장애 (DD)

Term	Definition	Translation
Developmental pediatrician (n)	Also known as a developmental-behavioral pediatrician, these professionals have training and experience to assess and treat a wide range of medical and psychosocial aspects of a child's developmental and behavioral difficulties. Their expertise may make them a good choice for children with complicated medical or developmental problems. <sup>2</sup>	발달 장애 소아과 의사
Differential diagnosis (n)	Distinguishing between two or more diseases with similar symptoms to identify which is causing distress or challenging behavior. <sup>1</sup>	감별 진단
Disruption (n)	An event that causes an unplanned deviation from a situation. <sup>1</sup>	중단
Down syndrome,	The most common and readily identifiable	다운증후군 또는
also known as trisomy 21 (n)	chromosomal condition associated with intellectual disability. Children with Down syndrome typically have developmental delays, but this can range from mild to severe. Common physical signs of Down syndrome include decreased muscle tone; short neck; flattened facial profile and nose; small head, ears, and mouth; upward slanting eyes; white spots on the colored part of the eye (called Brushfield spots); wide, short hands with short fingers; a single, deep, crease across the palm of the hand; a deep groove between the first and second toes. <sup>2</sup>	21 삼체성
Dual diagnosis (n)	The identification of an additional mental health disorder individuals with developmental disabilities. <sup>1</sup>	이중 진단
Dysarthria (n)	A term used to describe the impact on speech production of muscle weakness and/or reduced muscle control due to neural damage. <sup>2</sup>	구음 장애
Dyspraxia (n)	A condition characterized by a difficulty with planning and performing coordinated movements although there is no apparent damage to muscles. Dyspraxia can impact any motor system and will be described based on the motor system affected (e.g., upper limb dyspraxia, speech/verbal dyspraxia). The term "apraxia" is often used as a synonym for dyspraxia. <sup>2</sup>	통합 운동 장애
Early intervention (n)	Programs or services designed to meet the developmental needs of infants and toddlers (birth to three years old) and their families.	조기 중재
Echolalia or Echophrasia	The immediate and involuntary repetition of words or	반향 언어 또는 음성
(n)	phrases just spoken by others, often a symptom of autism or some types of schizophrenia. Also called echophrasia. <sup>3</sup>	모방
Elopement (n)	A situation in which an individual leaves a safe place, a caretaker, or supervised situation, either by "bolting," wandering or sneaking away. <sup>1</sup>	도피
Epilepsy (n)	A brain disorder in which a person has repeated seizures (episodes of disturbed brain activity or convulsions) over time. <sup>1</sup>	뇌전증
Escalating (v)	Increasing or worsening rapidly. <sup>1</sup>	단계적으로 확대하다

Term	Definition	Translation
Evidence-Based Practice (EBP) (n)	A teaching strategy or practice that has been proven through research studies to improve skills or behaviors for a certain population. <sup>5</sup>	근거 기반 실무 (EBP)
Executive control / executive functioning (n)	A group of skills that helps people plan, organize, control behavior, focus on multiple streams of information at the same time, self-monitor, and revise action plans as necessary. Acquiring these skills is one of the most important tasks of the early childhood years. <sup>2</sup>	집행 관리 / 집행 기능
Extinction (n)	A response used to eliminate a behavior that involves ignoring a mild behavior when it is used for attention. <sup>1</sup>	소거
Extinction burst (n)	Short term response to extinction in which there is a sudden and temporary increase in the response's frequency, followed by an eventual decline. <sup>1</sup>	소거 격발
Face blindness (n)	An impairment in the recognition of faces. <sup>1</sup>	안면 인식 장애
Fading (v)	Gradually reducing the number of prompts or types of prompts to encourage more independence for the learner. <sup>5</sup>	줄이다
Fecal digging (v)	The process in which an individual puts his fingers into his rectum. <sup>1</sup>	분변을 파내다
Fecal smearing (v)	The process in which feces are spread on property or the individual himself. <sup>1</sup>	분변을 도말하다
Fetal Alcohol Spectrum Disorder (FASD) (n)	Children whose mothers drank during pregnancy, and who have developmental impairment may be diagnosed with one of several FASDs. The developing brain is the organ most vulnerable to prenatal alcohol exposure, but the range of impact of prenatal alcohol exposure includes both physical and neurodevelopmental impairment. These can include growth difficulty, minor facial anomalies, general developmental delays, seizures, learning disabilities, ADHD, executive functioning and processing challenges, as well as mental health or behavioral challenges. The most severe FASD is Fetal Alcohol Syndrome (FAS – see FAS), but other FASDs are far more common. <sup>2</sup>	태아 알코올 스펙트럼 장애 (FASD)
Fetal Alcohol Syndrome (FAS) (n)	A permanent birth defect syndrome caused by maternal drinking during pregnancy. FAS is characterized by growth deficiency; a cluster of 3 minor facial abnormalities including a thin upper lip, a smooth philtrum (i.e., the groove between nose and upper lip); small eyes; and significant abnormalities in brain development. FAS is the leading preventable cause of intellectual disability and other neurodevelopmental conditions. <sup>2</sup>	태아 알코올 증후군 (FAS)
Function of behavior (n)	The purpose or reason behind a specific behavior for an individual. <sup>1</sup>	행위 기능

Term	Definition	Translation
Functional Behavior Analysis (FBA) (n)	The process of systematically determining the function of behaviors, usually inappropriate, that are displayed by people. Behaviors are defined, measured, and analyzed in terms of what happened before and after their occurrence. Over time the events before and after the behavior occurs are systematically changed in order to determine the function of the behavior for the person displaying it. <sup>2</sup>	기능적 행동 분석
Functional communication (n)	Effective and appropriate communication that an individual uses across his daily activities to meet his or her needs. <sup>1</sup> Can be verbal or non-verbal.	기능적 의사소통
Generalization (n)	The ability to use a target skill or behavior across the intervention timespan or timeframe, setting, and individuals (e.g., teachers, peers, parents). For example, when teaching a child to greet others, a teacher may initially implement the intervention when the student first enters classroom. Although the child may begin to independently greet others in the context of entering the classroom, she may not be able to do so when coming home from or entering a different room in the school. If she can greet others across settings and individuals, then she has engaged in generalization of the skill. <sup>5</sup>	일반화
Gestures (n)	Body and hand movements used to communicate. Examples include pointing, waving, opening arms to demonstrate something is "big," banging a fist on a table to emphasize a point or show anger, etc. <sup>5</sup>	제스처/몸짓
Guardianship (n)	The legal right given to a person to be responsible for the food, health care, housing, and other necessities of a person deemed fully or partially incapable of providing these necessities for himself or herself. <sup>1</sup>	후견법인
Hypersensitivity (n)	Overly intense or exaggerated response to sensation. It may include defensive responses (like covering ears in anticipation of a sound, pulling away quickly when touched lightly) or disliking or avoiding of certain situations that involve an undesirable sensory experience (like avoiding public restrooms because the toilet flushing is aversive). <sup>5</sup>	과민성
Hyposensitivity (n)	Under exaggerated response to sensation. May include lack of response entirely or a reduced or slower response than expected. A child with hyposensitivity may not stop working and turn around when their name is called, may not seem to notice that another child ran into them, may smile, or laugh several seconds after you tickle them, may cry several seconds after getting hurt or not at all, etc. <sup>5</sup>	과민성 감퇴

Term	Definition	Translation
Idiosyncratic language/ vocabulary (n)	Using language in unusual ways that may not be obvious to the communication partner. This includes using scripts from previous conversations or media applied to different contexts like saying "C is for cookie" to express that they like something. Or "Dora loves waterfall!" to request to take a bath/shower. <sup>5</sup>	특이한 언어/어휘
Incontinence (n)	The (usually) involuntary passing of feces or urine, generally not into a toilet or diaper. <sup>1</sup>	실금
Individualized Education Program (IEP) (n)	A written statement of a child's current level of development (abilities and impairments) and an individualized plan of instruction, including the goals, the specific services to be received, the people who will carry out the services, the standards, and timelines for evaluating progress, and the amount and degree to which the child will participate with non- handicapped peers at school. The IEP is developed by the child's parents and the professionals who evaluated the child. It is required by the Individuals with Disabilities Education Act (IDEA) for all children in special education, ages three years and up. <sup>2</sup>	개별화 교육 프로그램 (IEP)
Individualized Family Service Plan (IFSP) (n)	A written plan describing the infant's or toddler's current level of development, the family's strengths and needs related to enhancement of the infant's or toddler's development, goals for the child and the other family members (as applicable), including the criteria, procedures and time lines used to evaluate progress (the IFSP should be evaluated and adjusted at least once a year and reviewed at least every six months), and the specific early intervention services needed to meet the goals (including the frequency and intensity and method of delivering services, the projected date of initiating services and the anticipated duration of services). The IFSP is developed and implemented by the child's parents and a multidisciplinary early intervention team (IFSP Team). The Individualized Family Service Plan is required by the Individuals with Disabilities Education Act (IDEA) for all infants and toddlers receiving early intervention services. <sup>2</sup>	개별화 가족 서비스 계획안 (IFSP)
Individuals with Disabilities Education Act (IDEA) (n)	The federal law reauthorized in 2004 that amends the Education for All Handicapped Children Act (Public Law 94-142). Part C of the law focuses on services to infants and toddlers who are at-risk or have developmental disabilities. <sup>2</sup>	특수 교육법 (IDEA)

Term	Definition	Translation
Intellectual disability (n)	Characterized by significantly impaired intellectual functioning, existing concurrently with related limitations in two or more of the following applicable adaptive skill areas: communication, self-care, home living, social skills, community use, self-direction, health and safety, functional academics, leisure, and work. <sup>2</sup>	지적 장애
Interdisciplinary evaluation team (n)	A group of health care professionals from diverse disciplines who form a team to work collaboratively in conducting a cohesive patient evaluation. <sup>2</sup>	전문가 평가단
Intervention (n)	A strategy or process put in place in order to improve or modify an individual's behavior e.g., medication, Applied Behavior Analysis). <sup>1</sup>	중재
Involuntary commitment (n)	A legal process in which an individual experiencing a mental health crisis is ordered into treatment against his or her will, including to a hospital. <sup>1</sup>	비자발적 입원
Joint attention (n)	A set of early social communication skills used to show and/or share interest about an outside object or event with a communication partner. They include initiating joint attention where the child shifts their gaze and/or gestures toward an object with the goal of getting another person to notice it. They also include responding to gaze shifts and gestures from other people so that they can learn what others find interesting. <sup>5</sup>	공동 주의
Language delay (n)	A disorder in which a learner's ability to understand and/or use language is behind what would be expected based on their age. <sup>5</sup>	언어 발달 지연
Language disorder (n)	In children, this could mean trouble getting their meaning or message across to others (expressive language disorder), or understanding messages coming from others (receptive language disorder), as well as difficulty using language to get things done (pragmatic language/social communication disorder). <sup>2</sup>	언어 발달 장애
Learning disability (n)	A disorder that affects how a person learns and understands primary skills such as reading, writing and math. <sup>2</sup>	학습 장애
Least Restrictive Environment (LRE) (n)	The educational setting that permits a child with disabilities to derive the most educational benefit while participating in a regular educational environment to the maximum extent appropriate. It is presumed that a child with a disability will be educated in the general education classroom, with appropriate supports, unless the IEP Team deems another setting as more appropriate. LRE is a requirement under the IDEA. <sup>2</sup>	최소 제한 환경 (LRE)
Maladaptive behavior (n)	A type of behavior that is often used to reduce anxiety, but whose result does not provide adequate or appropriate adjustment to the environment or situation. <sup>1</sup>	부적응 행동

Term	Definition	Translation
Medicaid (n)	A government program that provides healthcare coverage for low-income families and individuals with disabilities in the United States. <sup>1</sup>	메디케이드
Medical home (n)	A team-based healthcare delivery model led by a physician that provides comprehensive and continuous medical care to patients. <sup>1</sup>	환자 중심 의료 가정
Mental health hold (n)	Involuntary hospitalization due to a mental health crisis. <sup>1</sup>	정신 건강 억류/정신병 억류
Motor skill (n)	The learned ability to perform movements, such as holding the body upright to sit, using the hands to manipulate small items, scooping food onto a spoon and bringing it to the mouth, and moving the lips and tongue to articulate different sounds. Fine motor skills involve use of the small muscles of the body while gross motor skills are associated with large muscle movements. <sup>2</sup>	운동 기능
Neurodevelopmental conditions (n)	Problems affecting the development of the central nervous system or brain, resulting in delayed or unusual motor, speech, social or learning deficits.	신경발달 조건
Nonverbal communication (n)	Any form of or attempt at unspoken or "physical" communication. Examples are temper tantrums, gestures, pointing and leading another person to a desired object. <sup>2</sup>	비언어적 의사소통
Nutritionist (n)	Nutrition services are provided by Registered Dietitian Nutritionists (RDNs). The nutritionist evaluates the child's growth, energy intake, and nutritional status to make sure they are getting appropriate nutrients from their diet. A nutritionist often will work with a feeding therapist (e.g., speech or occupational therapist), to develop a plan when feeding problems are suspected. <sup>2</sup>	영양사
Obsession (n)	A repetitive thought or feeling dominated by a particular idea, image, or desire, such as a person who only wants to talk about elevators. <sup>1</sup>	강박/집착
Obsessive Compulsive Disorder (OCD) (n)	An anxiety disorder in which people have unwanted and repeated thoughts, feelings, ideas, or sensations (obsessions) that make them feel driven to do something (compulsions). <sup>1</sup>	강박 장애 (OCD)
Occupational Therapist (OT) (n)	A skilled healthcare provider that assists people across the lifespan participate in the things they want and need to do through the therapeutic use of everyday activities (occupations). Occupational therapy benefits individuals who have physical, developmental, or cognitive limitations. With children, treatment is geared toward development of fine motor skills (e.g., writing, cutting), gross motor skills (e.g., climbing stairs, jumping), self-care (e.g., dressing, eating), and play. OT is the primary profession that addresses sensory processing differences. <sup>2</sup>	작업 치료사 (OT)

Term	Definition	Translation
Ototoxic (n)	Damaging to the ears, causing sound sensitivities, dizziness, or balance issues. <sup>1</sup>	이독성/귀독성
Overcorrection (n)	A punishment mechanism for a challenging behavior that involves requiring an individual to engage in repetitive behavior to an excessive extent in an attempt to prevent the behavior from reoccurring. <sup>1</sup>	과잉 수정
Pediatric Autoimmune	A subset of children and adolescents who have	연쇄구균 감염 관련
Neuropsychiatric	Obsessive Compulsive Disorder (OCD) and/or tic	소아기 자가면역성
Disorders Associated with Streptococcal infections	disorders, and in whom symptoms worsen following	
(PANDAS) (n)	infections such as strep throat and scarlet fever. <sup>1</sup>	신경정신과적 질환 (PANDAS)
Phenylketonuria (PKU) (n)	An inherited disorder that increases the levels of a substance called phenylalanine in the blood. Phenylalanine is found in food proteins and in some artificial sweeteners. If PKU is not treated, phenylalanine can build up to harmful levels in the body, causing intellectual disability and other serious health problems such as seizures, delayed development, behavioral problems, and psychiatric disorders. <sup>2</sup>	페닐케톤뇨증 (PKU)
Physical Therapist (PT) (n)	A healthcare team member who treats conditions that limit the ability to move and perform functional activities of daily life. Physical therapists provide services to improve body structures (e.g., muscles), enhance functional activities (e.g., walking), and promote improved participation in daily life. Goals for children may include developing improved strength, range of motion, coordination, balance, and acquisition of new motor skills. <sup>2</sup>	물리 치료사 (PT)
Pica (n)	An eating disorder that involves eating things that are not food (e.g., dirt, plastic). <sup>1</sup>	이식증/무분별 탐식증
Picture Exchange Communication Systems (PECS) (n)	A unique augmentative/alternative communication intervention package that involves teaching an individual to give a picture of a desired item to a "communicative partner," and goes on to teach discrimination of pictures and how to put them together in sentences. <sup>1</sup>	그림교환 의사소통 체계 (PECS)
Polypharmacy (n)	The use of multiple medications by a patient. <sup>1</sup>	다제 약물 병용
Positive Behavior Supports (PBS) (n)	An approach to helping people improve their difficult behavior by understanding what is causing it, and then developing strategies to increase positive behaviors. <sup>1</sup>	긍정적 행동지원 (PBS)
Post-Traumatic Stress Disorder (PTSD) (n)	An anxiety disorder that can occur after witnessing or experiencing a traumatic event. <sup>1</sup>	외상 후 스트레스 장애 (PTSD)
Prematurity (n)	A premature birth is a birth that takes place more than three weeks before a baby is due. Normally, a pregnancy lasts about 40 weeks, so a premature birth is one occurring before the start of the 37 <sup>th</sup> week of pregnancy. <sup>2</sup>	미숙

Term	Definition	Translation
Prompting (v)	Any help given to a learner to assist in using a specific skill or behavior. Prompts can come in many different forms including visual, verbal, gestural, models, and partial or full physical. <sup>5</sup>	고취시키다
Psychologist (n)	Someone with a PhD or PsyD, trained in the evaluation, study and/or treatment of psychiatric and cognitive disorders. A school psychologist is a professional trained in psychology and education who collaborates with children, educators, parents, and other professionals to create healthy and supportive learning environments for students based on careful evaluation of cognitive, executive, and adaptive skills. <sup>2</sup>	심리학자
Psychosis (n)	A loss of contact with reality that usually includes delusions and hallucinations. <sup>1</sup>	정신증
Psychotropic (adj)	A medication or intervention that affects brain activity, behavior, or perception. <sup>1</sup>	향정신성
Puberty (n)	The process of physical changes that occur when a child's body matures into an adult. <sup>1</sup>	사춘기
Red flags (n)	Behaviors that cause caregivers concern in an area of a child's development. They warn you to stop, look, and think, and then observe and document. <sup>2</sup>	적신호
Reinforce (v)	To strengthen with additional material or support. <sup>1</sup>	강화하다
Reinforcement strategies (n)	Methods used to promote or increase positive behavior by providing motivating reinforcers, such as praise, a favorite toy, a cookie, or a preferred activity. Also called a "reward" or an "incentive."	강화 전력
Resilience (n)	An ability to recover from or adjust easily to change or a difficult situation. <sup>1</sup>	회복력
Respite care (n)	A service that provides short-term breaks that can relieve stress, restore energy, and promote balance for caregivers. <sup>1</sup>	일시적 위탁
Restraints (n)	Physical restrictions immobilizing or reducing the ability of an individual to move their arms, legs, body, or head freely. This can be someone holding a person so they cannot move, or it can be an item that restrains their body such as a device that holds their hands or bodies down. <sup>1</sup>	강박
Restricted or repetitive behaviors or interests (n)	Topics or tangible items that individuals with autism pursue with great intensity and focus for long durations of time. <sup>4</sup>	제한적 반복 행동과 관심
Reward (n)	A prize, token, or preferred activity given to an individual for good behavior, designed to promote the same behavior in the future. <sup>1</sup>	보상
Risk factor (n)	Conditions that increase the likelihood of aggression. <sup>1</sup>	위험 인자
Ritual (n)	A repetitive behavior that a person appears to use in a systematic way in order to promote calm or prevent anxiety, such as arranging all the pillows in a certain way before being able to settle in to sleep. <sup>1</sup>	의례

Term	Definition	Translation
Rumination (n)	The practice of (voluntarily or involuntarily) spitting up partially digested food and re-chewing it, then swallowing again or spitting it out. Rumination often seems to be triggered by reflux or other gastrointestinal concerns. <sup>1</sup>	반추
Schizophrenia (n)	A chronic, severe, and disabling brain disorder that makes it hard for individuals to think clearly and tell the difference between what is real and not real. <sup>1</sup>	정신분열증/조현병
Screening test or tool (n)	An evaluation tool to identify children who are at-risk for having or developing a developmental disability. This is different from a diagnostic tool that is used to determine if a person has, or does not have, a neurodevelopmental disability. <sup>2</sup>	선별검사 또는 도구
Seclusion (n)	A situation in which an individual is isolated in a room in response to a behavior they have exhibited. <sup>1</sup>	고립
Sedating (v)	Calming, sleep-inducing, or numbing an individual experiencing challenging behaviors or struggling during difficult situations. <sup>1</sup>	진정시키다
Seizure disorder (n)	A seizure disorder, which can also be called epilepsy, is a disorder in which brain activity is disturbed and causes seizures. There are many types of seizures. Some involve uncontrollable jerking movements or losing awareness, but some can just look like a staring spell. <sup>5</sup>	발작 장애
Self-advocacy (n)	The ability of an individual to communicate his or her wants and concerns and make his or her own decisions. <sup>1</sup>	자기 옹호
Sensory avoidance (n)	Blocking or staying away from something that is painful or bothersome. <sup>1</sup>	감각 회피
Sensory defensiveness (n)	A tendency to react negatively or with alarm to sensory input which is generally considered harmless or non-irritating. <sup>1</sup>	감각 방어
Sensory input (n)	Any source that creates sensation and activates one or more of the senses -vision, smell, sound, taste, and touch. <sup>1</sup>	감각 입력신호
Sensory processing disorder (n)	Refers to difficulty detecting, organizing, or responding to sensory information received and interpreted in the brain via all seven senses <u>and</u> that interferes with participation in daily life, development, behavior, and social interactions. <sup>2</sup>	감각 처리 장애
Sensory-seeking behavior (n)	Behaviors caused by a need for additional stimulation of certain senses as a way of maintaining attention or achieving a calmer state. <sup>1</sup>	감각 탐색 행동
Sleep apnea (n)	A usually chronic, common disorder in which an individual has one or more pauses in breathing or shallow breaths up to 30 or more times per hour during sleep, and results in daytime sleepiness. <sup>1</sup>	수면 무호흡증

Term	Definition	Translation
Sleep disturbances (n)	Sleep disturbances can include a variety of issues including difficulties falling asleep or staying asleep, being on different sleep rhythms (e.g., awake at night), or needing increased amounts of sleep. <sup>5</sup>	수면 장애
Social communication disorder (n)	Applies to children who have deficits in the social use of language, but do not have the restricted interests or repetitive behavior commonly found in autism spectrum disorders. <sup>2</sup>	사회적 의사소통 장애
Social reciprocity (n)	The primary component of healthy social development – acts of kindness – interactions. It is about "joint attention" where there is purposeful language including body language and pretend play. Lack of social reciprocity is a key red flag, whether the child is not engaged in the world around him. This concern should not be ignored. <sup>2</sup>	사회적 호혜성
Social work or social worker (n)	Social work practice is aimed at assisting individuals, groups, or communities to enhance or restore their capacity for social functioning and creating societal conditions favorable to reach their goals. The primary mission of the social work profession is to enhance human well-being and help meet the basic human needs of all people, with particular attention to the needs and empowerment of people who are vulnerable, oppressed, and living in poverty. <sup>2</sup>	사회 복지 또는 사회 복지사
Special needs parent advocate (n)	An advocate for parents of children with special needs who helps ensures that the child's rights and needs are met in school and in the community. <sup>1</sup>	특수 요구 학부모 옹호자
Specific learning disability (n)	A disorder that manifests itself with a deficit in areas such as attention, reasoning, processing, memory, communication, reading, writing, spelling, calculation, coordination, social competence, and emotional maturity. Often identified by a discrepancy between school performance and the performance expected based on overall intelligence. <sup>2</sup>	특정 학습 장애
Speech generating device or Voice output technology (n)	A technological device that helps people who are unable to use speech to express their needs and exchange information with other people. <sup>1</sup>	음성 산출 기기 또는 음성 출력 장비
Speech sound disorder (n)	Speech disorders in which some speech sounds in a child's native language are not produced, not produced correctly, or are not used correctly. <sup>2</sup>	말소리 장애
Speech-language pathologist (n)	A clinician who assesses, diagnoses, treats, and helps prevent speech, language, cognitive, communication, voice, swallowing, fluency, and other related disorders. <sup>2</sup>	언어 병리학자

Term	Definition	Translation
Standardized test (n)	A test administered and scored in a consistent or standard manner. It is administered in controlled conditions that specify where, when, how, and for how long children respond to the questions. In standardized tests, the questions, conditions for administering, scoring procedures, and interpretations are consistent. A well designed standardized test provides an assessment of an individual's mastery of a domain of knowledge or skill. <sup>2</sup>	표준 시험
Staring spells (n)	Occasions when an individual is in a trance staring into space, which can often signal seizure activity. <sup>1</sup>	응시 발작
Stereotypy (n)	Repetitive or ritualistic movements such as body rocking or crossing and uncrossing of legs. <sup>1</sup>	상동증
Stimulation (n)	Excitement or activity triggered by a stimulus either internally or externally. <sup>1</sup>	자극
Supplemental Security Income (SSI) (n)	A Federal income supplement program designed to help aged, blind, and disabled people who have little or no income, and provides cash to meet basic needs for food, clothing, and shelter. <sup>1</sup>	생활 보조금 (SSI)
Tangibles (n)	Items or rewards that can be touched, such as a toy or piece of candy. <sup>1</sup>	유형
Time delay (n)	A prompting procedure that fades prompts during activities by having longer delays before a prompt is provided.	시간 지연
Tourette syndrome or Tourette's syndrome (n)	A neurological disorder characterized by tics, or repetitive, stereotyped, involuntary movements and vocalizations. <sup>1</sup>	뚜렛 증후군
Tracking scales (n)	A document or other tool used to track information such as changes in an individual's behaviors, side effects of medications, school performance, etc. <sup>1</sup>	추적 스케일
Transition plan / transition services (n)	Part of IDEA, transition services means a coordinated set of activities for a child with a disability that is results-oriented and focused on improving the academic and functional achievement of the child with a disability in order to facilitate the child's movement from school to post-school activities, including postsecondary education, vocational education, integrated employment (including supported employment), continuing and adult education, adult services, independent living, or community participation. Transition services will be based on the individual child's needs, taking into account the child's	전환 계획/전환 서비스
TRICARE (n)	The health care program for Uniformed Service members, retirees, and their families worldwide. <sup>1</sup>	트라이케어

Term	Definition	Translation
Visual cues (n)	An image or symbol presented to the learner that either prompts him to complete the target behavior/skill or assists in supporting the understanding of a particular activity, instruction, or direction. Visual cues can be used as prompts or supports. <sup>5</sup>	시각적 단서
Visual schedules (n)	A display that shows the activities of a day or steps of an activity to support the learner in moving between activities or through activities. The displays can be made from objects, pictures, photos, or written text, and may be created for a full day, part of a day, or just the next two activities. <sup>5</sup>	시각적 스케줄
Vocational rehabilitation (n)	A state and federally funded program designed to help people with disabilities become employed and to help those already employed perform more successfully through training, counseling, and other support methods.	직업 재활
Voice output technology or Voice output communication aid or Speech generating device (n)	A technological device that helps people who are unable to use speech to express their needs and exchange information with other people. <sup>1</sup>	음성 출력 장비 또는 음성 출력 의사소통 보조기 또는 음성 생성 기기
Wraparound (n)	An integrated, multi-agency, community-based planning process designed to build teams of providers, family members and natural supports to help keep complex youth in their homes and communities. <sup>1</sup>	랩어라운드

### References

- <sup>1</sup> The definition for these terms were taken from "Challenging Behaviors Glossary" published in 2012 by Autism Speaks. This glossary is part of a downloadable toolkit available at: <u>https://www.autismspeaks.org/tool-kit/challenging-behaviors-tool-kit</u>
- <sup>2</sup> The definitions for these terms were taken from "Glossary of Terms Related to Neurodevelopmental Disabilities" by John Thorne, PhD, CCC-SLP. The "Glossary of Terms Related to Neurodevelopmental Disabilities" was adapted by John Thorne, PhD, CCC-SLP, from a number of in-depth resources (12/16) including: <u>http://www.inclusivechildcare.org/inclusion\_glossary.cfm</u> <u>http://www.ddrcco.com/resources-and-training/glossary-of-developmental-disability-terms.php</u> <u>http://autismnow.org/at-home/learn-and-understand-autism/autism-and-developmentaldisabilities-glossary/</u> <u>http://www.gennextmsp.org/wp-content/uploads/2015/05/ECS-Glossary-May2015.pdf</u> <u>http://www.ncca.biz/Aistear/pdfs/PrinciplesThemes\_ENG/Glossary\_ENG.pdf</u> <u>http://www.johnson-center.org/downloads/pdfs/What\_is\_a\_Standardized\_Test.pdf</u>
- <sup>3</sup> The definition was taken from The American Heritage<sup>®</sup> Stedman's Medical Dictionary. Copyright ©2002,2001, 1995 by Houghton Mifflin Company. Published by Houghton Mifflin Company.
- <sup>4</sup> DSM-IV, 1994.
- <sup>5</sup> Excerpted from Steinbrenner, J., Sam, A., Chin, J., Morgan, W., & AFIRM for Paras Team.
   (2019). *Introduction to ASD*. FPG Child Development Institute, University of North Carolina. Retrieved from <u>https://afirm.fpg.unc.edu/introduction-asd</u>

#### More information is available at:

<u>Autism Society</u>

Founded in 1965 by Dr. Bernard Rimland, Dr. Ruth Sullivan and many other parents of children with autism, the Autism Society is the leading source of trusted and reliable information about autism. Through its national network, the Autism Society has spearheaded numerous pieces of federal, state and local legislation, including the 2006 Combating Autism Act, the first federal autism-specific law. The Autism Society's website is one of the most visited websites on autism in the world and our on-line resource database, <u>Autism Source™</u>, and National Contact Center (800-3-AUTISM) provide information and service referrals to thousands of people each year. Look online at <u>https://www.autism-society.org/</u>.

<u>Autism Speaks</u>

Autism Speaks was founded in February 2005 by Bob and Suzanne Wright, grandparents of a child with autism. Recognizing the need for a powerful voice Bernie Marcus donated

\$25 million to help financially launch the organization.

Building upon the legacy of three leading autism organizations, Autism Coalition for Research and Education (ACRE), the National Alliance for Autism Research (NAAR) and Cure Autism Now (CAN), who merged with the organization, Autism Speaks has made extraordinary advancements in the autism community.

Chief among these are increased global awareness of autism, better understanding of the breadth of the autism spectrum, and advocacy to increase research and access to care and support.

Today, Autism Speaks is dedicated to advancing research into causes and better treatments for autism spectrum disorders and related conditions both through direct funding and collaboration.

Look online at https://www.autismspeaks.org/.

• Centers for Disease Control and Prevention (CDC)

CDC <u>works 24/7</u> to protect America from health, safety, and security threats, both foreign and in the U.S. Whether diseases start at home or abroad, are chronic or acute, curable or preventable, human error or deliberate attack, CDC fights disease and supports communities and citizens to do the same.

CDC increases the health security of our nation. As the nation's health protection agency, CDC saves lives and protects people from health threats. To accomplish our mission, CDC conducts critical science and provides health information that protects our nation against expensive and dangerous health threats, and responds when these arise.

Look online at: <u>https://search.cdc.gov/search/index.html?query=autism%20spectrum%20disorder</u>

## Index

#### Α

A-B-C analysis	.7
Abstract language	.7
Adaptive behavior or adaptive skills	
Age of majority	.7
Anxiety disorder	.7
Applied Behavior Analysis (ABA)	.7
Apraxia	.7
Attention Deficit Hyperactivity Disorder (ADHD)	.8
Audiologist	.8
Augmentative and Alternative Communication (AAC)	
Autism Spectrum Disorder (ASD)	.8
Aversive	.8

#### В

Behavior Intervention Plan (BIP)	8
Behavioral disorder	8
Biomarker	8
Bipolar disorder	8
Board Certified Behavior Analyst (BCBA)	9
Body language	9

#### С

Case manager	9
Catatonia	9
Challenging behaviors	9
Civil commitment	9
Cognitive behavioral therapy	9
Cognitive development	9
Communication	9
Communication disorder	9
Comorbid	9
Compulsion	10
Conservatorship	10
Crisis plan	10

#### D

Data analysis	10
De-escalation	
Depression	
Developmental assessment	
Developmental delay	

Developmental Disability (DD)	
Developmental pediatrician	
Differential diagnosis	
Disruption	
Down syndrome (Trisomy 21)	
Dual diagnosis	
Dysarthria	
Dyspraxia	

#### Ε

Early intervention	
Echolalia or Echophrasia	11
Elopement	
Epilepsy	11
Escalating	11
Evidence-Based Practice (EBP)	12
Executive control / executive functioning	12
Extinction	12
Extinction burst	12

#### F

Face blindness	
Fading	
Fecal digging	
Fecal smearing	
Fetal Alcohol Spectrum Disorder (FASD)	
Fetal Alcohol Syndrome (FAS)	
Function of behavior	
Functional Behavior Analysis (FBA)	
Functional communication	

#### G

Generalization	
Gestures	
Guardianship	13

#### Н

Hypersensitivity	
Hyposensitivity	

#### 1

Idiosyncratic language/ vocabulary	14
Incontinence	14
Individualized Education Program (IEP)	14
Individualized Family Service Plan (IFSP)	
Individuals with Disabilities Education Act (IDEA)	14
Intellectual disability	15

Interdisciplinary evaluation team	
Intervention	
Involuntary commitment	15
J	
Joint attention	15
L	
Language delay	15
Language disorder	15
Learning disability	
Least Restrictive Environment (LRE)	15
Μ	
Maladaptive behavior	15
Medicaid	
Medical home	16
Mental health hold	16
Motor skill	16
Ν	
Neurodevelopmental conditions	
Nonverbal communication	
Nutritionist	
0	
Obsession	16
Obsession	
Occupational therapist (OT)	
Ototoxic	
Overcorrection	
P	
Pediatric Autoimmune Neuropsychiatric Disorders Associated with Streptococcal infections (PANDAS)	17
Phenylketonuria (PKU)	17
Physical therapist (PT)	17
Pica	
Picture Exchange Communication Systems (PECS)	
Polypharmacy	
Positive Behavior Supports (PBS)	
Post-Traumatic Stress Disorder (PTSD)	
Prematurity	
Prompting	
Psychologist	
Psychosis	
Psychotropic	
Puberty	

#### R

Red flags	
Reinforce	18
Reinforcement strategies	
Resilience	18
Respite care	18
Restraints	
Restricted or repetitive behaviors or interests	
Reward	18
Risk factor	
Ritual	
Rumination	19

#### S

Schizophrenia	19
Screening test or tool	
Seclusion	
Sedating	19
Seizure disorder	
Self-advocacy	
Sensory avoidance	
Sensory defensiveness	
Sensory input	19
Sensory processing disorder	19
Sensory-seeking behavior	
Sleep apnea	
Sleep disturbances	20
Social communication disorder	20
Social reciprocity	20
Social work or social worker	20
Special Needs Parent Advocate	20
Specific learning disability	20
Speech generating device	20
Speech sound disorder	20
Speech-language pathologist	20
Standardized test	21
Staring spells	21
Stereotypy	21
Stimulation	21
Supplemental Security Income (SSI)	21

#### Т

Tangibles	21
Time delay	21
Tourette syndrome or Tourette's syndrome	21
Tracking scales	
0	

TRICARE	Transition plan / transition services	21
Visual cues	TRICARE	21
Visual schedules	V	
Vocational rehabilitation	Visual cues	
W	Visual schedules	22
	Vocational rehabilitation	
Wraparound	W	
	Wraparound	