



**The National Coordinating Center for the  
Regional Genetics Networks**

**Glossaries of Genetics Terms**

**English – Tagalog**

**2023 Edition**

Compiled and edited by:  
**Cynthia E. Roat, MPH**

In collaboration with:  
**The Cross Cultural Health Care  
Program (CCHCP)**

This page intentionally left blank.

## Acknowledgments

### Mission of the NCC

The National Coordinating Center for the Regional Genetics Networks (NCC) has been funded by the Health Resources and Services Administration (HRSA) since 2004. Our mission is to improve access to genetics for underserved populations. This mission is accomplished through different programs, many of which are educational tools and resources for non-genetics professionals. Learn more at <https://nccrcg.org>.

### NCC Funding Acknowledgment

This project is supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) under Cooperative Agreement #UH9MC30770 from 6/2020-5/2024 for \$800,000 per award year. This information or content and conclusions are those of the author and should not be construed as the official position or policy of, nor should any endorsements be inferred by HRSA, HHS or the U.S. Government.

### Additional Acknowledgments

#### Cynthia E. Roat, MPH

Cindy Roat is an international consultant in language access in health care and patient navigation. She provides training and consulting for health care interpreters, providers, administrators, and patient navigators. Cindy compiled and edited this glossary for the NCC.

### The Cross Cultural Health Care Program

The mission of The Cross Cultural Health Care Program (CCHCP) is to serve as a bridge between communities and health care institutions to advance access to quality health care that is culturally and linguistically appropriate. CCHCP provides resources, such as bilingual medical glossaries, as well as medical interpreter, patient navigator, and cultural competence training for individuals and institutions with the goal of systems change. Learn more at:

<https://xculture.org>

CCHCP is supporting and coordinating the translation process of this glossary and is providing the glossary free of charge in its online store: <https://xculture.org/store/>

## Table of Contents

|  |           |
|--|-----------|
| <b>Glossaries of Genetics Terms</b> .....                              | <b>1</b>  |
| <b>Glossary of Autism Spectrum Disorder (ASD) Genetics Terms</b> ..... | <b>5</b>  |
| Preface .....  | 6         |
| How to Use the Glossary.....   | 6         |
| Glossary of Terms .....  | 7         |
| References .....   | 23        |
| <b>Glossary of Cancer Genetics Terms</b> .....                         | <b>25</b> |
| Preface .....  | 27        |
| How to Use the Glossary.....   | 27        |
| Glossary of Terms .....  | 29        |
| Examples of Genes That are Often Checked in Genetic Testing .....      | 41        |
| Family Relationships .....   | 42        |
| Common Interpreting Errors .....                                       | 47        |
| Analogies.....   | 48        |
| <b>Glossary of Pediatric Genetics Terms</b> .....                      | <b>49</b> |
| Preface .....  | 50        |
| How to Use the Glossary.....   | 50        |
| Glossary of Terms .....  | 51        |
| Family Relationships .....   | 69        |
| <b>Glossary of Prenatal Genetics Terms</b> .....                       | <b>75</b> |
| Preface .....  | 76        |
| How to Use the Glossary.....   | 76        |
| Glossary of Terms .....  | 77        |
| Family Relationships .....   | 91        |
| Analogies.....   | 96        |
| <b>Index</b> .....   | <b>99</b> |



**The National Coordinating Center for the  
Regional Genetics Networks**

**Glossary of  
Autism Spectrum Disorder (ASD) Genetics  
Terms**

**English – Tagalog**

**2022 Edition**

Compiled and edited by:  
**Cynthia E. Roat, MPH**

In collaboration with:  
**The Cross Cultural Health Care  
Program (CCHCP)**



## Preface

The seven Regional Genetics Networks (RGNs), the National Genetics Education and Family Support Center (Family Center), and the National Coordinating Center for the Regional Genetics Networks (NCC) mission is to improve access to quality genetic services for medically underserved populations. This bilingual glossary of terms related to Autism Spectrum Disorders (ASD) is provided to help enable access to ASD medical services to limited English proficiency populations.

## How to Use the Glossary

This glossary is organized alphabetically in English. The first column shows the term in English. The second column has the definition of the term in English. The third column has the translation of the term.

At the end of the translations is a list of references used for the definitions and places where you can find more information.

## Glossary of Terms

English – Tagalog

(n) – noun

(v) – verb

(adj) – adjective

(adv) – adverb

| Term  | Definition   | Translation  |
|---|--|--|
| <b>A-B-C analysis (n)</b>                       | An approach to understanding behavior by examining the Antecedent (the cause), the Behavior, and the Consequence (the result). <sup>1</sup>  | A-B-C na pagsusuri                                   |
| <b>Abstract language (n)</b>                    | Any vocabulary or phrases with meanings that are not clearly stated. Examples include idioms like, “it’s raining cats and dogs” or “break a leg” where the intended meaning does not match the literal meaning. There are also many examples of this in books and poetry where the author may describe something using abstract language like “it felt like a weight on my chest.” <sup>5</sup>            | Abstract na wika                                     |
| <b>Adaptive behavior or adaptive skills (n)</b> | Includes communication, self-care, home living, social skills, community use, self-direction, health and safety, functional academics, leisure, and work. These are skills that help the person be successful in their environment and are learned skills rather than innate abilities. <sup>2</sup>   | Mga pag-uugaling umaangkop o kasanayan sa pag-angkop |
| <b>Age of majority (n)</b>                      | The age established under state law when an individual is no longer a minor and has the right to make certain legal decisions without consent. <sup>1</sup>  | Legal na edad  |
| <b>Anxiety disorder (n)</b>                     | A pattern of constant worry or tension under many different circumstances. <sup>1</sup>  | Sakit sa pagkabalisa                                 |
| <b>Applied Behavior Analysis (ABA) (n)</b>      | ABA is the name of a professional field that uses principles of learning to increase performance of socially desirable behaviors. ABA practitioners carefully observe and measure behaviors and the context in which they occur in order to individualize teaching plans to improve specific behaviors. ABA is commonly used as one component in interventions for Autism Spectrum Disorders. <sup>2</sup> | Applied Behavior Analysis (ABA)                      |
| <b>Apraxia (n)</b>                              | See “Dyspraxia.” <sup>2</sup>  | Apraxia  |

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term  | Definition  | Translation                                      |
|---|---|--|
| <b>Attention Deficit Hyperactivity Disorder (ADHD) (n)</b>  | A disorder that shows up in the areas of inattention, hyperactivity, and impulsiveness. It is evidenced by frequent shifting from one activity or focus to another, having difficulty organizing and completing tasks correctly, impulsive response, or failure to follow rules. It may occur with or without hyperactivity which includes behaviors such as excessive running, talking, fidgeting, and/or restlessness. <sup>2</sup>   | Attention Deficit Hyperactivity Disorder (ADHD)  |
| <b>Audiologist (n)</b>                                      | A specialist who evaluates for hearing loss as a potential cause or contributor to developmental delay, and designs/supports interventions to minimize the impact of hearing loss when it is found. <sup>2</sup>  | Doktor sa pandinig                               |
| <b>Augmentative and Alternative Communication (AAC) (n)</b> | Any method of communicating without speech, such as by signs, gestures, picture boards, or electronic or non-electronic devices. These methods can help individuals who are unable to use speech or who need to supplement their speech to communicate effectively. <sup>2</sup>  | Augmentative and Alternative Communication (AAC) |
| <b>Autism Spectrum Disorder (ASD) (n)</b>                   | A neurodevelopmental disorder. ASD symptoms are typically evident before a child is 3 years of age. The symptoms range from mild to severe – and individuals often have varied skills levels in different domains of functioning. Autism affects the person’s overall development in 2 primary areas:<br><ol style="list-style-type: none"> <li>1. <i>social communication</i>, or the way a person uses gestures, body language, and language to communicate and interact socially and relate with others.</li> <li>2. the presence of <i>restricted, repetitive patterns of behavior, interests, or activities</i> (e.g., repetitive motor movements, echolalia/repeating speech, idiosyncratic phrases, extreme distress at small changes/difficulty with transitions, strong attachment to unusual objects/topics, adverse or intense responses to sensory input).<sup>2</sup></li> </ol> | Autism Spectrum Disorder (ASD)                   |
| <b>Aversive (adj)</b>                                       | An unwanted stimulus designed to change an individual's behavior through punishment. These should rarely be used in the treatment of autism. <sup>1</sup>   | Matinding pagtanggì                              |
| <b>Behavior Intervention Plan (BIP) (n)</b>                 | A plan to improve an individual’s behavior, created based on the results of a Functional Behavior Assessment. <sup>1</sup>  | Behavior Intervention Plan (BIP)                 |
| <b>Behavioral disorder (n)</b>                              | A condition in which behavior significantly deviates from acceptable norms. <sup>1</sup>  |  |
| <b>Biomarker (n)</b>  | An indicator of a certain biological state. <sup>1</sup>  | Biomarker  |
| <b>Bipolar disorder (n)</b>                                 | A brain disorder that causes unusual shifts in mood, energy, activity levels, and the ability to carry out day-to-day tasks; also known as manic-depressive illness. <sup>1</sup>   | Bipolar disorder                                 |
| <b>Board Certified Behavior Analyst (BCBA) (n)</b>          | A professional certified to provide ABA therapy by the Behavior Analyst Certification Board (BACB). <sup>1</sup>  | Board Certified Behavior Analyst (BCBA)          |



Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term                                    | Definition  | Translation                              |
|---|---|--|
| <b>Body language (n)</b>                | A form of non-verbal communication that is an important part of social communication. It includes things like gestures (head nodding or shaking), personal space, facial expressions, and eye contact. <sup>5</sup>   | Galaw ng katawan                         |
| <b>Case manager (n)</b>                 | A professional from a school or service agency such as the Department of Developmental Disabilities who serves as a direct contact for families and helps gather resources, team members and ideas. <sup>1</sup>  | Tagapangasiwa sa mga nangangailangan     |
| <b>Catatonia (n)</b>                    | A state in which a person does not move and does not respond to others. <sup>1</sup>  | Mga abnormalidad sa postura at paggalaw  |
| <b>Challenging behaviors (n)</b>        | Behaviors that are destructive and harmful to the individual or others (e.g., hitting, biting, running away), that prevent learning and cause others to label or isolate the individual for being odd or different. <sup>1</sup>  | Mapanghamon na mga pag-uugali            |
| <b>Civil commitment (n)</b>             | A legal process in which an individual experiencing a mental health crisis is ordered into treatment against his or her will, including to a hospital. <sup>1</sup>   | Sibil na pagpapatupad                    |
| <b>Cognitive behavioral therapy (n)</b> | Type of therapy designed to help improve an individual's inappropriate or challenging behaviors by replacing the negative thoughts that cause these behaviors with positive thoughts. <sup>1</sup>  | Therapy sa pag-uugali                    |
| <b>Cognitive development (n)</b>        | How children learn to think, interpret information, make decisions, and solve problems. Areas of cognitive development include verbal reasoning (using language), non-verbal reasoning (using visual/spatial information), as well as executive control/functioning. <sup>2</sup>   | Pag-develop ng kaisipan                  |
| <b>Communication (n)</b>                | The developmental area that involves skills which enable people to understand (receptive communication) and share (expressive communication) thoughts and feelings. Waving goodbye, smiling, nodding, making eye-contact, using spoken language, following directions, and reading and writing are examples of communication. <sup>2</sup>  | Komunikasyon                             |
| <b>Communication disorder (n)</b>       | Difficulty with understanding and/or expressing messages. <sup>2</sup> Communication disorders include problems with hearing, with making speech sounds (articulation), with having a clear voice (voice disorders), stuttering (fluency disorders), difficulty learning, knowing, and using grammar (language disorders), difficulty using language to get things done (social communication or pragmatic language disorders), and using language to learn (language-based learning disabilities such as dyslexia). <sup>2</sup> | Sakit sa kakayahang makipag-komunikasyon |
| <b>Comorbid (adj)</b>                   | Pertaining to a disease or disorder that occurs simultaneously with another. <sup>1</sup>   | Komorbid                                 |
| <b>Compulsion (n)</b>                   | The drive to do something in particular or in a particular way, such as the need to straighten all the forks at the dinner table. <sup>1</sup>  | Sapilitan                                |

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term                                     | Definition  | Translation                   |
|--|---|-------------------------------|
| <b>Conservatorship (n)</b>               | The legal right given to a person to be responsible for the assets and finances of a person deemed fully or partially incapable of providing these necessities for himself or herself. <sup>1</sup>   | Legal na tagapangasiwa        |
| <b>Crisis plan (n)</b>                   | A document that outlines in specific detail the necessary strategies and steps that must be taken when a crisis occurs. <sup>1</sup>  | Pang-krisis na plano          |
| <b>Data analysis (n)</b>                 | The process of thoroughly inspecting information related to challenging behaviors in order to draw out useful information and conclusions that may result in strategies to improve behavior. <sup>1</sup>   | Pag-analysis ng data          |
| <b>De-escalation (n)</b>                 | The process of stopping a challenging behavior or crisis from intensifying and calming the situation. <sup>1</sup>  | Pagpigil                      |
| <b>Depression (n)</b>                    | A mood disorder in which feelings of sadness, anger, or frustration interfere with everyday life for an extended period of time. <sup>1</sup>   | Depresyon                     |
| <b>Developmental assessment (n)</b>      | A structured evaluation of a child’s development in one or more areas including cognitive, language, motor, social/emotional, and adaptive. Professionals that conduct developmental assessments include developmental behavioral pediatricians, psychologists, speech language pathologists, occupational therapists, physical therapists, educators, and audiologists. Types of tests that are used during developmental assessments include interview, observation, questionnaires, standardized tests, and non-standardized tests. <sup>2</sup>   | Pagsusuri sa pagka-develop    |
| <b>Developmental delay (n)</b>           | The term used to describe the condition of an infant or young child who is not achieving new skills in the typical time frame and/or is exhibiting behaviors that are not appropriate for his or her age. Some children who are developmentally delayed eventually have a specific diagnosis of a particular developmental disability. Other children with delays catch up with their typically developing peers. <sup>2</sup>  | Pagkaantala ng pagka-develop  |
| <b>Developmental Disability (DD) (n)</b> | A severe chronic disability that is attributed to a physical or mental impairment, other than the sole diagnosis of mental illness, or to a combination of mental and physical impairments, is manifested before the individual attains the age of 22, is likely to continue indefinitely, results in the inability to live independently without external support or continuing and regular assistance, reflects the need for a combination and sequence of special, interdisciplinary, or generic care, treatment, or other services that are planned and coordinated for that individual. <sup>2</sup> | Developmental Disability (DD) |

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term   | Definition   | Translation                                       |
|--|--|---|
| <b>Developmental pediatrician (n)</b>              | Also known as a developmental-behavioral pediatrician, these professionals have training and experience to assess and treat a wide range of medical and psychosocial aspects of a child’s developmental and behavioral difficulties. Their expertise may make them a good choice for children with complicated medical or developmental problems. <sup>2</sup>   | Doktor sa mga bata sa pagka-develop               |
| <b>Differential diagnosis (n)</b>                  | Distinguishing between two or more diseases with similar symptoms to identify which is causing distress or challenging behavior. <sup>1</sup>  | Pagkilala sa magkaibang diagnosis                 |
| <b>Disruption (n)</b>                              | An event that causes an unplanned deviation from a situation. <sup>1</sup>   | Pagkagambala                                      |
| <b>Down syndrome, also known as trisomy 21 (n)</b> | The most common and readily identifiable chromosomal condition associated with intellectual disability. Children with Down syndrome typically have developmental delays, but this can range from mild to severe. Common physical signs of Down syndrome include decreased muscle tone; short neck; flattened facial profile and nose; small head, ears, and mouth; upward slanting eyes; white spots on the colored part of the eye (called Brushfield spots); wide, short hands with short fingers; a single, deep, crease across the palm of the hand; a deep groove between the first and second toes. <sup>2</sup> | Down syndrome, kilala din bilang trisomy 21       |
| <b>Dual diagnosis (n)</b>                          | The identification of an additional mental health disorder individuals with developmental disabilities. <sup>1</sup>   | Dalawahang diagnosis                              |
| <b>Dysarthria (n)</b>                              | A term used to describe the impact on speech production of muscle weakness and/or reduced muscle control due to neural damage. <sup>2</sup>  | Dysarthria  |
| <b>Dyspraxia (n)</b>                               | A condition characterized by a difficulty with planning and performing coordinated movements although there is no apparent damage to muscles. Dyspraxia can impact any motor system and will be described based on the motor system affected (e.g., upper limb dyspraxia, speech/verbal dyspraxia). The term “apraxia” is often used as a synonym for dyspraxia. <sup>2</sup>  | Dyspraxia   |
| <b>Early intervention (n)</b>                      | Programs or services designed to meet the developmental needs of infants and toddlers (birth to three years old) and their families.   | Maagap na pagtulong                               |
| <b>Echolalia or Echophrasia (n)</b>                | The immediate and involuntary repetition of words or phrases just spoken by others, often a symptom of autism or some types of schizophrenia. Also called echophrasia. <sup>3</sup>  | Pag-uulit ng salita o pang-gagaya ng galaw ng iba |
| <b>Elopement (n)</b>                               | A situation in which an individual leaves a safe place, a caretaker, or supervised situation, either by “bolting,” wandering or sneaking away. <sup>1</sup>  | Pagtakas  |
| <b>Epilepsy (n)</b>                                | A brain disorder in which a person has repeated seizures (episodes of disturbed brain activity or convulsions) over time. <sup>1</sup>   | Epilepsiya  |
| <b>Escalating (v)</b>                              | Increasing or worsening rapidly. <sup>1</sup>  | Mabilis na pagtaas o paglala                      |

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term   | Definition  | Translation  |
|--|---|--|
| <b>Evidence-Based Practice (EBP) (n)</b>             | A teaching strategy or practice that has been proven through research studies to improve skills or behaviors for a certain population. <sup>5</sup>   | Evidence-Based Practice (EBP)                        |
| <b>Executive control / executive functioning (n)</b> | A group of skills that helps people plan, organize, control behavior, focus on multiple streams of information at the same time, self-monitor, and revise action plans as necessary. Acquiring these skills is one of the most important tasks of the early childhood years. <sup>2</sup>   | Executive na pag-kontrol o executive na pag-function |
| <b>Extinction (n)</b>                                | A response used to eliminate a behavior that involves ignoring a mild behavior when it is used for attention. <sup>1</sup>  | Pagkapuksa   |
| <b>Extinction burst (n)</b>                          | Short term response to extinction in which there is a sudden and temporary increase in the response's frequency, followed by an eventual decline. <sup>1</sup>  | Agarang pagkapuksa                                   |
| <b>Face blindness (n)</b>                            | An impairment in the recognition of faces. <sup>1</sup>   | Hindi nakakakilala ng mukha                          |
| <b>Fading (v)</b>                                    | Gradually reducing the number of prompts or types of prompts to encourage more independence for the learner. <sup>5</sup>   | Dahan-dahang pagkawala                               |
| <b>Fecal digging (v)</b>                             | The process in which an individual puts his fingers into his rectum. <sup>1</sup>   | Pagtusok ng daliri sa dumi sa pwet                   |
| <b>Fecal smearing (v)</b>                            | The process in which feces are spread on property or the individual himself. <sup>1</sup>   | Pagpahid ng dumi                                     |
| <b>Fetal Alcohol Spectrum Disorder (FASD) (n)</b>    | Children whose mothers drank during pregnancy, and who have developmental impairment may be diagnosed with one of several FASDs. The developing brain is the organ most vulnerable to prenatal alcohol exposure, but the range of impact of prenatal alcohol exposure includes both physical and neurodevelopmental impairment. These can include growth difficulty, minor facial anomalies, general developmental delays, seizures, learning disabilities, ADHD, executive functioning and processing challenges, as well as mental health or behavioral challenges. The most severe FASD is Fetal Alcohol Syndrome (FAS – see FAS), but other FASDs are far more common. <sup>2</sup> | Fetal Alcohol Spectrum Disorder (FASD)               |
| <b>Fetal Alcohol Syndrome (FAS) (n)</b>              | A permanent birth defect syndrome caused by maternal drinking during pregnancy. FAS is characterized by growth deficiency; a cluster of 3 minor facial abnormalities including a thin upper lip, a smooth philtrum (i.e., the groove between nose and upper lip); small eyes; and significant abnormalities in brain development. FAS is the leading preventable cause of intellectual disability and other neurodevelopmental conditions. <sup>2</sup>   | Fetal Alcohol Syndrome (FAS)                         |
| <b>Function of behavior (n)</b>                      | The purpose or reason behind a specific behavior for an individual. <sup>1</sup>  | Pag-function sa pag-uugali                           |

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term  | Definition   | Translation                            |
|---|--|--|
| <b>Functional Behavior Analysis (FBA) (n)</b> | The process of systematically determining the function of behaviors, usually inappropriate, that are displayed by people. Behaviors are defined, measured, and analyzed in terms of what happened before and after their occurrence. Over time the events before and after the behavior occurs are systematically changed in order to determine the function of the behavior for the person displaying it. <sup>2</sup>  | Functional Behavior Analysis (FBA)     |
| <b>Functional communication (n)</b>           | Effective and appropriate communication that an individual uses across his daily activities to meet his or her needs. <sup>1</sup> Can be verbal or non-verbal.  | Functional na pakikipagkomunikasyon    |
| <b>Generalization (n)</b>                     | The ability to use a target skill or behavior across the intervention timespan or timeframe, setting, and individuals (e.g., teachers, peers, parents). For example, when teaching a child to greet others, a teacher may initially implement the intervention when the student first enters classroom. Although the child may begin to independently greet others in the context of entering the classroom, she may not be able to do so when coming home from or entering a different room in the school. If she can greet others across settings and individuals, then she has engaged in generalization of the skill. <sup>5</sup> | Pangkalahatan                          |
| <b>Gestures (n)</b>                           | Body and hand movements used to communicate. Examples include pointing, waving, opening arms to demonstrate something is “big,” banging a fist on a table to emphasize a point or show anger, etc. <sup>5</sup>  | Mga galaw                              |
| <b>Guardianship (n)</b>                       | The legal right given to a person to be responsible for the food, health care, housing, and other necessities of a person deemed fully or partially incapable of providing these necessities for himself or herself. <sup>1</sup>  | Tagapangalaga                          |
| <b>Hypersensitivity (n)</b>                   | Overly intense or exaggerated response to sensation. It may include defensive responses (like covering ears in anticipation of a sound, pulling away quickly when touched lightly) or disliking or avoiding of certain situations that involve an undesirable sensory experience (like avoiding public restrooms because the toilet flushing is aversive). <sup>5</sup>  | Sobrang sensitibo                      |
| <b>Hyposensitivity (n)</b>                    | Under exaggerated response to sensation. May include lack of response entirely or a reduced or slower response than expected. A child with hyposensitivity may not stop working and turn around when their name is called, may not seem to notice that another child ran into them, may smile, or laugh several seconds after you tickle them, may cry several seconds after getting hurt or not at all, etc. <sup>5</sup>   | Kakulangan o mababa sa pagka-sensitibo |

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term  | Definition  | Translation  |
|---|---|--|
| <b>Idiosyncratic language/ vocabulary (n)</b>                 | Using language in unusual ways that may not be obvious to the communication partner. This includes using scripts from previous conversations or media applied to different contexts like saying “C is for cookie” to express that they like something. Or “Dora loves waterfall!” to request to take a bath/shower. <sup>5</sup>  | Idiosyncratic na wika/ bokabularyo                 |
| <b>Incontinence (n)</b>                                       | The (usually) involuntary passing of feces or urine, generally not into a toilet or diaper. <sup>1</sup>  | Hindi mapigilang pagdumi o pag-ih                  |
| <b>Individualized Education Program (IEP) (n)</b>             | A written statement of a child’s current level of development (abilities and impairments) and an individualized plan of instruction, including the goals, the specific services to be received, the people who will carry out the services, the standards, and timelines for evaluating progress, and the amount and degree to which the child will participate with non-handicapped peers at school. The IEP is developed by the child’s parents and the professionals who evaluated the child. It is required by the Individuals with Disabilities Education Act (IDEA) for all children in special education, ages three years and up. <sup>2</sup>  | Individualized Education Program (IEP)             |
| <b>Individualized Family Service Plan (IFSP) (n)</b>          | A written plan describing the infant’s or toddler’s current level of development, the family’s strengths and needs related to enhancement of the infant’s or toddler’s development, goals for the child and the other family members (as applicable), including the criteria, procedures and time lines used to evaluate progress (the IFSP should be evaluated and adjusted at least once a year and reviewed at least every six months), and the specific early intervention services needed to meet the goals (including the frequency and intensity and method of delivering services, the projected date of initiating services and the anticipated duration of services). The IFSP is developed and implemented by the child’s parents and a multidisciplinary early intervention team (IFSP Team). The Individualized Family Service Plan is required by the Individuals with Disabilities Education Act (IDEA) for all infants and toddlers receiving early intervention services. <sup>2</sup> | Individualized Family Service Plan (IFSP)          |
| <b>Individuals with Disabilities Education Act (IDEA) (n)</b> | The federal law reauthorized in 2004 that amends the Education for All Handicapped Children Act (Public Law 94-142). Part C of the law focuses on services to infants and toddlers who are at-risk or have developmental disabilities. <sup>2</sup>   | Individuals with Disabilities Education Act (IDEA) |
| <b>Intellectual disability (n)</b>                            | Characterized by significantly impaired intellectual functioning, existing concurrently with related limitations in two or more of the following applicable adaptive skill areas: communication, self-care, home living, social skills, community use, self-direction, health and safety, functional academics, leisure, and work. <sup>2</sup>   | Kapansanan sa pag-iisip                            |

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term   | Definition   | Translation                                    |
|--|--|--|
| <b>Interdisciplinary evaluation team (n)</b>   | A group of health care professionals from diverse disciplines who form a team to work collaboratively in conducting a cohesive patient evaluation. <sup>2</sup>  | Magkakaibang propesyonal na grupo sa pagsusuri |
| <b>Intervention (n)</b>                        | A strategy or process put in place in order to improve or modify an individual's behavior e.g., medication, Applied Behavior Analysis). <sup>1</sup>   | Interbensiyon o pagtulong                      |
| <b>Involuntary commitment (n)</b>              | A legal process in which an individual experiencing a mental health crisis is ordered into treatment against his or her will, including to a hospital. <sup>1</sup>  | Hindi boluntaryong pagpapatupad                |
| <b>Joint attention (n)</b>                     | A set of early social communication skills used to show and/or share interest about an outside object or event with a communication partner. They include initiating joint attention where the child shifts their gaze and/or gestures toward an object with the goal of getting another person to notice it. They also include responding to gaze shifts and gestures from other people so that they can learn what others find interesting. <sup>5</sup> | Pinagsamang atensyon                           |
| <b>Language delay (n)</b>                      | A disorder in which a learner's ability to understand and/or use language is behind what would be expected based on their age. <sup>5</sup>  | Pagkaantala sa wika                            |
| <b>Language disorder (n)</b>                   | In children, this could mean trouble getting their meaning or message across to others (expressive language disorder), or understanding messages coming from others (receptive language disorder), as well as difficulty using language to get things done (pragmatic language/social communication disorder). <sup>2</sup>  | Kakulangan sa kakayahan ng wika                |
| <b>Learning disability (n)</b>                 | A disorder that affects how a person learns and understands primary skills such as reading, writing and math. <sup>2</sup>   | Kapansanan sa pagkatuto                        |
| <b>Least Restrictive Environment (LRE) (n)</b> | The educational setting that permits a child with disabilities to derive the most educational benefit while participating in a regular educational environment to the maximum extent appropriate. It is presumed that a child with a disability will be educated in the general education classroom, with appropriate supports, unless the IEP Team deems another setting as more appropriate. LRE is a requirement under the IDEA. <sup>2</sup>           | Least Restrictive Environment (LRE)            |
| <b>Maladaptive behavior (n)</b>                | A type of behavior that is often used to reduce anxiety, but whose result does not provide adequate or appropriate adjustment to the environment or situation. <sup>1</sup>  | Maladaptive na pag-uugali                      |
| <b>Medicaid (n)</b>                            | A government program that provides healthcare coverage for low-income families and individuals with disabilities in the United States. <sup>1</sup>  | Medicaid                                       |
| <b>Medical home (n)</b>                        | A team-based healthcare delivery model led by a physician that provides comprehensive and continuous medical care to patients. <sup>1</sup>  | Tahanang medikal                               |
| <b>Mental health hold (n)</b>                  | Involuntary hospitalization due to a mental health crisis. <sup>1</sup>  | Pina-ospital dahil sa mental na kalusugan      |

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term   | Definition  | Translation                                  |
|--|---|--|
| <b>Motor skill (n)</b>                         | The learned ability to perform movements, such as holding the body upright to sit, using the hands to manipulate small items, scooping food onto a spoon and bringing it to the mouth, and moving the lips and tongue to articulate different sounds. Fine motor skills involve use of the small muscles of the body while gross motor skills are associated with large muscle movements. <sup>2</sup>  | Kakayahan o kasanayan sa pagkilos ng katawan |
| <b>Neurodevelopmental conditions (n)</b>       | Problems affecting the development of the central nervous system or brain, resulting in delayed or unusual motor, speech, social or learning deficits.  | Neurodevelopmental na mga kondisyon          |
| <b>Nonverbal communication (n)</b>             | Any form of or attempt at unspoken or “physical” communication. Examples are temper tantrums, gestures, pointing and leading another person to a desired object. <sup>2</sup>   | Hindi-verbal na pakikipag-komunikasyon       |
| <b>Nutritionist (n)</b>                        | Nutrition services are provided by Registered Dietitian Nutritionists (RDNs). The nutritionist evaluates the child’s growth, energy intake, and nutritional status to make sure they are getting appropriate nutrients from their diet. A nutritionist often will work with a feeding therapist (e.g., speech or occupational therapist), to develop a plan when feeding problems are suspected. <sup>2</sup>   | Nutrisyunista                                |
| <b>Obsession (n)</b>                           | A repetitive thought or feeling dominated by a particular idea, image, or desire, such as a person who only wants to talk about elevators. <sup>1</sup>   | Pagkahumaling                                |
| <b>Obsessive Compulsive Disorder (OCD) (n)</b> | An anxiety disorder in which people have unwanted and repeated thoughts, feelings, ideas, or sensations (obsessions) that make them feel driven to do something (compulsions). <sup>1</sup>   | Obsessive Compulsive Disorder (OCD)          |
| <b>Occupational Therapist (OT) (n)</b>         | A skilled healthcare provider that assists people across the lifespan participate in the things they want and need to do through the therapeutic use of everyday activities (occupations). Occupational therapy benefits individuals who have physical, developmental, or cognitive limitations. With children, treatment is geared toward development of fine motor skills (e.g., writing, cutting), gross motor skills (e.g., climbing stairs, jumping), self-care (e.g., dressing, eating), and play. OT is the primary profession that addresses sensory processing differences. <sup>2</sup> | Occupational Therapist (OT)                  |
| <b>Ototoxic (n)</b>                            | Damaging to the ears, causing sound sensitivities, dizziness, or balance issues. <sup>1</sup>   | Nakakasira sa tainga                         |
| <b>Overcorrection (n)</b>                      | A punishment mechanism for a challenging behavior that involves requiring an individual to engage in repetitive behavior to an excessive extent in an attempt to prevent the behavior from reoccurring. <sup>1</sup>  | Sobrang pagwawasto                           |



Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term   | Definition  | Translation   |
|--|---|---|
| <b>Pediatric Autoimmune Neuropsychiatric Disorders Associated with Streptococcal infections (PANDAS) (n)</b> | A subset of children and adolescents who have Obsessive Compulsive Disorder (OCD) and/or tic disorders, and in whom symptoms worsen following infections such as strep throat and scarlet fever. <sup>1</sup>   | Pediatric Autoimmune Neuropsychiatric Disorders Associated with Streptococcal infections (PANDAS) |
| <b>Phenylketonuria (PKU) (n)</b>   | An inherited disorder that increases the levels of a substance called phenylalanine in the blood. Phenylalanine is found in food proteins and in some artificial sweeteners. If PKU is not treated, phenylalanine can build up to harmful levels in the body, causing intellectual disability and other serious health problems such as seizures, delayed development, behavioral problems, and psychiatric disorders. <sup>2</sup>                                     | Phenylketonuria (PKU)   |
| <b>Physical Therapist (PT) (n)</b>   | A healthcare team member who treats conditions that limit the ability to move and perform functional activities of daily life. Physical therapists provide services to improve body structures (e.g., muscles), enhance functional activities (e.g., walking), and promote improved participation in daily life. Goals for children may include developing improved strength, range of motion, coordination, balance, and acquisition of new motor skills. <sup>2</sup> | Physical Therapist (PT)   |
| <b>Pica (n)</b>  | An eating disorder that involves eating things that are not food (e.g., dirt, plastic). <sup>1</sup>  | Kinakain ang hindi pagkain  |
| <b>Picture Exchange Communication Systems (PECS) (n)</b>   | A unique augmentative/alternative communication intervention package that involves teaching an individual to give a picture of a desired item to a "communicative partner," and goes on to teach discrimination of pictures and how to put them together in sentences. <sup>1</sup>   | Picture Exchange Communication Systems (PECS)   |
| <b>Polypharmacy (n)</b>  | The use of multiple medications by a patient. <sup>1</sup>  | Pag-gamit ng maraming gamot   |
| <b>Positive Behavior Supports (PBS) (n)</b>  | An approach to helping people improve their difficult behavior by understanding what is causing it, and then developing strategies to increase positive behaviors. <sup>1</sup>   | Positive Behavior Supports (PBS)  |
| <b>Post-Traumatic Stress Disorder (PTSD) (n)</b>   | An anxiety disorder that can occur after witnessing or experiencing a traumatic event. <sup>1</sup>   | Post-Traumatic Stress Disorder (PTSD)   |
| <b>Prematurity (n)</b>   | A premature birth is a birth that takes place more than three weeks before a baby is due. Normally, a pregnancy lasts about 40 weeks, so a premature birth is one occurring before the start of the 37 <sup>th</sup> week of pregnancy. <sup>2</sup>  | Ipinanganak na kulang sa buwan  |
| <b>Prompting (v)</b>   | Any help given to a learner to assist in using a specific skill or behavior. Prompts can come in many different forms including visual, verbal, gestural, models, and partial or full physical. <sup>5</sup>  | Pagpapahiwatig  |

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term   | Definition   | Translation   |
|--|--|---|
| <b>Psychologist (n)</b>                                    | Someone with a PhD or PsyD, trained in the evaluation, study and/or treatment of psychiatric and cognitive disorders. A school psychologist is a professional trained in psychology and education who collaborates with children, educators, parents, and other professionals to create healthy and supportive learning environments for students based on careful evaluation of cognitive, executive, and adaptive skills. <sup>2</sup> | Sikologo  |
| <b>Psychosis (n)</b>                                       | A loss of contact with reality that usually includes delusions and hallucinations. <sup>1</sup>  | Sakit sa pag-iisip  |
| <b>Psychotropic (adj)</b>                                  | A medication or intervention that affects brain activity, behavior, or perception. <sup>1</sup>  | Psychotropic  |
| <b>Puberty (n)</b>   | The process of physical changes that occur when a child's body matures into an adult. <sup>1</sup>   | Panahon ng pagbibinata at pagdadalaga                     |
| <b>Red flags (n)</b>                                       | Behaviors that cause caregivers concern in an area of a child's development. They warn you to stop, look, and think, and then observe and document. <sup>2</sup>   | Babala  |
| <b>Reinforce (v)</b>                                       | To strengthen with additional material or support. <sup>1</sup>  | Pagpapatibay  |
| <b>Reinforcement strategies (n)</b>                        | Methods used to promote or increase positive behavior by providing motivating reinforcers, such as praise, a favorite toy, a cookie, or a preferred activity. Also called a "reward" or an "incentive."  | Mga pamamaraan sa pagpapatibay                            |
| <b>Resilience (n)</b>                                      | An ability to recover from or adjust easily to change or a difficult situation. <sup>1</sup>   | Katatagan   |
| <b>Respite care (n)</b>                                    | A service that provides short-term breaks that can relieve stress, restore energy, and promote balance for caregivers. <sup>1</sup>  | Panandaliang pangangalaga                                 |
| <b>Restraints (n)</b>                                      | Physical restrictions immobilizing or reducing the ability of an individual to move their arms, legs, body, or head freely. This can be someone holding a person so they cannot move, or it can be an item that restrains their body such as a device that holds their hands or bodies down. <sup>1</sup>  | Pagpigil  |
| <b>Restricted or repetitive behaviors or interests (n)</b> | Topics or tangible items that individuals with autism pursue with great intensity and focus for long durations of time. <sup>4</sup>   | Mga pinaghihigpitan o paulit-ulit na pag-uugali o interes |
| <b>Reward (n)</b>  | A prize, token, or preferred activity given to an individual for good behavior, designed to promote the same behavior in the future. <sup>1</sup>  | Gantimpala  |
| <b>Risk factor (n)</b>                                     | Conditions that increase the likelihood of aggression. <sup>1</sup>  | Salik ng panganib   |
| <b>Ritual (n)</b>  | A repetitive behavior that a person appears to use in a systematic way in order to promote calm or prevent anxiety, such as arranging all the pillows in a certain way before being able to settle in to sleep. <sup>1</sup>   | Ritwal  |
| <b>Rumination (n)</b>                                      | The practice of (voluntarily or involuntarily) spitting up partially digested food and re-chewing it, then swallowing again or spitting it out. Rumination often seems to be triggered by reflux or other gastrointestinal concerns. <sup>1</sup>  | Pag-dura o muling pag-nguya ng pagkain                    |

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term                                     | Definition  | Translation                               |
|--|---|---|
| <b>Schizophrenia (n)</b>                 | A chronic, severe, and disabling brain disorder that makes it hard for individuals to think clearly and tell the difference between what is real and not real. <sup>1</sup>   | Schizophrenia                             |
| <b>Screening test or tool (n)</b>        | An evaluation tool to identify children who are at-risk for having or developing a developmental disability. This is different from a diagnostic tool that is used to determine if a person has, or does not have, a neurodevelopmental disability. <sup>2</sup>                              | Pagsusuri o tool                          |
| <b>Seclusion (n)</b>                     | A situation in which an individual is isolated in a room in response to a behavior they have exhibited. <sup>1</sup>  | Pag-iisa                                  |
| <b>Sedating (v)</b>                      | Calming, sleep-inducing, or numbing an individual experiencing challenging behaviors or struggling during difficult situations. <sup>1</sup>  | Pagpakalma                                |
| <b>Seizure disorder (n)</b>              | A seizure disorder, which can also be called epilepsy, is a disorder in which brain activity is disturbed and causes seizures. There are many types of seizures. Some involve uncontrollable jerking movements or losing awareness, but some can just look like a staring spell. <sup>5</sup> | Sakit na sumpung o kombulsiyon            |
| <b>Self-advocacy (n)</b>                 | The ability of an individual to communicate his or her wants and concerns and make his or her own decisions. <sup>1</sup>   | Pagtataguyod sa sarili                    |
| <b>Sensory avoidance (n)</b>             | Blocking or staying away from something that is painful or bothersome. <sup>1</sup>   | Pag-iwas sa nakakasakit sa pandama        |
| <b>Sensory defensiveness (n)</b>         | A tendency to react negatively or with alarm to sensory input which is generally considered harmless or non-irritating. <sup>1</sup>  | Pandamang pang-depensa                    |
| <b>Sensory input (n)</b>                 | Any source that creates sensation and activates one or more of the senses -vision, smell, sound, taste, and touch. <sup>1</sup>   | Input sa pandama                          |
| <b>Sensory processing disorder (n)</b>   | Refers to difficulty detecting, organizing, or responding to sensory information received and interpreted in the brain via all seven senses <u>and</u> that interferes with participation in daily life, development, behavior, and social interactions. <sup>2</sup>                         | Sakit sa pagpoproseso ng pandama          |
| <b>Sensory-seeking behavior (n)</b>      | Behaviors caused by a need for additional stimulation of certain senses as a way of maintaining attention or achieving a calmer state. <sup>1</sup>   | Pag-uugali na naghahanap ng pandama       |
| <b>Sleep apnea (n)</b>                   | A usually chronic, common disorder in which an individual has one or more pauses in breathing or shallow breaths up to 30 or more times per hour during sleep, and results in daytime sleepiness. <sup>1</sup>  | Paghinto ng hininga habang tulog          |
| <b>Sleep disturbances (n)</b>            | Sleep disturbances can include a variety of issues including difficulties falling asleep or staying asleep, being on different sleep rhythms (e.g., awake at night), or needing increased amounts of sleep. <sup>5</sup>  | Mga pagkagambala sa pagtulog              |
| <b>Social communication disorder (n)</b> | Applies to children who have deficits in the social use of language, but do not have the restricted interests or repetitive behavior commonly found in autism spectrum disorders. <sup>2</sup>  | Sakit sa sosyal na pakikipag-komunikasyon |

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term   | Definition  | Translation   |
|--|---|---|
| <b>Social reciprocity (n)</b>                                  | The primary component of healthy social development – acts of kindness – interactions. It is about “joint attention” where there is purposeful language including body language and pretend play. Lack of social reciprocity is a key red flag, whether the child is not engaged in the world around him. This concern should not be ignored. <sup>2</sup>  | Pakikitungo sa iba o pakikihalubilo                           |
| <b>Social work or social worker (n)</b>                        | Social work practice is aimed at assisting individuals, groups, or communities to enhance or restore their capacity for social functioning and creating societal conditions favorable to reach their goals. The primary mission of the social work profession is to enhance human well-being and help meet the basic human needs of all people, with particular attention to the needs and empowerment of people who are vulnerable, oppressed, and living in poverty. <sup>2</sup> | Trabahong panlipunan o social worker                          |
| <b>Special Needs Parent Advocate (n)</b>                       | An advocate for parents of children with special needs who helps ensures that the child's rights and needs are met in school and in the community. <sup>1</sup>   | Tagapagtaguyod ng Magulang sa may Espesyal na Pangangailangan |
| <b>Specific learning disability (n)</b>                        | A disorder that manifests itself with a deficit in areas such as attention, reasoning, processing, memory, communication, reading, writing, spelling, calculation, coordination, social competence, and emotional maturity. Often identified by a discrepancy between school performance and the performance expected based on overall intelligence. <sup>2</sup>   | Partikular na kapansanan sa pagkatuto                         |
| <b>Speech generating device or Voice output technology (n)</b> | A technological device that helps people who are unable to use speech to express their needs and exchange information with other people. <sup>1</sup>   | Aparato sa pagbuo ng pagsasalita o Voice output technology    |
| <b>Speech sound disorder (n)</b>                               | Speech disorders in which some speech sounds in a child’s native language are not produced, not produced correctly, or are not used correctly. <sup>2</sup>   | Kapansanan sa tunog ng pagsasalita                            |
| <b>Speech-language pathologist (n)</b>                         | A clinician who assesses, diagnoses, treats, and helps prevent speech, language, cognitive, communication, voice, swallowing, fluency, and other related disorders. <sup>2</sup>  | Patologo sa pagsasalita at wika                               |
| <b>Standardized test (n)</b>                                   | A test administered and scored in a consistent or standard manner. It is administered in controlled conditions that specify where, when, how, and for how long children respond to the questions. In standardized tests, the questions, conditions for administering, scoring procedures, and interpretations are consistent. A well designed standardized test provides an assessment of an individual's mastery of a domain of knowledge or skill. <sup>2</sup>                   | Pamantayang Pagsusulit  |
| <b>Staring spells (n)</b>                                      | Occasions when an individual is in a trance staring into space, which can often signal seizure activity. <sup>1</sup>   | Nakatitig sa kawalan  |
| <b>Stereotypy (n)</b>  | Repetitive or ritualistic movements such as body rocking or crossing and uncrossing of legs. <sup>1</sup>   | Paulit-ulit na salita o galaw                                 |
| <b>Stimulation (n)</b>   | Excitement or activity triggered by a stimulus either internally or externally. <sup>1</sup>  | Pagbibigay-sigla  |

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term  | Definition  | Translation                                  |
|---|---|--|
| <b>Supplemental Security Income (SSI) (n)</b>       | A Federal income supplement program designed to help aged, blind, and disabled people who have little or no income, and provides cash to meet basic needs for food, clothing, and shelter. <sup>1</sup>   | Supplemental Security Income (SSI)           |
| <b>Tangibles (n)</b>                                | Items or rewards that can be touched, such as a toy or piece of candy. <sup>1</sup>   | Mga materyal na bagay                        |
| <b>Time delay (n)</b>                               | A prompting procedure that fades prompts during activities by having longer delays before a prompt is provided.   | Pag-antala ng oras                           |
| <b>Tourette syndrome or Tourette's syndrome (n)</b> | A neurological disorder characterized by tics, or repetitive, stereotyped, involuntary movements and vocalizations. <sup>1</sup>  | Tourette syndrome or Tourette's syndrome     |
| <b>Tracking scales (n)</b>                          | A document or other tool used to track information such as changes in an individual's behaviors, side effects of medications, school performance, etc. <sup>1</sup>   | Mga sukatan sa pagsusu-baybay                |
| <b>Transition plan / transition services (n)</b>    | Part of IDEA, transition services means a coordinated set of activities for a child with a disability that is results-oriented and focused on improving the academic and functional achievement of the child with a disability in order to facilitate the child's movement from school to post-school activities, including postsecondary education, vocational education, integrated employment (including supported employment), continuing and adult education, adult services, independent living, or community participation. Transition services will be based on the individual child's needs, taking into account the child's strengths, preferences, and interests. <sup>2</sup> | Plano ng paglipat / mga serbisyo sa paglipat |
| <b>TRICARE (n)</b>                                  | The health care program for Uniformed Service members, retirees, and their families worldwide. <sup>1</sup>   | TRICARE                                      |
| <b>Visual cues (n)</b>                              | An image or symbol presented to the learner that either prompts him to complete the target behavior/skill or assists in supporting the understanding of a particular activity, instruction, or direction. Visual cues can be used as prompts or supports. <sup>5</sup>  | Mga visual na pahiwatig                      |
| <b>Visual schedules (n)</b>                         | A display that shows the activities of a day or steps of an activity to support the learner in moving between activities or through activities. The displays can be made from objects, pictures, photos, or written text, and may be created for a full day, part of a day, or just the next two activities. <sup>5</sup>   | Mga visual na iskedyul                       |
| <b>Vocational rehabilitation (n)</b>                | A state and federally funded program designed to help people with disabilities become employed and to help those already employed perform more successfully through training, counseling, and other support methods.  | Bokasyunal na rehabilitasyon                 |

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms – Tagalog

| Term   | Definition  | Translation   |
|--|---|---|
| <b>Voice output technology or Voice output communication aid or Speech generating device (n)</b> | A technological device that helps people who are unable to use speech to express their needs and exchange information with other people. <sup>1</sup>   | Voice output technology o tulong sa komunikasyon sa output ng boses o aparato na bumubuo ng pagsasalita |
| <b>Wraparound (n)</b>  | An integrated, multi-agency, community-based planning process designed to build teams of providers, family members and natural supports to help keep complex youth in their homes and communities. <sup>1</sup> | Pinagsamang mga serbisyo  |

## References

- <sup>1</sup> The definition for these terms were taken from “Challenging Behaviors Glossary” published in 2012 by Autism Speaks. This glossary is part of a downloadable toolkit available at:  
<https://www.autismspeaks.org/tool-kit/challenging-behaviors-tool-kit>
- <sup>2</sup> The definitions for these terms were taken from “Glossary of Terms Related to Neurodevelopmental Disabilities” by John Thorne, PhD, CCC-SLP. The “Glossary of Terms Related to Neurodevelopmental Disabilities” was adapted by John Thorne, PhD, CCC-SLP, from a number of in-depth resources (12/16) including:  
[http://www.inclusivechildcare.org/inclusion\\_glossary.cfm](http://www.inclusivechildcare.org/inclusion_glossary.cfm)  
<http://www.ddrcco.com/resources-and-training/glossary-of-developmental-disability-terms.php>  
<http://autismnow.org/at-home/learn-and-understand-autism/autism-and-developmental-disabilities-glossary/>  
<http://www.gennextmsp.org/wp-content/uploads/2015/05/ECS-Glossary-May2015.pdf>  
[http://www.ncca.biz/Aistear/pdfs/PrinciplesThemes\\_ENG/Glossary\\_ENG.pdf](http://www.ncca.biz/Aistear/pdfs/PrinciplesThemes_ENG/Glossary_ENG.pdf)  
[http://www.johnson-center.org/downloads/pdfs/What\\_is\\_a\\_Standardized\\_Test.pdf](http://www.johnson-center.org/downloads/pdfs/What_is_a_Standardized_Test.pdf)
- <sup>3</sup> The definition was taken from The American Heritage® Stedman's Medical Dictionary. Copyright ©2002,2001, 1995 by Houghton Mifflin Company. Published by Houghton Mifflin Company.
- <sup>4</sup> DSM-IV, 1994.
- <sup>5</sup> Excerpted from Steinbrenner, J., Sam, A., Chin, J., Morgan, W., & AFIRM for Paras Team. (2019). *Introduction to ASD*. FPG Child Development Institute, University of North Carolina. Retrieved from <https://afirm.fpg.unc.edu/introduction-asd>

### More information is available at:

- [Autism Society](https://www.autism-society.org/)  
Founded in 1965 by Dr. Bernard Rimland, Dr. Ruth Sullivan and many other parents of children with autism, the Autism Society is the leading source of trusted and reliable information about autism. Through its national network, the Autism Society has spearheaded numerous pieces of federal, state and local legislation, including the 2006 Combating Autism Act, the first federal autism-specific law. The Autism Society’s website is one of the most visited websites on autism in the world and our on-line resource database, [Autism Source™](https://www.autism-source.com/), and National Contact Center (800-3-AUTISM) provide information and service referrals to thousands of people each year. Look online at <https://www.autism-society.org/>.
- [Autism Speaks](https://www.autismspeaks.org/)  
Autism Speaks was founded in February 2005 by Bob and Suzanne Wright, grandparents of a child with autism. Recognizing the need for a powerful voice Bernie Marcus donated \$25 million to help financially launch the organization.

Building upon the legacy of three leading autism organizations, Autism Coalition for Research and Education (ACRE), the National Alliance for Autism Research (NAAR) and Cure Autism Now (CAN), who merged with the organization, Autism Speaks has made extraordinary advancements in the autism community.

Chief among these are increased global awareness of autism, better understanding of the breadth of the autism spectrum, and advocacy to increase research and access to care and support.

Today, Autism Speaks is dedicated to advancing research into causes and better treatments for autism spectrum disorders and related conditions both through direct funding and collaboration.

Look online at <https://www.autismspeaks.org/>.

- [Centers for Disease Control and Prevention](#) (CDC)  
CDC [works 24/7](#) to protect America from health, safety, and security threats, both foreign and in the U.S. Whether diseases start at home or abroad, are chronic or acute, curable or preventable, human error or deliberate attack, CDC fights disease and supports communities and citizens to do the same.

CDC increases the health security of our nation. As the nation's health protection agency, CDC saves lives and protects people from health threats. To accomplish our mission, CDC conducts critical science and provides health information that protects our nation against expensive and dangerous health threats, and responds when these arise.

Look online at:

<https://search.cdc.gov/search/index.html?query=autism%20spectrum%20disorder>





**The National Coordinating Center for the  
Regional Genetics Networks**

**Glossary of  
Cancer Genetics Terms**

**English – Tagalog**

**2023 Edition**

Compiled and edited by:  
**Cynthia E. Roat, MPH**

In collaboration with:  
**The Cross Cultural Health Care  
Program (CCHCP)**

This page intentionally left blank.



## Preface

The seven Regional Genetics Networks (RGNs), the National Genetics Education and Family Support Center (Family Center), and the National Coordinating Center for the Regional Genetics Networks (NCC) mission is to improve access to quality genetic services for medically underserved populations. This bilingual glossary of terms related to cancer genetics is provided to help enable access to cancer genetics medical services to limited English proficiency populations.

## How to Use the Glossary

This glossary is organized alphabetically in English. The first column shows the term in English. The second column has the definition of the term in English. The third column has the translation of the term.

At the end of the translations of the cancer genetics terms is a page with Examples of Genes That are Often Checked in Genetic Testing, and a glossary of translations for Family Relationships Terms. It is very important for genetic counselors to know if a relative is a blood relative or a relative by marriage. There is also a page on Common Interpreting Errors, and a page on Analogies. Genetic counselors often use analogies to explain complex ideas in genetics.

This page intentionally left blank.

## Glossary of Terms

### English – Tagalog

(n) – noun      (v) – verb      (adj) – adjective      (adv) – adverb

| Term   | Definition  | Translation                                 |
|--|---|---|
| <b>Abnormal (adj)</b>                            | Different from what is considered normal, average or expected; e.g., a gene sequence that is different than that found in most people.  | Hindi-normal/Abnormal                       |
| <b>Benign (adj)</b>                              | Something mild that does not threaten health or life. In cancer genetics, “benign” means “not cancerous.”   | Hindi-nakapipinsala/Hindi kumakalat         |
| <b>Blood test (n)</b>                            | A test in which blood is drawn (usually from the patient’s arm) and sent to a laboratory for analysis. In cancer genetics, blood tests provide cells for genetic sequencing.  | Pagsusuri sa dugo                           |
| <b>Breast cancer (n)</b>                         | Cancer of the breast tissue. This cancer is more common in women, but it can affect men as well.  | Kanser sa suso                              |
| <b>Buccal swab (n)</b>                           | A way to collect DNA from the cells on the inside of a person's cheek.  | Pag-swab sa loob ng pisngi                  |
| <b>CA-125 blood test (n)</b>                     | A blood test used to look for early signs of ovarian cancer in women with a high cancer risk.   | CA-125 pagsusuri sa dugo                    |
| <b>Carrier (n)</b>                               | A person who carries a genetic mutation in one of the two copies of a particular gene, regardless of whether they get cancer or not.  | Carrier                                     |
| <b>Cell (n)</b>                                  | A small (microscopic) structure that forms the basic building block of every known living organism.   | Selula                                      |
| <b>Chromosome (n)</b>                            | Thread-like structures located inside the nucleus of cells. In humans, there are 23 pairs of chromosomes, for a total of 46 chromosomes. Each chromosome is made of proteins and a single molecule of DNA, which carries genetic information.                                 | Chromosome                                  |
| <b>Colonoscopy (n)</b>                           | A diagnostic test in which a flexible tube with a tiny camera on the end is inserted into the colon (large intestine) through the rectum in order to see the condition of the inside of the colon, or to take a small sample of tissue, or to cut out polyps (small growths). | Colonoscopy                                 |
| <b>Condition (e.g., “genetic condition”) (n)</b> | A chronic (long-term) health issue.   | Kundisyon<br>(hal., “genetic na kundisyon”) |

| Term  | Definition  | Translation  |
|---|---|--|
| <b>Consanguinity (n)</b>                                  | When parents are blood relatives to each other.   | Kadugo o magkamag-anak   |
| <b>DCIS (ductal carcinoma in situ) (n)</b>                | A pre-cancerous growth in the breast, which is still within the milk ducts but has the potential of growing and spreading to other parts of the breast tissue. Sometimes called Stage 0 breast cancer.  | DCIS (ductal carcinoma in situ [kanser sa daluyan ng gatas sa suso]) |
| <b>DTC (direct-to-consumer genetic testing) (n)</b>       | Genetic testing that is marketed directly to people at home through the internet or the TV etc. instead of through a medical provider.  | DTC (direct-to-consumer na pagsusuri sa genes)                       |
| <b>Deleterious mutation/ Disease-causing mutation (n)</b> | A change in a person's DNA that may cause a medical condition. In cancer genetics, having a disease-causing mutation may increase the chance of getting cancer but does not mean that a person will definitely get cancer.  | Pagbura ng mutasyon/ Sakit na nagdudulot ng mutasyon                 |
| <b>DNA (deoxyribonucleic acid) (n)</b>                    | The molecule that carries the genetic information of a cell. It provides the instructions used in the development, functioning and reproduction of the organism of which it is a part. The DNA is organized into chromosomes.   | DNA (Deoxyribonucleic Acid)  |
| <b>DNA banking (n)</b>                                    | The secure, long-term storage of a person's genetic material. DNA banking allows families to have access to a deceased family member's DNA. When new genetic testing techniques are developed, doctors can test the banked DNA and use genetic information from the deceased person to tailor medical treatment for living descendants. | DNA banking (pag-iimbak ng DNA)                                      |
| <b>DNA marker (also called a "Genetic marker") (n)</b>    | A readily recognizable genetic trait, gene, or DNA segment.   | DNA marker (tinatawag rin na "genetic marker")                       |
| <b>DNA mutation (n)</b>                                   | A change in the typical order of the chemicals that make up the DNA.<br><br>Mutations or variants are often compared to misspelled words because chemicals that make up the DNA sequence are not in the expected order.   | Mutasyon ng DNA  |
| <b>DNA sequence (n)</b>                                   | The exact order of the chemicals that make up a DNA molecule.   | Sekwensiya ng DNA  |
| <b>DNA sequencing (n)</b>                                 | The laboratory technique used to determine the exact order of the chemicals that make up a DNA molecule. This is one type of genetic testing.   | Pag-sekwensiya ng DNA  |

| Term                                       | Definition  | Translation                      |
|--|---|----------------------------------|
| <b>Dominant (adj)</b>                      | <p>A genetic trait in which one copy of the gene is sufficient for a trait to be expressed; dominant traits can be inherited from a single parent.</p> <p>In cancer genetics, dominant inheritance refers to conditions in which having only one altered copy of a particular gene pair is sufficient to cause an increased risk for cancer.</p>  | Nangingibabaw                    |
| <b>Duplication (n)</b>                     | A duplication occurs when part of a chromosome is copied abnormally, resulting in extra genetic material.   | Pagkopya                         |
| <b>Early age of onset (n)</b>              | Cancer diagnosed at an early age, usually before the age of 50.   | Kanser na nasuri habang bata pa  |
| <b>Egg (n)</b>                             | The reproductive cells of a woman. When fertilized by sperm, the egg will grow into a baby.   | Itlog                            |
| <b>Environmental causes or factors (n)</b> | <p>Causes of illness that come from a person's surroundings, not from their genetic make-up. Environmental causes of illness include infection, trauma, diet, exposure to toxins, etc. Some environmental causes of illness can be avoided or changed, while genetic causes cannot.</p>   | Mga sanhi o salik sa kapaligiran |
| <b>Familial (adj)</b>                      | Belonging to a family, e.g., a familial trait is a trait that is shared among family members and may be due to genetic or environmental factors or both.  | Familial o sa pamilya            |
| <b>Family history (n)</b>                  | The medical history of the members of a family.   | Kasaysayan ng pamilya            |
| <b>Flip a coin (v)</b>                     | A random decision-making tool used in the U.S. While a coin is flipped into the air and caught, a person predicts whether it will fall with the "heads" side up or the "tails" side up. If the coin falls as predicted, the person "wins." This expression is often used as a metaphor for any outcome that is random and has two possible outcomes, and to describe a situation in which each outcome is as likely as the other. | Pagpitik ng barya                |
| <b>Fragment (n)</b>                        | A small piece; an incomplete part of a whole.   | Maliit na piraso                 |
| <b>Gene (n)</b>                            | A specific sequence of DNA that determines specific traits in an individual.  | Gene                             |

| Term   | Definition  | Translation   |
|--|---|---|
| <p><b>Gene copy (n)</b></p> <p><b>Normal gene copy (n)</b></p> <p><b>Altered gene copy (n)</b></p> | <p>In human cells, DNA is arranged in 23 pairs of chromosomes, for a total of 46 chromosomes. These chromosomes contain all the genes that make up the DNA. One chromosome of each pair is inherited from each parent. As such, individuals have two copies of every gene, one inherited from the mother and one inherited from the father.</p> <p>A normal copy of a gene is one that is found most frequently in the population. Also called the “working copy.”</p> <p>An altered copy of a gene is one that differs from the working copy and is considered to be “abnormal.” Also called the “non-working copy.”</p> | <p>Kopya ng gene</p> <p>Normal na kopya ng gene</p> <p>Nabagong kopya ng gene</p> |
| <p><b>Gene deletion (n)</b></p>  | <p>Having a piece of genetic information missing from a gene.</p>   | <p>Pagkabura ng gene</p>  |
| <p><b>General population (n)</b></p>   | <p>“Most people.”</p> <p>For example, if you have the same risk of getting cancer as the general population, that means that you have the same chance of getting cancer as everyone else. This is in contrast to a “high risk population” who has a greater chance of getting cancer than everyone else.</p>  | <p>Pangkalahatang populasyon</p>  |
| <p><b>Generation (n)</b></p>   | <p>The people who constitute a single step in a line of descent from an ancestor; a group of people born and living more or less at the same time.</p> <p>Example: You, your brothers and sisters, all your spouses and your cousins are in the same generation. Your parents, your aunts and uncles and all their spouses form a previous generation. Your grandparents, their siblings and spouses from an even earlier generation. Your children and nieces and nephews form a later generation.</p>   | <p>Henerasyon</p>   |
| <p><b>Genetic (adj)</b></p>  | <p>Having to do with inherited traits.</p>  | <p>Genetic</p>  |
| <p><b>Genetic counseling (n)</b></p>   | <p>A discussion with a genetic counselor about the basic concepts of genetics, genetic conditions, the chances of being affected by a genetic condition or having a child with a genetic condition, and genetic testing and treatment.</p>  | <p>Pagpapayo sa genetic</p>   |



| Term   | Definition   | Translation   |
|--|--|---|
| <b>Genetic counseling intern (n)</b>   | A genetic counseling student who has not yet completed his/her academic studies and is now practicing under the supervision of a more experienced counselor in preparation for providing genetic counseling services independently after obtaining his/her graduate degree.  | Intern sa pagpapayo sa genetic  |
| <b>Genetic counselor (n)</b>   | A healthcare professional with a specialized graduate degree who works with people undergoing genetic testing. Genetic counselors provide information about genetic conditions, help patients understand their chances of being affected by a genetic condition or having a child with a genetic condition, and help them make informed decisions about testing and treatment. Genetic counselors also provide emotional support to patients and families. | Tagapayo sa genetic   |
| <b>Genetic discrimination (n)</b>  | The act of refusing to provide, or charging more for, insurance or any service based on an individual's genetic make-up.   | Diskriminasyon sa genetic   |
| <b>Genetic factors (n)</b>   | Specific aspects of a person's genetic make-up that influence that person's health and development.  | Mga salik sa genetic  |
| <b>Genetic information (n)</b>   | The information encoded in genes, which tells every cell in a body how to grow, what to do and how to reproduce.   | Impormasyon sa genetic  |
| <b>Genetic material (n)</b>  | All the parts of a cell that carry genetic information. Genetic material could include genes, parts of genes, a group of genes, a DNA molecule, a fragment of DNA, a group of DNA molecules, or the entire set of genetic instructions.  | Genetic na materyal   |
| <b>Genetic predisposition (n)</b>  | An increased chance of a person developing a certain trait or disease based on that person's particular genetic makeup.  | Genetic na predisposition o tendensiya  |
| <b>Genetic test (n)</b><br><br><b>Single gene test (n)</b><br><br><b>Gene panel test (n)</b> | A laboratory test designed to determine if a person has a gene mutation or a typical DNA sequence.<br><br>Single gene test: analysis of one particular gene.<br><br>Gene panel test: analysis of several genes that have been shown to be associated with a particular condition; Example: breast cancer gene panel.   | Pasusuri sa genetic<br><br>Pagsusuri sa isang gene<br><br>Pagsusuri sa gene panel |

| Term                           | Definition   | Translation                 |
|--------------------------------|--|-----------------------------|
| <b>Genetic trait (n)</b>       | A characteristic within a family that is passed down from parent to child genetically.   | Genetic na katangian        |
| <b>Geneticist (n)</b>          | A doctor or scientist who studies genetics.  | Dalubhasa sa genetics       |
| <b>Germline testing (n)</b>    | <p>Germline testing refers to the analysis of a person’s DNA, which he or she inherited from his or her parents.</p> <p>In biology and genetics, the germline is the group of cells that will pass on the genetic material to children, in other words, the cells from which the eggs and sperm come. After the egg and sperm come together to form a baby, these cells will then divide and multiply and will form the entire body.</p> <p>Germline testing is different from testing the DNA of someone’s tumor, which may have a mutation that happened during the person’s lifetime and was not inherited from his or her parents.</p> | Pagsusuri sa germline       |
| <b>Hereditary (adj)</b>        | Passed down from parent to child.  | Namamana                    |
| <b>Hereditary material (n)</b> | Genetic material that is passed down from parent to child.   | Namamanang katangian        |
| <b>Informed consent (n)</b>    | The process of agreeing to a procedure or course of treatment after understanding what the procedure/treatment entails, the potential risks and benefits associated with it, and the other options available.  | May kabatirang pagsang-ayon |
| <b>Inheritance pattern (n)</b> | The manner in which a particular genetic trait or disorder is passed from a parent to a child, e.g., autosomal dominant or recessive, X-linked dominant or recessive, or multifactorial.   | Pattern na namana           |
| <b>Inherited (adj)</b>         | Passed down from parent to child.  | Minana                      |
| <b>Lynch syndrome (n)</b>      | An inherited genetic disorder that increases a person’s risk of getting cancer of the colon, rectum, uterus, ovaries, and other cancers.   | Lynch syndrome              |

| Term                                      | Definition  | Translation   |
|---|---|---|
| <b>Malignant (adj)</b>                    | In cancer, this term means that the cancer cells or tumor are harmful and have the potential of spreading to other tissues or parts of the body.  | Malignant o nakamamatay                                   |
| <b>Metastasis (n)</b>                     | The spreading of cancer from one organ to another.  | Pagkalat  |
| <b>Molecule (n)</b>                       | The smallest unit of a chemical compound that still has the properties of that compound. For example, a molecule of water is made up of two hydrogen atoms and one oxygen atom. Separately, they are just atoms, but when bonded together, they make a water molecule.  | Molecule  |
| <b>Multifactorial (adj)</b>               | Due to a combination of genetic and non-genetic (environmental, hormonal, etc.) risk factors that act together to determine risk.   | Multifactorial  |
| <b>Mutation (n)</b>                       | A change in a gene, which can be deleterious (disease causing) or benign (non-disease-causing).<br><br>In Spanish, the word is sometimes confused with “mutilation.”  | Mutasyon  |
| <b>Oncologist (n)</b>                     | A physician who specializes in diagnosing and treating cancer.  | Oncologist  |
| <b>Oophorectomy</b>                       | The surgical removal of one or both ovaries.  | Oophorectomy<br>(Operasyon para tanggalin ang mga obaryo) |
| <b>Ovarian cancer (n)</b>                 | Cancer of the ovaries, the organs in a woman that release eggs.   | Kanser sa obaryo  |
| <b>Packets of genetic information (n)</b> | A phrase genetic counselors use to describe genes or chromosomes.   | Mga impormasyon tungkol sa genetic                        |
| <b>Pattern (n)</b>                        | A repeating arrangement or sequence; for example, the pattern of cancers in a family.   | Pattern   |
| <b>Pedigree (n)</b>                       | A family tree that can be used to trace the inheritance of specific genetic traits.   | Pedigree  |
| <b>Penetrance (n)</b>                     | The probability that a specific genetic trait will be expressed if a person carries a mutation. “Complete penetrance” means that everyone who carries a particular gene mutation will show the trait related to that altered gene. “Incomplete penetrance” means that only some of the people who have the altered gene will actually show the related trait. | Pag-penetrance  |

| Term  | Definition   | Translation                       |
|---|--|-----------------------------------|
| <b>Predisposition to cancer</b>               | Having a change in one of number of specific genes (a genetic mutation) that creates a higher than normal risk of a person developing cancer.  | Madaling kapitan ng kanser        |
| <b>Prognosis (n)</b>                          | The most likely outcome of a disease process.  | Posibleng kalalabasan             |
| <b>Proliferation (cell proliferation) (n)</b> | The controlled process by which a cell multiplies.<br><br>Cancer arises when the process of cell division becomes uncontrolled.  | Paglaganap (paglaganap ng selula) |
| <b>Prophylactic mastectomy (n)</b>            | A mastectomy is the surgical removal of the breast. “Prophylactic” means something done to prevent disease. A prophylactic mastectomy is the surgical removal of a healthy breast to prevent breast cancer. Prophylactic mastectomy is an option for individuals with a very high breast cancer risk, for example, women with a BRCA mutation.                     | Operasyon para tanggalin ang suso |
| <b>Protein (n)</b>                            | A molecule made up of chains of amino acids. Proteins do most of the work in cells and are required for the structure, function, and regulation of the body's tissues and organs. Genes determine how specific amino acids are put together to form a specific protein.  | Protina                           |
| <b>Random (adj)</b>                           | Happening in an unpredictable way.   | Hindi tiyak                       |
| <b>Recessive (adj)</b>                        | A genetic trait in which both copies of a gene are needed for the trait to be expressed; recessive traits are inherited from both parents, each one contributing one copy of the gene in question.<br><br>In cancer genetics, recessive inheritance refers to conditions in which both copies of a particular gene pair need to be altered to develop the disease. | Recessive                         |
| <b>Recurrence (n)</b>                         | When something happens again.<br><br>In cancer, a return of the disease after treatment and after a period of time during which the cancer cannot be detected.   | Pag-ulit                          |
| <b>Red flag (n)</b>                           | A warning sign or a clue.  | Babala                            |

| Term   | Definition   | Translation  |
|--|--|--|
| <b>Risk (n)</b><br><br><b>At risk (adj)</b><br><br><b>At average risk (adj)</b><br><br><b>At high risk (adj)</b><br><br><b>At higher risk than “X” (adj)</b><br><br><b>Risk factor (n)</b> | <p>The chance that something will happen; in the case of cancer genetics, the chance of getting cancer.</p> <p>Has some possibility of getting cancer.</p> <p>Has the same possibility of getting cancer as the general population.</p> <p>Has a greater possibility of having a genetic condition than the general population.</p> <p>Has a greater possibility of getting cancer than the general population. Has a greater possibility of getting cancer than “X.”</p> <p>A circumstance that increases the risk of getting cancer.</p> | <p>Panganib</p> <p>Nanganganib</p> <p>Sa katamtamang antas ng panganib</p> <p>Nasa mataas na panganib</p> <p>Nasa mas mataas na panganib kaysa sa “X”</p> <p>Salik ng panganib</p> |
| <b>Runs in the family (e.g., cancer runs in the family) (v)</b>  | <p>Is passed down from parents to children to grandchildren.</p>   | <p>Nasa lahi ng pamilya</p>  |
| <b>Saliva (spit) test (n)</b>  | <p>A genetic test done by collecting saliva (spit) instead of blood.</p>   | <p>Sample ng laway (dura)</p>  |
| <b>Screen (v)</b>  | <p>To test a person for a particular common health problem, even though the person has no symptoms to suggest that they have the problem.</p>  | <p>Pag-screen</p>  |
| <b>Screening test (n)</b>  | <p>A test that looks for a common health problem even though the patient has no symptoms to suggest they have the particular disease.</p>  | <p>Screening na pagsusuri</p>  |
| <b>Sperm (n)</b>   | <p>The reproductive cells of the man. When sperm fertilize a woman’s egg, a baby develops.</p>   | <p>Semilya</p>   |
| <b>Sporadic (adj)</b>  | <p>Random, once in a while.</p> <p>In genetics, sporadic cancers are those caused by random chance or unknown factors in the environment.</p>  | <p>Pabugsu-bugso</p>   |
| <b>Statistically significant (adj)</b>   | <p>Not caused by chance.</p>   | <p>Istatistika na napakahalaga</p>   |

| Term                | Definition   | Translation |
|---------------------|--|-------------|
| <b>Syndrome (n)</b> | <p>A group of symptoms or features that consistently occur together or a condition characterized by a set of associated features.</p> <p>For example, a hereditary cancer syndrome refers to risk for a group of cancers all caused by a particular gene mutation. BRCA1 mutations increase risk for breast and ovarian cancers. This is called Hereditary Breast and Ovarian Cancer Syndrome. See also, Lynch Syndrome.</p> | Syndrome    |

| Term  | Definition  | Translation  |
|---|---|--|
| <p><b>Test result (n)</b></p> <p><b>Negative (adj)</b></p> <p><b>True negative (n)</b></p> <p><b>Uninformative negative (n)</b></p> <p><b>Positive (adj)</b></p> <p><b>Variant of uncertain significance (n)</b></p> <p><b>Polymorphism (n)</b></p> | <p>A negative result on a genetic test means that the laboratory did not find the specific genetic change that the test was designed to identify.</p> <p>When a patient is being tested to see if he or she has a specific genetic change that is present in other family members, a negative result can be considered a “true negative.” This means that instead of having an increased risk for cancer like other family members, they have the same risk as everyone else in the general population.</p> <p>Sometimes a family has a strong history of a particular cancer, but no genetic change related to that cancer has been found in that family. An “uninformative negative” result means that a specific test was negative but is not conclusive because the “family” mutation has not been identified, and/or there may be changes that the test could not detect in the gene being analyzed, or in other genes that were not tested.</p> <p>A positive result on a genetic test means that the laboratory did find a specific genetic change that is associated with a hereditary cancer syndrome (a deleterious mutation). In cancer genetics, that means that the patient has an increased risk of getting the cancer(s) associated with the gene.</p> <p>If the laboratory finds a genetic change for which currently there is not enough information to know if this change is problematic or not, it reports a “variant of uncertain significance.” Basically, this means that the laboratory found a genetic change, but they don’t know what it means. All of these variants will eventually be reclassified as either a “positive” or “negative” result. Most become “negative” and are thought to represent natural variation between individuals.</p> <p>Everyone has some degree of commonly occurring genetic changes that are not associated with cancer. If the test finds this sort of change, it reports a “polymorphism.”</p> | <p>Resulta ng pagsusuri</p> <p>Negatibo</p> <p>Totoong negatibo</p> <p>Walang impormasyong negatibo</p> <p>Positibo</p> <p>Variant ng hindi tiyak na kahalagahan</p> <p>Polimorpismo</p> |
| <b>Trait (n)</b>  | A characteristic.   | Katangian  |
| <b>Tumor (n)</b>  | An abnormal growth of cells; a tumor can be benign (not harmful) or malignant (harmful, cancer).  | Tumor  |

| Term                     | Definition  | Translation        |
|--------------------------|---|--------------------|
| <b>Tumor testing (n)</b> | An analysis of the DNA of someone’s tumor. This analysis is meant to identify changes that a person might have acquired in his/her tumor cells that are not present in the rest of his/her body cells and were not inherited from his/her parents. This testing is often done to help make treatment decisions. | Pagsusuri sa tumor |
| <b>Typo (n)</b>          | A mistyped word; shortened slang for “typographical error.”<br>In genetic counseling “a typo” is commonly used as an analogy to refer to mutations or variants in a gene.   | Typo               |
| <b>Ultrasound (n)</b>    | An imaging method that uses high frequency sound waves to create a picture of something inside the body.  | Ultrasound         |
| <b>Variant (n)</b>       | A version of something that differs from the norm. So, a genetic variant is a change to the usual genetic sequence.   | Variant            |



## Examples of Genes That are Often Checked in Genetic Testing

| Term                                   | Definition  | Translation               |
|--|---|---------------------------|
| <p><b>BRCA 1</b><br/><b>BRCA 2</b></p> | <p>“The Breast Cancer Genes.”</p> <p>The tumor suppressor genes that in mutated form tend to be associated with an increased risk of certain cancers, especially breast and ovarian cancers.</p>  | <p>BRCA 1<br/>BRCA 2</p>  |
| <p><b>MLH1 MSH2 MSH6 PMS2</b></p>      | <p>“The Colon Cancer Genes.”</p> <p>These genes are involved in fixing mistakes that occur when DNA replicates. An abnormality in one of these genes can lead to Lynch Syndrome, a condition linked to increased risk of cancer in the colon, rectum, uterus, ovaries, as well as other organs.</p>   | <p>MLH1 MSH2MSH6 PMS2</p> |
| <p><b>ATM</b></p>                      | <p>The ATM gene helps create a protein located in the cell nucleus that controls the rate at which cells grow and divide. The ATM protein also helps cells recognize damaged DNA strands.</p> <p>A mutation in the ATM gene can lead to increased risks for cancer or a condition called ataxia-telangiectasia a degenerative neurological condition that causes severe disability.</p> | <p>ATM</p>                |
| <p><b>PALB2</b></p>                    | <p>Another gene in which mutations can lead to breast cancer and possibly other cancers.</p>  | <p>PALB2</p>              |

## Family Relationships

For genetic counselors, it is very important to know if a relative is a blood relative or a relative by marriage.

| Term                   | Definition  | Translation             |
|------------------------|---|-------------------------|
| <b>Parent</b>          | Your mother or father.  | Magulang                |
| <b>Mother</b>          | For genetic purposes, the woman whose egg was fertilized and grew to be you.  | Ina                     |
| <b>Mother-in-law</b>   | Your husband or wife’s mother.  | Biyenang-babae          |
| <b>Stepmother</b>      | Your father’s wife who is not your biological mother.   | Madrasta                |
| <b>Adoptive mother</b> | A woman who is not your biological mother but who accepted legal responsibility for and raised you.                         | Inang umampon           |
| <b>Godmother</b>       | A woman chosen by your parents to be your spiritual guide in life, named as such through a ceremony in the Catholic church. | Ninang                  |
| <b>Father</b>          | For genetic purposes, the man whose sperm fertilized the egg that grew to be you.   | Ama                     |
| <b>Father-in-law</b>   | Your husband or wife’s father.  | Biyenang-lalaki         |
| <b>Stepfather</b>      | Your mother’s husband who is not your biological father.  | Amain                   |
| <b>Adoptive father</b> | A man who is not your biological father but who accepted legal responsibility for and raised you.                           | Amang umampon           |
| <b>Godfather</b>       | A man chosen by your parents to be your spiritual guide in life, named as such through a ceremony in the Catholic church.   | Ninong                  |
| <b>Aunt</b>            | Your mother or father’s sister or sister-in-law.  | Tiyahin                 |
| <b>Maternal aunt</b>   | Your mother’s sister or sister-in-law.  | Tiyahin sa panig ng ina |
| <b>Paternal aunt</b>   | Your father’s sister or sister-in-law.  | Tiyahin sa panig ng ama |
| <b>Uncle</b>           | Your mother or father’s brother or brother-in-law.  | Tiyuhin                 |
| <b>Maternal uncle</b>  | Your mother’s brother or brother-in-law.  | Tiyuhin sa panig ng ina |
| <b>Paternal uncle</b>  | Your father’s brother or brother-in-law.  | Tiyuhin sa panig ng ama |

| <b>Term</b>                      | <b>Definition</b>   | <b>Translation</b>               |
|----------------------------------|---|----------------------------------|
| <b>Cousin</b>                    | Usually understood to be a first cousin.                        | Pinsan                           |
| <b>First cousin</b>              | Your aunt or uncle's child.                                     | Unang pinsan                     |
| <b>First cousin once removed</b> | Your aunt or uncle's grandchild or your first cousin's child    | Anak ng pinsan                   |
| <b>Second cousin</b>             | The children of first cousins are second cousins to each other. | Pangalawang pinsan               |
| <b>Grandparent</b>               | Your parent's father or mother.                                 | Lolo at lola                     |
| <b>Grandmother</b>               | Your mother or father's mother.                                 | Lola                             |
| <b>Maternal grandmother</b>      | Your mother's mother.   | Lola sa panig ng ina             |
| <b>Paternal grandmother</b>      | Your father's mother.   | Lola sa panig ng ama             |
| <b>Grandfather</b>               | Your mother or father's father.                                 | Lolo                             |
| <b>Maternal grandfather</b>      | Your mother's father.   | Lolo sa panig ng ina             |
| <b>Paternal grandfather</b>      | Your father's father.   | Lolo sa panig ng ama             |
| <b>Great aunt</b>                | Your mother or father's aunt.                                   | Tiyahin sa tuhod                 |
| <b>Maternal great aunt</b>       | Your mother's aunt.   | Tiyahin sa tuhod sa panig ng ina |
| <b>Paternal great aunt</b>       | Your father's aunt.   | Tiyahin sa tuhod sa panig ng ama |
| <b>Great uncle</b>               | Your father or mother's uncle.                                  | Tiyuhin sa tuhod                 |
| <b>Maternal great uncle</b>      | Your mother's uncle.  | Tiyuhin sa tuhod sa panig ng ina |
| <b>Paternal great uncle</b>      | Your father's uncle.  | Tiyuhin sa tuhod sa panig ng ama |
| <b>Great grandparents</b>        | The parents of any of your grandparents.                        | Lolo at lola sa tuhod            |
| <b>Great grandmother</b>         | The mother of any of your grandparents.                         | Lola sa tuhod                    |
| <b>Great grandfather</b>         | The father of any of your grandparents.                         | Lolo sa tuhod                    |

| Term                   | Definition   | Translation                             |
|------------------------|--|---|
| <b>Siblings</b>        | The children of your father and mother.  | Mga kapatid                             |
| <b>Half siblings</b>   | Siblings (brothers and sisters) who have either the same mother and different fathers, or the same father but different mothers. Half siblings share some genetic similarity with you.     | Mga kapatid sa ama o ina                |
| <b>Stepsiblings</b>    | The children of your stepmother but not your father; or the children of your stepfather but not your mother. Stepsiblings do not share any genetic similarity with you.                    | Mga kapatid na anak ng madrasta o amain |
| <b>Twins</b>           | Two siblings born at the same time.  | Kambal                                  |
| <b>Identical twins</b> | Twins who developed from the same egg and sperm, meaning that they are genetically identical. Also called monozygotic twins.   | Identical na kambal                     |
| <b>Fraternal twins</b> | Twins who developed from different eggs and sperm, meaning that they are genetically different and have the same number of shared genes as any other sibling. Also called dizygotic twins. | Fraternal na kambal                     |
| <b>Triplets</b>        | Three siblings born at the same time.  | Triplets                                |
| <b>Sister</b>          | A sibling who is a girl.   | Kapatid na babae                        |
| <b>Sister-in-law</b>   | Your brother's wife or your husband's sister.  | Hipag                                   |
| <b>Half sister</b>     | A girl who is either the child of your father with a different mother, or the child of your mother with a different father.  | Kapatid na babae sa ama o ina           |
| <b>Stepsister</b>      | The daughter of your stepmother or stepfather and therefore not biologically related to you.   | Kapatid na babae sa madrasta o amain    |
| <b>Brother</b>         | A sibling who is a boy.  | Kapatid na lalaki                       |
| <b>Brother-in-law</b>  | Your sister's husband or your wife's brother.  | Bayaw                                   |
| <b>Half brother</b>    | A boy who is either the child of your father with a different mother, or the child of your mother with a different father.   | Kapatid na lalaki sa ama o ina          |
| <b>Stepbrother</b>     | The son of your stepmother or stepfather and therefore not biologically related to you.  | Kapatid na lalaki sa madrasta o amain   |
| <b>Niece</b>           | Your sibling's daughter.   | Pamangkin na babae                      |

| Term                     | Definition  | Translation                    |
|--------------------------|---|--------------------------------|
| <b>Nephew</b>            | Your sibling's son.   | Pamangkin na lalaki            |
| <b>Spouse</b>            | Your husband or wife.   | Asawa                          |
| <b>Wife</b>              | The woman to whom you are married.  | Misis                          |
| <b>Husband</b>           | The man to whom you are married.  | Mister                         |
| <b>Children</b>          | Genetically speaking, the people who are produced from your egg or sperm.   | Mga anak                       |
| <b>Daughter</b>          | Your child who is a girl.   | Anak na babae                  |
| <b>Daughter-in-law</b>   | Your son's wife.  | Manugang na babae              |
| <b>Stepdaughter</b>      | Your spouse's daughter who is not your biological child.  | Anak na babae sa dating asawa  |
| <b>Adoptive daughter</b> | A girl for whom you have accepted legal responsibility and raised even though she is not your biological child.   | Inampong anak na babae         |
| <b>Goddaughter</b>       | A girl for whom you have accepted spiritual responsibility within a ceremony of the Catholic church; she may or may not be biologically related to you. | Inaanak na babae               |
| <b>Son</b>               | Your child who is a boy.  | Anak na lalaki                 |
| <b>Son-in-law</b>        | Your daughter's husband.  | Manugang na lalaki             |
| <b>Stepson</b>           | Your spouse's son who is not your biological child.   | Anak na lalaki sa dating asawa |
| <b>Adoptive son</b>      | A boy for whom you have accepted legal responsibility and raised even though he is not your biological child.   | Inampong anak na lalaki        |
| <b>Godson</b>            | A boy for whom you have accepted spiritual responsibility within a ceremony of the Catholic church. He may or may not be biologically related to you.   | Inaanak na lalaki              |
| <b>Ancestor</b>          | A person from whom you are descended, usually more remote than a grandparent.   | Ninuno                         |
| <b>Fiancé(e)</b>         | The person whom you have promised to marry.<br><br>Man: fiancé<br><br>Woman: fiancée  | Kasintahan                     |

| Term                    | Definition   | Translation                 |
|-------------------------|--|-----------------------------|
| <b>Domestic partner</b> | The person with whom you are living and have an intimate relationship, but to whom you are not married.  | Ka-live in                  |
| <b>Divorced</b>         | Having ended a marriage.   | Diborsiyado                 |
| <b>Engaged</b>          | Having promised to marry someone.  | May kasunduang pakasal      |
| <b>Widow</b>            | A woman whose husband has died.  | Biyuda                      |
| <b>Widower</b>          | A man whose wife has died.   | Biyudo                      |
| <b>Relative</b>         | A person in your family.   | Kamag-anak                  |
| <b>Blood relation</b>   | A person who is related to you by blood not marriage, e.g., your sister, but not your sister-in-law; your mother but not your stepmother; your daughter but not your adopted daughter. | Kadugo                      |
| <b>Next of kin</b>      | Your closest living blood relation.  | Pinakamalapit na kamag-anak |

## Common Interpreting Errors

| Source speech  | Interpreted as   | More accurate rendition                                   |
|--|--|---|
| <b>“Cancer just happens by chance.”</b>                | “Cancer happens suddenly.”<br>“Cancer happens because you are unlucky. “     | “Sometimes we don’t know what causes cancer.”             |
| <b>Cancer genes</b>                                    | Cancer cells   | Genes that may cause cancer when altered (mutated).       |
| <b>“You are at higher risk for developing cancer.”</b> | Getting cancer   | There is a greater possibility that you might get cancer. |
| <b>“These genes protect us against cancer.”</b>        | “They protect us, like the immune system . . . They kill cancer cells . . .” | “These genes help us to not get cancer.”                  |
| <b>Colonoscopy</b>                                     | Scan   | Colonoscopy   |

## Analogies

Genetic counselors often use analogies to explain complex ideas in genetics. An analogy explains a new concept by comparing it to something more common. A clue that an analogy is being used are the words “It’s as if” and “It’s like . . .”

Examples:

“Genes are **like** an instruction book or an instruction manual. And in a book, there is a certain sequence to a story.”

“**It’s as if** you were reading through a long book and looking for one typo, for a letter that is mistaken.”

“In the DNA there are molecule strings – **like** in this picture, each letter is a different molecule string.”

“So a mutation is **like** a broken gene.”

“So a mutation is **like** an unexpected change in the order of the letters.”

“A gene is **like** a recipe, and mutations are like changes in that recipe.”

“It’s **like** chapters in a book, and like misspellings.”

“Our cells are **like** libraries and our chromosomes are like books.”

“**Like** a flip of a coin.” (to explain that there is a 50% chance that a mutation will be passed on every time the patient has a child).

“Inside every cell are genes, which are **like** instruction books for our bodies; they tell our bodies how to grow and develop.”

“It is kind of **like** if you are reading a book = and you notice that a word is spelled wrong; that is what this genetic test looks for.”

Genetic counselors may mix the analogy in with more literal descriptions:

Example:

“We know that there are two in particular that when they don’t work right, **when there’s a typo in the instruction manual**, they can cause a high risk for breast and ovarian cancer.”

Some analogies may not work with certain patients, due to linguistic or experiential differences.

Analogies that focus on genes as “letters in a book” may make no sense to speakers of character-based written languages such as Chinese, Japanese, and Korean.

“**It’s as if** you were reading through a long book and looking for one typo, for a letter that is mistaken.”

“So a mutation is **like** an unexpected change in the order of the letters.”

“It’s **like** chapters in a book, and like misspellings.”

“It is kind of **like** if you are reading a book and you notice that a word is spelled wrong; that is what this genetic test looks for.”


Analogies that focus on genes as a recipe may not work for patients who do not cook with written recipes.

“A gene is **like** a recipe, and mutations are like changes in that recipe.”

Analogies that discuss random chance in terms of a coin toss may not work for patients from cultures where people don’t flip coins to make decisions.

“**Like** a flip of a coin” (to explain that there is a 50% chance that a mutation will be passed on every time the patient has a child).





**The National Coordinating Center for the  
Regional Genetics Networks**

**Glossary of Pediatric Genetics Terms**

**English – Tagalog**

**2022 Edition**

Compiled and edited by:  
**Cynthia E. Roat, MPH**

In collaboration with:  
**The Cross Cultural Health Care  
Program (CCHCP)**



## Preface

The seven Regional Genetics Networks (RGNs), the National Genetics Education and Family Support Center (Family Center), and the National Coordinating Center for the Regional Genetics Networks (NCC) mission is to improve access to quality genetic services for medically underserved populations. This bilingual glossary of terms related to Pediatric Genetics is provided to help enable access to pediatric medical services to limited English proficiency populations.

## How to Use the Glossary

This glossary is organized alphabetically in English. The first column shows the term in English. The second column has the definition of the term in English. The third column has the translation of the term.

At the end of the translations of the pediatric genetics terms is a glossary of translations for family relationships terms. It is very important for genetic counselors to know if a relative is a blood relative or a relative by marriage.

## Glossary of Terms

### English – Tagalog

(n) – noun      (v) – verb      (adj) – adjective      (adv) – adverb

| Term  | Definition   | Translation  |
|---|--|--|
| <b>Abnormal (adj)</b>   | Different from what is considered normal, average, or expected, e.g., a gene sequence that is different than that found in most people.  | Hindi-normal   |
| <b>Abortion (n)</b>   | The deliberate ending of a pregnancy by the removal of an embryo or fetus from the womb. Technically, this is called an “induced abortion” in order to distinguish it from a “spontaneous abortion” which is also called a miscarriage or stillbirth. Also called a “termination of pregnancy” or just “termination.”  | Pagpapalaglag  |
| <b>ACMG 59 (n)</b>  | Fifty-nine genes that the American College of Medical Genetics and Genomics has identified in which variances have a high risk of causing disease – but disease that can be mitigated through early detection or treatment. The ACMG recommends that variances in these genes should be reported to patients even if finding them was not the reason for genetic testing | ACMG 59  |
| <b>Adaptive skills (n)</b>  | Skills/abilities needed to perform daily activities, particularly those that allow an individual to live independently and/or work. Examples: brushing teeth, bathing, dressing, food shopping, and taking public transportation.  | Mga kasanayan sa pag-angkop                              |
| <b>Adoption (n)</b>   | The process of accepting legal responsibility for someone else’s child to raise as your own.   | Pag-ampon  |
| <b>American College of Medical Genetics and Genomics (ACMG) (n)</b> | A professional membership organization based in the United States that represents the interests of clinical geneticists, clinical laboratory geneticists, and genetic counselors. The ACMG focuses on improving patient care, establishing standards of care and laboratory policy, and educating members about advances in the field.                                   | American College of Medical Genetics and Genomics (ACMG) |
| <b>Amniocentesis (n)</b>  | A procedure by which a sample of amniotic fluid is withdrawn from the amniotic sac. This is usually done by inserting a long needle through the abdominal and uterine walls with the guidance of ultrasound.   | Amniocentesis  |

| Term                           | Definition   | Translation                   |
|--------------------------------|--|-------------------------------|
| <b>Amniotic fluid (n)</b>      | The liquid that surrounds a fetus as it develops in the uterus. This liquid contains skin cells that have sloughed off the fetus as well as other fetal cells.   | Panubigan                     |
| <b>Anencephaly (n)</b>         | A neural tube defect that results in insufficient brain growth in a fetus. Babies with anencephaly usually die soon after birth or are stillborn.  | Anencephaly o depekto sa utak |
| <b>Benign (adj)</b>            | Something that does not threaten health or life. May refer to a type of change to the DNA that does not create health consequences.  | Hindi-nakapipinsala           |
| <b>Biochemical testing (n)</b> | Blood tests to identify elevated levels of certain naturally occurring substances/chemicals in the body that are linked to genetic conditions.   | Pagsusuri ng biochemical      |
| <b>Birth canal (n)</b>         | The passageway from the uterus through the cervix, the vagina, and the vulva through which a baby passes during the birth process.   | Daanan ng bata sa panganganak |
| <b>Birth defect (n)</b>        | A problem or physical difference with how the body works that is present at birth. Birth defects can be caused by genetic abnormalities, environmental influences, random chance, or by circumstances related to the birth process. Also called “congenital malformation” or “congenital anomaly.” | Depekto sa pagsilang          |
| <b>Blood test (n)</b>          | A test in which blood is drawn (usually from the patient’s arm) and sent to a laboratory for analysis.<br><br>In genetics, blood tests may provide cells for genetic sequencing, or blood samples may be used to assess things like protein or hormone levels.                                     | Pagsusuri sa dugo             |
| <b>Brace (n)</b>               | A medical appliance that provides support to joints or bones, to weak muscles, or to strained ligaments.   | Brace                         |
| <b>Buccal swab (n)</b>         | A way to collect DNA from the cells on the inside of a person's cheek.   | Pag-swab sa bunganga          |
| <b>Carrier (n)</b>             | A person who carries a genetic mutation in one of the two copies of a particular gene, regardless of whether they get cancer or not.   | Tagapagdala                   |
| <b>Cell (n)</b>                | The smallest (microscopic) functional unit of living organisms. All living things are composed of one or more cells. Within each cell are the structures needed for the cell to process energy, dispose of waste, reproduce, and perform specialized functions.                                    | Selula                        |

| Term   | Definition   | Translation                             |
|--|--|---|
| <b>Cervix (n)</b>                                | The narrow lower part of the uterus than connects to the vagina.   | Kuwelyo ng matris                       |
| <b>Chorionic Villus Sampling (CVS) (n)</b>       | A procedure during pregnancy in which a sample of cells from the placenta is removed to check for possible genetic abnormalities.  | Chorionic Villus Sampling (CVS)         |
| <b>Chromosome (n)</b>                            | Thread-like structures located inside the nucleus of cells. In humans, there are 23 pairs of chromosomes, for a total of 46 chromosomes. Each chromosome is made of a long strand of DNA, which carries genetic information. | Chromosome                              |
| <b>Chromosome test / Karyotype (n)</b>           | A test that looks at the number and arrangement of chromosomes in a cell.  | Pagsusuri ng Chromosome / Karyotype     |
| <b>Cleft lip (n)</b>                             | A congenital malformation that occurs when the upper lip does not form properly, causing an opening in the upper lip that can extend to the nose. This can occur together with a cleft palate or on its own.                 | Bungi                                   |
| <b>Cleft palate (n)</b>                          | A congenital malformation where the roof of the mouth (palate) does not form properly, resulting in an opening into the nasal cavity. This can occur together with a cleft lip or on its own.                                | Biyak na ngalangala                     |
| <b>Clinically significant (adj)</b>              | If a test result is “clinically significant,” the result indicates a medical problem that can impact a person’s life.  | Klinikal na napakahalaga                |
| <b>Cognition (n)</b>                             | The processes involved in thinking, learning, understanding, and remembering.  | Kaalaman                                |
| <b>Condition (e.g., “genetic condition”) (n)</b> | A long-term medical health issue.  | Kondisyon(hal., “genetic na kondisyon”) |
| <b>Consanguinity (n)</b>                         | When parents are blood relatives to each other.  | Kadugo o magkamag-anak                  |
| <b>Consultation model (n)</b>                    | The model of care for patients with genetic conditions in which the genetic team acts as consultants, supporting the care being provided principally by the patient’s Primary Care Provider.                                 | Modelo ng konsultasyon                  |
| <b>Continuing care model (n)</b>                 | The model of care for patients with genetic conditions in which the genetic team takes primary responsibility for supervising and coordinating all care related to the patient’s genetic condition.                          | Modelo ng pagpapatuloy ng pangangalaga  |

| Term  | Definition  | Translation   |
|---|---|---|
| <b>Cystic fibrosis (n)</b>                                    | A progressive genetic condition that affects the exocrine glands (the glands that make sweat and digestive juices) and causes the production of thick, sticky mucus. This mucus blocks the pancreatic duct, the intestines, and the lungs, leading to persistent respiratory infections.  | Cystic fibrosis   |
| <b>De novo (adj)</b>  | Genetic changes that are not inherited but that occur during cell division.   | De novo   |
| <b>Deleterious mutation/<br/>Disease-causing mutation (n)</b> | A change in a person's DNA that may cause a medical condition.  | Pagbura ng mutasyon/<br>Sakit na nagdudulot ng mutasyon |
| <b>Deletion (n)</b>   | Having a section of genetic information (DNA) missing.  | Pagbura   |
| <b>Developmental assessment (n)</b>                           | An evaluation of how an individual patient's intellectual, emotional, and social development compare with others of the same age.   | Pagsusuri sa pag-develop                                |
| <b>Diagnostic test (n)</b>                                    | A medical test that determines whether a patient has a particular medical problem. Diagnostic tests are often used when providers have a specific reason to believe that the medical problem may be present. Compare this to screening tests, which may be given routinely even if the provider has no reason to believe the patient has a certain problem. Screening tests often only report whether a patient is at an increased risk for the medical problem in question, whereas diagnostic tests report whether the problem is actually present. | Diagnostic na pagsusuri                                 |
| <b>DNA (Deoxyribonucleic Acid) (n)</b>                        | The molecule that carries the genetic information of a cell. It provides the instructions used in the development, functioning and reproduction of the organism of which it is a part. The DNA is organized into chromosomes.   | DNA (Deoxyribonucleic Acid)                             |
| <b>DNA marker (also called a "Genetic marker") (n)</b>        | A readily recognizable genetic trait, gene, or DNA segment.   | DNA marker (tinatawag rin na "Genetic Marker")          |
| <b>DNA mutation (n)</b>                                       | A change in the typical sequence of the chemicals that make up the DNA, like the change in the order of letters in a word.<br><br>Mutations or variants are often compared to misspelled words because chemicals that make up the DNA sequence are not in the expected order.   | Mutasyon ng DNA   |
| <b>DNA sequence (n)</b>                                       | The exact arrangement of the chemicals that make up a section of DNA.   | Sekwensiya ng DNA                                       |

| Term                                       | Definition   | Translation                      |
|--|--|----------------------------------|
| <b>DNA sequencing (n)</b>                  | The laboratory technique used to determine the exact arrangement of the chemicals that make up a section of DNA. This is one type of genetic testing.  | Pag-sekwensiya ng DNA            |
| <b>Dominant (adj)</b>                      | A genetic trait in which one copy of the gene is sufficient for a trait to be expressed. In a dominant genetic condition, if one copy of the gene has a mutation, the personal will be affected with the condition.  | Nangingibabaw                    |
| <b>Donor egg or sperm (n)</b>              | An egg (singular) or sperm (plural) donated by one person to be joined under laboratory conditions and implanted in a woman's uterus. The donor egg or sperm may come from the woman or man who will raise any resulting child, or they may come from a third party.                         | Nagbigay ng itlog o semilya      |
| <b>Down syndrome (Trisomy 21) (n)</b>      | A genetic condition in which there are three copies of chromosome number 21 instead of two.<br><br>Down syndrome causes a distinct facial appearance, intellectual disability, developmental delays, and may be associated with thyroid or heart disease.                                    | Down syndrome (Trisomy 21)       |
| <b>Duplication (n)</b>                     | Having an extra section of genetic information (DNA). A <i>duplication</i> occurs when part of a chromosome is copied abnormally, resulting in extra <i>genetic</i> material.  | Pagkopya                         |
| <b>Edwards syndrome (Trisomy 18) (n)</b>   | A genetic condition in which there are three copies of chromosome number 18 instead of two. Trisomy 18 is a very severe condition that causes problems with the brain, the heart, the kidneys, and the digestive tract. Most children affected by trisomy 18 die before or soon after birth. | Edwards syndrome (Trisomy 18)    |
| <b>Egg (n)</b>                             | The reproductive cells of a woman. When fertilized by sperm, the egg will grow into an embryo. Also called an "ovum," plural "ova."  | Itlog                            |
| <b>Embryo (n)</b>                          | An unborn mammal, between conception and 8 weeks of gestation.   | Binhi                            |
| <b>Environmental causes or factors (n)</b> | Causes of illness that come from a person's surroundings, not from their genetic make-up. Environmental causes of illness include infection, trauma, diet, exposure to toxins, etc. Some environmental causes of illness can be avoided or changed, while genetic causes cannot.             | Mga sanhi o salik sa kapaligiran |

| Term                                 | Definition  | Translation                            |
|--------------------------------------|---|--|
| <b>Exome sequencing (n)</b>          | A genetic test in which a patient's exons are sequenced and studied.  | Pag-sekwensiya ng exome                |
| <b>Exon (n)</b>                      | The part of the genome that codes for proteins. The majority of deleterious mutations occur in exons.   | Exon                                   |
| <b>Fallopian tube (n)</b>            | The tube that connects an ovary to the uterus.  | Tubong palopyan                        |
| <b>False negative (n)</b>            | A test result that finds no evidence of a condition when the condition actually does exist. For example, a false negative on a pregnancy test finds that the woman is not pregnant when, in fact, she is pregnant.  | Negatibong mali                        |
| <b>False positive (n)</b>            | A test result that finds evidence of a condition when the condition does NOT actually exist. For example, a false positive on a pregnancy test finds that the woman is pregnant when, in fact, she is not.  | Maling positibo                        |
| <b>Familial (adj)</b>                | Belonging to a family, e.g., a familial trait is a trait that is shared by family members and may be due to genetic or environmental factors or both.   | Familial o sa pamilya                  |
| <b>Family history (n)</b>            | The medical history of the members of a biological family.  | Kasaysayan ng pamilya                  |
| <b>Fertilization (n)</b>             | The joining of an egg and sperm to create the first cell that will develop into an embryo, then fetus, then baby.   | Pagpapabunga                           |
| <b>Fetal surgery (n)</b>             | Surgery conducted on a fetus while it is still in the uterus.   | Operasyon ng sanggol na ipinagbubuntis |
| <b>Fetus(n)</b>                      | An unborn mammal, between 8 weeks of gestation to birth.  | Ipinagbubuntis na sanggol              |
| <b>Flip a coin (v)</b>               | A random decision-making tool used in the U.S. While a coin is flipped into the air and caught, a person predicts whether it will fall with the "heads" side up or the "tails" side up. If the coin falls as predicted, the person "wins." This expression is often used as a metaphor for any outcome that is random and has two possible outcomes, and to describe a situation in which each outcome is as likely as the other. | Pagpitik ng barya                      |
| <b>First trimester screening (n)</b> | A blood test and ultrasound conducted at 10-13 weeks of pregnancy to screen for Down syndrome (trisomy 21), Edwards syndrome (trisomy 18), and certain other fetal problems.  | Pagpapasuri sa unang trimester         |



| Term                          | Definition   | Translation                |
|-------------------------------|--|----------------------------|
| <b>Fragile X syndrome (n)</b> | A genetic condition that affects the FMR1 gene so that it does not function properly. This syndrome causes intellectual disability, behavioral and learning challenges and various physical characteristics that are not life threatening.   | Fragile X syndrome         |
| <b>Fragment (n)</b>           | A small piece; an incomplete part of a whole.  | Maliit na piraso           |
| <b>Gene (n)</b>               | A specific sequence of DNA that codes for one or many functions within the cell and body.  | Gene                       |
| <b>Gene copy (n)</b>          | In human cells, DNA is arranged in 23 pairs of chromosomes, for a total of 46 chromosomes. These chromosomes contain all the genes that make up the DNA. One chromosome of each pair is inherited from each parent. As such, individuals have two copies of every gene, one inherited from the mother and one inherited from the father. | Kopya ng gene              |
| <b>Normal gene copy (n)</b>   | A normal copy of a gene is one that is found most frequently in the population. Also called the “working copy.”  | Normal na kopya ng gene    |
| <b>Altered gene copy (n)</b>  | An altered copy of a gene is one that differs from the working copy and is considered to be “abnormal.” Also called the “non-working copy.”  | Nabagong kopya ng gene     |
| <b>Gene deletion (n)</b>      | Having a piece of genetic information missing from a gene.   | Pagkabura ng gene          |
| <b>Gene panel testing (n)</b> | Genetic testing that looks at 2 or more specific genes known to be associated with particular conditions.  | Pagsusuri sa panel ng gene |
| <b>Gene variant (n)</b>       | A change from the typical DNA sequences. A genetic variant can be benign, deleterious or of uncertain significance. Also called “mutation”, although “genetic variant” is becoming the more common usage.  | Variant ng gene            |
| <b>General population (n)</b> | “Most people.”<br><br>For example, if you have the same risk of getting cancer as the general population, that means that you have the same chance of getting cancer as everyone else. This is in contrast to a “high risk population” who has a greater chance of getting cancer than everyone else.                                    | Pangkalahatang populasyon  |

| Term                              | Definition   | Translation               |
|-----------------------------------|--|---------------------------|
| <b>Generation (n)</b>             | <p>The people who constitute a single step in a line of descent from an ancestor; a group of people born and living more or less at the same time.</p> <p>Example: You, your brothers, and sisters, all your spouses and your cousins are in the same generation. Your parents, your aunts, and uncles and all their spouses form a previous generation. Your grandparents, their siblings, and spouses from an even earlier generation. Your children and nieces and nephews form a later generation.</p> | Henerasyon                |
| <b>Genetic alphabet (n)</b>       | <p>A group name for four chemical bases, or “nucleotides,” that form the basis of all genetic material. They are adenine (A), thymine (T), cytosine (C), and guanine (G).</p>  | Genetic na alpabeto       |
| <b>Genetic counseling (n)</b>     | <p>A discussion with a medical professional with expertise in genetics about the basic concepts of genetics, genetic conditions, the chances of being affected by a genetic condition or having a child with a genetic condition, and genetic testing and treatment.</p>   | Pagpapayo sa genetic      |
| <b>Genetic counselor (n)</b>      | <p>A healthcare professional with a specialized graduate degree who works with people who have concerns about genetic conditions in their family. Genetic counselors provide information about genetic conditions, help patients understand their chances of being affected by a genetic condition or having a child with a genetic condition, and help them make informed decisions about testing and treatment. Genetic counselors also provide emotional support to patients and families.</p>          | Tagapayo sa genetic       |
| <b>Genetic discrimination (n)</b> | <p>Occurs when people are treated differently by their employer or insurance company due to their genetic makeup. There are federal and state laws that help protect against genetic discrimination.</p>   | Diskriminasyon sa genetic |
| <b>Genetic factors (n)</b>        | <p>Specific aspects of a person’s genetic make-up that influence that person’s health and development.</p>   | Mga salik sa genetic      |
| <b>Genetic information (n)</b>    | <p>The instructions encoded in DNA, which tells every cell in a body how to grow, what to do and how to reproduce.</p>   | Impormasyon sa genetic    |
| <b>Genetic material (n)</b>       | <p>All the parts of a cell that carry genetic information. Genetic material could include genes, parts of genes, a group of genes, a DNA molecule, a fragment of DNA, a group of DNA molecules, or the entire set of genetic instructions.</p>   | Genetic na materyal       |

| Term                                | Definition   | Translation                            |
|-------------------------------------|--|--|
| <b>Genetic predisposition (n)</b>   | An increased chance of a person developing a certain trait or disease based on that person's particular genetic makeup.  | Genetic na predisposition o tendensiya |
| <b>Genetic test (n)</b>             | A laboratory test designed to determine if a person has a gene mutation or a typical DNA sequence.   | Pasusuri sa genetic                    |
| <b>Single site gene testing (n)</b> | Single site gene testing: testing at a specific point in the genome. This is usually done to look for a mutation found in a family member or when one specific mutation is known to cause a genetic condition. | Single site gene na pagsusuri          |
| <b>Individual gene testing (n)</b>  | Individual gene testing: genetic analysis of the entirety of one specific gene.  | Indibidawal ng pagsusuri ng gene       |
| <b>Gene panel test (n)</b>          | Gene panel test: analysis of several genes that have been shown to be associated with a particular condition, e.g., breast cancer gene panel.  | Pagsusuri sa gene panel                |
| <b>Microarray (n)</b>               | Microarray: genetic analysis that looks for unexpected numbers of specific genes (two copies of every gene code is usually expected).  | Microarray                             |
| <b>Exome sequencing (n)</b>         | Exome testing: a genetic test in which the exons of a patient's genetic code are sequenced and studied.  | Pag-sekwensiya ng exome                |
| <b>Genome sequencing (n)</b>        | Genome sequencing: a genetic test in which the entire genetic code (the genome) of a patient is mapped out and studied.  | Pag-sekwensiya ng genome               |
| <b>Genetic trait (n)</b>            | A characteristic within a family that is passed down from parent to child through their DNA.   | Genetic na katangian                   |
| <b>Geneticist (n)</b>               | A doctor or scientist who studies genetics.  | Dalubhasa sa genetics                  |
| <b>Genetics (adj)</b>               | The science of how an organism's genes interact with the environment to produce certain traits.  | Agham tungkol sa genetics              |
| <b>Genetics (n)</b>                 | The field of science and medicine that studies the biologic basis of heredity (how traits are passed from one generation to another) and how the instructions for life are used by all living organisms.       | Pag-aaral tungkol sa genetics          |
| <b>Genome (n)</b>                   | The entire genetic code of an individual.  | Genome                                 |
| <b>Genome sequencing (n)</b>        | A genetic test in which the entire genetic code of a patient is mapped out and studied.  | Pag-sekwensiya ng genome               |

| Term   | Definition  | Translation                         |
|--|---|-------------------------------------|
| <b>Germline testing (n)</b>                    | <p>Germline testing refers to the analysis of a person’s DNA, which he or she inherited from his or her parents.</p> <p>In biology and genetics, the germline is the group of cells that will pass on the genetic material to children, in other words, the cells from which the eggs and sperm come.</p>   | Pagsusuri sa germline               |
| <b>Guardianship (n)</b>                        | A legal arrangement, supervised by a court, in which one person takes responsibility for a minor or an adult with a disability.   | Tagapangalaga                       |
| <b>Helix (n)</b>                               | Something that is spiral in form. DNA is often described as being a “double helix.”   | Pilipit                             |
| <b>Hereditary (adj)</b>                        | Passed down from parent to child.   | Namamana                            |
| <b>Hereditary material (n)</b>                 | Genetic material that is passed down from parent to child.  | Namamanang katangian                |
| <b>Huntington’s disease (n)</b>                | A neurological disorder that causes physical and cognitive decline. Cognitive symptoms include problems with reasoning and controlling emotions. Physical symptoms include abnormal movements that cannot be controlled by the individual. This disorder is linked to a dominant gene variant, which means that a person inheriting only one copy of the affected gene will develop the disorder. | Huntington’s disease                |
| <b>Individualized Education Plan (IEP) (n)</b> | A customized plan written and updated yearly for every child in public school special education classes. The IEP addresses current levels of educational performance, goals, and the special education and services that the child will need to meet those goals.   | Individualized Education Plan (IEP) |
| <b>In Vitro Fertilization (IVF) (n)</b>        | <p>The fertilization of an egg by a sperm outside of a woman’s body.</p> <p>The process involves extracting eggs from a woman’s ovaries, collecting sperm from a man, and combining a sperm and egg in a laboratory dish. The resulting fertilized egg is usually then implanted in a woman’s uterus so that it can develop into a baby.</p>  | In Vitro Fertilization (IVF)        |
| <b>Individual gene testing (n)</b>             | Genetic analysis of the entirety of one specific gene.  | Indibidawal ng pagsusuri ng gene    |
| <b>Infertility (n)</b>                         | The inability to have children.   | Pagkabaog                           |

| Term   | Definition   | Translation  |
|--|--|--|
| <b>Informed consent (n)</b>  | The process of agreeing to a procedure or course of treatment after understanding what the procedure/treatment entails, the potential risks and benefits associated with it, and the other options available.                              | May kabatirang pagsang-ayon  |
| <b>Inheritance pattern (n)</b>   | The manner in which a particular genetic trait or disorder is passed from a parent to a child, e.g., autosomal dominant or recessive, X-linked dominant or recessive, or multifactorial.   | Pattern na namana  |
| <b>Inherited (adj)</b>   | Passed down from parent to child.  | Minana   |
| <b>Insertion (n)</b>   | An extra segment of DNA added in at a place where it is not usually found.   | Pagsingit  |
| <b>Intellectual disability (n)</b>   | A condition, varying in severity, in which a person has significant impairments in mental abilities, social skills, and core functions of daily living compared to others their age.   | Intelektwal na kapansanan  |
| <b>Klinefelter's syndrome (47, XXY) (n)</b>  | A genetic condition in which a male has two copies of the X chromosome and one copy of the Y chromosome; compared to the typical chromosome makeup where a male has one X chromosome and one Y chromosome.                                 | Klinefelter's syndrome (47, XXY)   |
| <b>Lynch syndrome (n)</b>  | An inherited genetic disorder that increases a person's risk of getting cancer of the colon, rectum, uterus, ovaries, and other cancers.   | Lynch syndrome   |
| <b>Marker chromosome (n)</b>   | A small extra fragment of a chromosome detected when doing a chromosome test like a karyotype. Marker chromosomes can sometimes cause health or development problems, depending on how much and what genetic material is contained within. | Marker chromosome  |
| <b>Maternal Serum Screening (MSS or maternal serum alpha-fetoprotein test) (n)</b> | A blood test available to pregnant women that identifies elevated risks for Down syndrome, trisomy 18 and neural tube defects. Usually conducted in the second trimester, between 14-20 weeks.   | Maternal Serum Screening (MSS o Maternal serum alpha-fetoprotein na pagsusuri) |
| <b>Metastasis (n)</b>  | The spreading of cancer from one organ to another.   | Pagkalat   |

| Term  | Definition   | Translation                          |
|---|--|--------------------------------------|
| <b>Microarray (n)</b>                           | A high-resolution chromosome test that provides more information than a basic karyotype. A microarray measures the amount of chromosome material in a sample and can detect both large changes (e.g., if there is an extra or missing chromosome) as well as small changes (e.g., if there are very small pieces of chromosomes that are extra or missing). It does not look at the visual appearance or arrangement of chromosomes but measures the amount of genetic material. | Microarray                           |
| <b>Miscarriage (n)</b>                          | The spontaneous (not intentional) loss of a pregnancy. See “abortion.” Also called pregnancy loss.   | Nakunan                              |
| <b>Molecule (n)</b>                             | The smallest unit of a chemical compound that still has the properties of that compound. For example, a molecule of water is made up of two hydrogen atoms and one oxygen atom. Separately, they are just atoms, but when bonded together, they make a water molecule.   | Molecule                             |
| <b>Mosaicism (n)</b>                            | A condition in which some, but not all, cells in a sample show a genetic difference.   | Mosaicis                             |
| <b>Motor Abilities (n)</b>                      | The ability to move and use one’s muscles.   | Kakayahan sa Paggalaw                |
| <b>Multifactorial (adj)</b>                     | Due to a combination of genetic and non-genetic (environmental, hormonal, etc.) risk factors that act together to determine risk.  | Multifactorial                       |
| <b>Mutation (n)</b>                             | A change in a gene, usually deleterious. See “genetic variant.”  | Mutasyon                             |
| <b>Non-Invasive Prenatal Testing (NIPT) (n)</b> | A blood test available to pregnant women that identifies elevated risk for certain genetic conditions in the fetus. This test focuses on fragments of DNA from placental cells – which carry the fetus’ genetic make-up – that are found in the mother’s bloodstream.  | Non-Invasive Prenatal Testing (NIPT) |
| <b>Nuchal thickening (n)</b>                    | There is a pocket of fluid at the back of the neck of a fetus which can be measured in an ultrasound between 10-14 weeks gestation (called the nuchal translucency). If there is a large amount of fluid at this point, or if later in pregnancy the neck skin itself appears to be thicker, this is associated with a higher risk of chromosome problems and other rare genetic conditions.   | Nuchal thickening                    |

| Term                                      | Definition  | Translation                        |
|---|---|------------------------------------|
| <b>Open Neural Tube Defect (ONTD) (n)</b> | A birth defect of the spine, spinal cord, or brain that results from a hole in the spinal column not closing up when appropriate during early fetal development. The two most common types of ONTDs are spina bifida and anencephaly.   | Open Neural Tube Defect (ONTD)     |
| <b>Ova (n)</b>                            | See “egg.”  | Ova o itlog                        |
| <b>Ovary (n)</b>                          | The organ in a woman that stores and releases eggs. There are normally two.   | Obaryo                             |
| <b>Packets of genetic information (n)</b> | A phrase genetic counselors use to describe genes or chromosomes.   | Mga impormasyon tungkol sa genetic |
| <b>Pathogenic (adj)</b>                   | Disease causing.  | Pathogenic o nagdudulot ng sakit   |
| <b>Pedigree (n)</b>                       | A family tree that can be used to trace the inheritance of specific genetic traits.   | Pedigree                           |
| <b>Penetrance (n)</b>                     | The probability that a specific genetic trait will be expressed if a person carries a mutation. “Complete penetrance” means that everyone who carries a particular gene mutation will show the trait related to that altered gene. “Incomplete penetrance” means that only some of the people who have the altered gene will actually show the related trait. | Pag-penetrance                     |
| <b>Placenta (n)</b>                       | The organ that develops together with an embryo in a pregnant woman’s uterus to nourish the embryo through the umbilical cord.  | Inunan                             |
| <b>Presymptomatic (adj)</b>               | Before symptoms appear.   | Wala pang sintomas                 |
| <b>Prognosis (n)</b>                      | The most likely outcome of a disease process.   | Posibleng kalalabasan              |
| <b>Protein (n)</b>                        | A molecule made up of chains of <i>amino acids</i> . Proteins do most of the work in cells and are required for the structure, function, and regulation of the body's tissues and organs. Genes determine how specific amino acids are put together to form a specific protein.   | Protina                            |
| <b>Random (adj)</b>                       | Happening in an unpredictable way.  | Hindi tiyak                        |

| Term   | Definition   | Translation  |
|--|--|--|
| <b>Recessive (adj)</b>   | <p>A genetic trait in which both copies of a gene need to be altered for the trait to be expressed; recessive traits are typically inherited from both parents, each one contributing one copy of the gene in question.</p> <p>In prenatal genetics, recessive inheritance refers to conditions in which both copies of a particular gene pair need to be altered to develop a specific disease or condition.</p>  | Recessive  |
| <b>Red flag (n)</b>  | A warning sign or a clue.  | Babala   |
| <b>Replicate (v)</b>   | To copy.   | Pag-kopya  |
| <b>Reproductive history (n)</b>  | The experiences a woman has had related to pregnancy and childbirth. A reproductive history usually includes age at the onset of menses (have a monthly period), age at the beginning of sexual intercourse, age at first conception, number of pregnancies, number of live births, number of miscarriages, number of abortions.   | Kasaysayan sa reproductibo   |
| <b>Ring chromosome (n)</b>   | An abnormal formation of a chromosome in which the ends of two of the chromosome's arms have linked together to form a ring.   | Ring chromosome  |
| <b>Risk (n)</b><br><br><b>At risk (adj)</b><br><br><b>At average risk (adj)</b><br><br><b>At high risk (adj)</b><br><br><b>At higher risk than "X" (adj)</b><br><br><b>Risk factor (n)</b> | <p>The chance that something will happen; in the case of prenatal genetics, the chance that the child will have a genetic condition.</p> <p>Has some possibility of having a genetic condition.</p> <p>Has the same possibility of having a genetic condition as the general population.</p> <p>Has a greater possibility of having a genetic condition than the general population.</p> <p>Has a greater possibility of having a genetic condition than "X."</p> <p>A circumstance that increases the risk of having a genetic condition.</p> | <p>Panganib</p> <p>Nanganganib</p> <p>Sa katamtamang antas ng panganib</p> <p>Nasa mataas na panganib</p> <p>Nasa mas mataas na panganib kaysa sa 'X'</p> <p>Salik ng panganib</p> |
| <b>Runs in the family</b>  | Passed down from parents to children to grandchildren.   | Nasa lahi ng pamilya   |
| <b>Saliva (spit) sample (n)</b>  | A way to collect DNA from the cells in saliva (spit).  | Sample ng laway (dura)   |



| Term                               | Definition  | Translation                      |
|------------------------------------|---|----------------------------------|
| <b>Screen (v)</b>                  | To assess a person’s risk for a particular health problem, even if the person has no symptoms to suggest that they have the problem.  | Pag-screen                       |
| <b>Screening test (n)</b>          | <p>A test that looks to detect a particular health problem, even if a patient has no symptoms of that particular condition.</p> <p>Prenatal screening tests aren’t looking for genetic changes. They are designed to look at hormones, chemicals, other things that indicate a fetus might have a higher risk of a certain condition. They are not DNA results, do not give a definite answer about whether someone is affected, and do not provide a firm diagnosis. They are usually reported as a risk number (e.g., a 1 in ____ chance), and if this number is above a certain cut-off point, the result will be categorized as “screen positive” or “screen negative.”</p> | Screening na pagsusuri           |
| <b>Semen (n)</b>                   | A liquid produced by the testes, the prostate gland, the seminal vesicle, and the bulbourethral gland that carries, nourishes, and protects sperm cells on their way to fertilizing an egg. Also called seminal fluid.  | Binhi                            |
| <b>Seminal fluid (n)</b>           | See “semen.”  | Fluid ng binhi                   |
| <b>Sensory abilities (n)</b>       | The ability to see, hear, touch, taste, and smell.  | Kakayahan sa pandama             |
| <b>Sickle cell disease (n)</b>     | A genetic disorder caused by a mutation in a gene that helps to make hemoglobin, an important part of red blood cells. In sickle cell disease, red blood cells can become sickle-shaped (instead of round as they should be). These affected blood cells do not function properly, and die early, leaving a shortage of red blood cells, and can block blood flow causing pain.   | Sickle cell na sakit             |
| <b>Single site analysis (n)</b>    | A genetic test that looks at only the part of a gene that is known to be associated with a certain disease.   | Single site na pag-analysis      |
| <b>Somatic genetic changes (n)</b> | Genetic changes in an individual that occur after conception. For example, exposure to the ultraviolet rays in sunlight can cause problems with replication of genetic material in cells, leading to changes in the gene that controls cell growth and then to skin cancer. These changes are somatic genetic changes.  | Somatic genetic na mga pagbabago |
| <b>Special education (n)</b>       | Education that is tailored to individuals with developmental delays or other learning disabilities.   | Espesyal na edukasyon            |
| <b>Sperm (n)</b>                   | The reproductive cells of the man. When sperm fertilize a woman’s egg, a baby develops.   | Semilya                          |

| Term                                   | Definition   | Translation                    |
|--|--|--------------------------------|
| <b>Sperm donation (n)</b>              | The process through which a man allows his sperm to be collected and used to fertilize the eggs of a woman who is not his sexual partner.  | Donasyon ng semilya            |
| <b>Spina bifida (n)</b>                | A congenital defect of the spine in which part of the spinal cord is exposed through an opening in the bone structure. This may result in nerve damage and some degree of paralysis in the legs. | Spina bifida                   |
| <b>Statistically significant (adj)</b> | A measurement of whether the findings of research are meaningful. Refers to the likelihood that a relationship between two factors is linked by something other than chance.                     | Istatistika na napakahalaga    |
| <b>Supportive seating (n)</b>          | Seating, such as a wheelchair, that helps an individual function in their environment and that prevents worsening of their condition.  | Pang-suporta sa pag-upo        |
| <b>Teratogen (n)</b>                   | Something that has the potential to disturb the normal development of an embryo or fetus.  | Teratogen                      |
| <b>Termination of pregnancy (n)</b>    | See “abortion.”  | Pagpapalaglag sa pinagbubuntis |

| Term  | Definition  | Translation   |
|---|---|---|
| <p><b>Test result (n)</b><br/><b>Negative (adj)</b></p> <p><b>True negative (n)</b></p> <p><b>Positive (adj)</b></p> <p><b>Variant of uncertain significance (n)</b></p> <p><b>Polymorphism (n)</b></p> | <p>A negative result on a genetic test means that the laboratory did not find the specific genetic change that the test was designed to identify.</p> <p>When a patient is being tested to see if he or she has a specific genetic change that is present in other family members, a negative result can be considered a “true negative.” This means that instead of having an increased risk for cancer like other family members, they have the same risk as everyone else in the general population.</p> <p>A positive result on a genetic test means that the laboratory did find a specific genetic change that is associated with a hereditary cancer syndrome (a deleterious mutation). In cancer genetics, that means that the patient has an increased risk of getting the cancer(s) associated with the gene.</p> <p>If the laboratory finds a genetic change for which currently there is not enough information to know if this change is problematic or not, it reports a “variant of uncertain significance.” Basically, this means that the laboratory found a genetic change, but they don’t know what it means. All of these variants will eventually be reclassified as either a “positive” or “negative” result. Most become “negative” and are thought to represent natural variation between individuals.</p> <p>Everyone has some degree of commonly occurring genetic changes that are not associated with cancer. If the test finds this sort of change, it reports a “polymorphism.”</p> | <p>Resulta ng pagsusuri<br/>Negatibo</p> <p>Totoong negatibo</p> <p>Positibo</p> <p>Variant ng hindi tiyak na kahalagahan</p> <p>Polimorpismo</p> |
| <b>Testes (n)</b>   | The organs in a man that create and release sperm. Also called “testicles.” Singular testis.  | Bayag   |
| <b>Toxic exposure (n)</b>   | Contact with something that is harmful or poisonous.  | Nalantad sa nakakalason   |
| <b>Trait (n)</b>  | <p>A characteristic of a person.</p> <p>In genetics, traits are aspects of a person defined or influenced by their genetic code, e.g., eye color, blood type, risk for certain diseases.</p>  | Katangian   |

| Term                     | Definition   | Translation  |
|--------------------------|--|--------------|
| <b>Translocation (n)</b> | Translocations are a type of chromosome rearrangement. They can be “balanced,” meaning that two chromosomes have pieces that have “swapped” with each other, but there is still the correct amount of chromosome material. Balanced translocations do not usually cause medical or development problems. They can also be “unbalanced” where pieces of chromosomes have traded places, but there is missing or extra chromosome material. Unbalanced translocations will often cause medical and development problems. | Pagsasaayos  |
| <b>Typo (n)</b>          | A mistyped word; shortened slang for “typographical error.”<br>In genetic counseling “a typo” is commonly used as an analogy to refer to mutations or variants in a gene.  | Typo         |
| <b>Ultrasound (n)</b>    | An imaging method that uses high frequency sound waves to create a picture of something inside the body, such as a fetus or baby.  | Ultrasound   |
| <b>Uterus (n)</b>        | The organ in a woman’s lower abdomen in which a fertilized egg develops into an embryo, then a fetus, then a baby. Also called “womb.”   | Matris       |
| <b>Vagina (n)</b>        | The tube-like part of the female reproductive system that extends from the cervix to the outside of the body.  | Ari ng babae |
| <b>Variant (n)</b>       | A version of something that differs from the norm. So, a genetic variant is a change to the usual genetic sequence.  | Variant      |
| <b>Vas deferens (n)</b>  | The tubes that lead from the testes to the urethra, through which sperm is ejaculated.   | Vas deferens |
| <b>X-linked (adj)</b>    | A trait that is influenced or determined by a gene on the “X” chromosome.  | X-linked     |

## Family Relationships

For genetic counselors, it is very important to know if a relative is a blood relative or a relative by marriage.

| Term                   | Definition  | Translation             |
|------------------------|---|-------------------------|
| <b>Parent</b>          | Your mother or father.  | Magulang                |
| <b>Mother</b>          | For genetic purposes, the woman whose egg was fertilized and grew to be you.  | Ina                     |
| <b>Mother-in-law</b>   | Your husband or wife's mother.  | Biyenang-babae          |
| <b>Stepmother</b>      | Your father's wife who is not your biological mother.   | Madrasta                |
| <b>Adoptive mother</b> | A woman who is not your biological mother but who accepted legal responsibility for and raised you.                         | Inang umampon           |
| <b>Godmother</b>       | A woman chosen by your parents to be your spiritual guide in life, named as such through a ceremony in the Catholic church. | Ninang                  |
| <b>Father</b>          | For genetic purposes, the man whose sperm fertilized the egg that grew to be you.   | Ama                     |
| <b>Father-in-law</b>   | Your husband or wife's father.  | Biyenang-lalaki         |
| <b>Stepfather</b>      | Your mother's husband who is not your biological father.  | Amain                   |
| <b>Adoptive father</b> | A man who is not your biological father but who accepted legal responsibility for and raised you.                           | Amang umampon           |
| <b>Godfather</b>       | A man chosen by your parents to be your spiritual guide in life, named as such through a ceremony in the Catholic church.   | Ninong                  |
| <b>Aunt</b>            | Your mother or father's sister or sister-in-law.  | Tiyahin                 |
| <b>Maternal aunt</b>   | Your mother's sister or sister-in-law.  | Tiyahin sa panig ng ina |
| <b>Paternal aunt</b>   | Your father's sister or sister-in-law.  | Tiyahin sa panig ng ama |
| <b>Uncle</b>           | Your mother or father's brother or brother-in-law.  | Tiyuhin                 |
| <b>Maternal uncle</b>  | Your mother's brother or brother-in-law.  | Tiyuhin sa panig ng ina |
| <b>Paternal uncle</b>  | Your father's brother or brother-in-law.  | Tiyuhin sa panig ng ama |

| Term                             | Definition  | Translation                      |
|----------------------------------|---|----------------------------------|
| <b>Cousin</b>                    | Usually understood to be a first cousin.                        | Pinsan                           |
| <b>First cousin</b>              | Your aunt or uncle's child.                                     | Unang pinsan                     |
| <b>First cousin once removed</b> | Your aunt or uncle's grandchild or your first cousin's child    | Anak ng pinsan                   |
| <b>Second cousin</b>             | The children of first cousins are second cousins to each other. | Pangalawang pinsan               |
| <b>Grandparent</b>               | Your parent's father or mother.                                 | Lolo at lola                     |
| <b>Grandmother</b>               | Your mother or father's mother.                                 | Lola                             |
| <b>Maternal grandmother</b>      | Your mother's mother.   | Lola sa panig ng ina             |
| <b>Paternal grandmother</b>      | Your father's mother.   | Lola sa panig ng ama             |
| <b>Grandfather</b>               | Your mother or father's father.                                 | Lolo                             |
| <b>Maternal grandfather</b>      | Your mother's father.   | Lolo sa panig ng ina             |
| <b>Paternal grandfather</b>      | Your father's father.   | Lolo sa panig ng ama             |
| <b>Great aunt</b>                | Your mother or father's aunt.                                   | Tiyahin sa tuhod                 |
| <b>Maternal great aunt</b>       | Your mother's aunt.   | Tiyahin sa tuhod sa panig ng ina |
| <b>Paternal great aunt</b>       | Your father's aunt.   | Tiyahin sa tuhod sa panig ng ama |
| <b>Great uncle</b>               | Your father or mother's uncle.                                  | Tiyuhin sa tuhod                 |
| <b>Maternal great uncle</b>      | Your mother's uncle.  | Tiyuhin sa tuhod sa panig ng ina |
| <b>Paternal great uncle</b>      | Your father's uncle.  | Tiyuhin sa tuhod sa panig ng ama |
| <b>Great grandparents</b>        | The parents of any of your grandparents.                        | Lolo at lola sa tuhod            |
| <b>Great grandmother</b>         | The mother of any of your grandparents.                         | Lola sa tuhod                    |
| <b>Great grandfather</b>         | The father of any of your grandparents.                         | Lolo sa tuhod                    |

| Term                   | Definition   | Translation                             |
|------------------------|--|---|
| <b>Siblings</b>        | The children of your father and mother.  | Mga kapatid                             |
| <b>Half siblings</b>   | Siblings (brothers and sisters) who have either the same mother and different fathers, or the same father but different mothers. Half siblings share some genetic similarity with you.     | Mga kapatid sa ama o ina                |
| <b>Stepsiblings</b>    | The children of your stepmother but not your father; or the children of your stepfather but not your mother. Stepsiblings do not share any genetic similarity with you.                    | Mga kapatid na anak ng madrasta o amain |
| <b>Twins</b>           | Two siblings born at the same time.  | Kambal                                  |
| <b>Identical twins</b> | Twins who developed from the same egg and sperm, meaning that they are genetically identical. Also called monozygotic twins.   | Identical na kambal                     |
| <b>Fraternal twins</b> | Twins who developed from different eggs and sperm, meaning that they are genetically different and have the same number of shared genes as any other sibling. Also called dizygotic twins. | Fraternal na kambal                     |
| <b>Triplets</b>        | Three siblings born at the same time.  | Triplets                                |
| <b>Sister</b>          | A sibling who is a girl.   | Kapatid na babae                        |
| <b>Sister-in-law</b>   | Your brother's wife or your husband's sister.  | Hipag                                   |
| <b>Half sister</b>     | A girl who is the either the child of your father with a different mother, or the child of your mother with a different father.  | Kapatid na babae sa ama o ina           |
| <b>Stepsister</b>      | The daughter of your stepmother or stepfather and therefore not biologically related to you.   | Kapatid na babae sa madrasta o amain    |
| <b>Brother</b>         | A sibling who is a boy.  | Kapatid na lalaki                       |
| <b>Brother-in-law</b>  | Your sister's husband or your wife's brother.  | Bayaw                                   |
| <b>Half brother</b>    | A boy who is the either the child of your father with a different mother, or the child of your mother with a different father.   | Kapatid na lalaki sa ama o ina          |
| <b>Stepbrother</b>     | The son of your stepmother or stepfather and therefore not biologically related to you.  | Kapatid na lalaki sa madrasta o amain   |
| <b>Niece</b>           | Your sibling's daughter.   | Pamangkin na babae                      |
| <b>Nephew</b>          | Your sibling's son.  | Pamangkin na lalaki                     |

| Term                     | Definition  | Translation                    |
|--------------------------|---|--------------------------------|
| <b>Spouse</b>            | Your husband or wife.   | Asawa                          |
| <b>Wife</b>              | The woman to whom you are married.  | Misis                          |
| <b>Husband</b>           | The man to whom you are married.  | Mister                         |
| <b>Children</b>          | Genetically speaking, the people who are produced from your egg or sperm.   | Mga anak                       |
| <b>Daughter</b>          | Your child who is a girl.   | Anak na babae                  |
| <b>Daughter-in-law</b>   | Your son's wife.  | Manugang na babae              |
| <b>Stepdaughter</b>      | Your spouse's daughter who is not your biological child.  | Anak na babae sa dating asawa  |
| <b>Adoptive daughter</b> | A girl for whom you have accepted legal responsibility and raised even though she is not your biological child.   | Inampong anak na babae         |
| <b>Goddaughter</b>       | A girl for whom you have accepted spiritual responsibility within a ceremony of the Catholic church; she may or may not be biologically related to you. | Inaanak na babae               |
| <b>Son</b>               | Your child who is a boy.  | Anak na lalaki                 |
| <b>Son-in-law</b>        | Your daughter's husband.  | Manugang na lalaki             |
| <b>Stepson</b>           | Your spouse's son who is not your biological child.   | Anak na lalaki sa dating asawa |
| <b>Adoptive son</b>      | A boy for whom you have accepted legal responsibility and raised even though he is not your biological child.   | Inampong anak na lalaki        |
| <b>Godson</b>            | A boy for whom you have accepted spiritual responsibility within a ceremony of the Catholic church. He may or may not be biologically related to you.   | Inaanak na lalaki              |
| <b>Ancestor</b>          | A person from whom you are descended, usually more remote than a grandparent.   | Ninuno                         |
| <b>Fiancé(e)</b>         | The person whom you have promised to marry.<br><br>Man: fiancé<br><br>Woman: fiancée  | Kasintahan                     |



| Term                    | Definition   | Translation                 |
|-------------------------|--|-----------------------------|
| <b>Domestic partner</b> | The person with whom you are living and have an intimate relationship, but to whom you are not married.  | Ka-live in                  |
| <b>Divorced</b>         | Having ended a marriage.   | Diborsiyado                 |
| <b>Engaged</b>          | Having promised to marry someone.  | May kasunduang pakasal      |
| <b>Widow</b>            | A woman whose husband has died.  | Biyuda                      |
| <b>Widower</b>          | A man whose wife has died.   | Biyudo                      |
| <b>Relative</b>         | A person in your family.   | Kamag-anak                  |
| <b>Blood relation</b>   | A person who is related to you by blood not marriage, e.g., your sister, but not your sister-in-law; your mother but not your stepmother; your daughter but not your adopted daughter. | Kadugo                      |
| <b>Next of kin</b>      | Your closest living blood relation.  | Pinakamalapit na kamag-anak |

This page intentionally left blank.



**The National Coordinating Center for the  
Regional Genetics Networks**

**Glossary of Prenatal Genetics Terms  
English – Tagalog**

**2022 Edition**

Compiled and edited by:  
**Cynthia E. Roat, MPH**

In collaboration with:  
**The Cross Cultural Health Care Program  
(CCHCP)**



## Preface

The seven Regional Genetics Networks (RGNs), the National Genetics Education and Family Support Center (Family Center), and the National Coordinating Center for the Regional Genetics Networks (NCC) mission is to improve access to quality genetic services for medically underserved populations. This bilingual glossary of terms related to Prenatal Genetics is provided to help enable access to prenatal medical services to limited English proficiency populations.

## How to Use the Glossary

This glossary is organized alphabetically in English. The first column shows the term in English. The second column has the definition of the term in English. The third column has the translation of the term.

At the end of the translations of the prenatal genetics terms are:

- A glossary of translations for family relationships terms. It is very important for genetic counselors to know if a relative is a blood relative or a relative by marriage.
- Examples of analogies used in genetics. Genetic counselors often use analogies to explain complex ideas in genetics. An analogy explains a new concept by comparing it to something more common.

## Glossary of Terms

English – Tagalog

(n) – noun      (v) – verb      (adj) – adjective      (adv) – adverb

| Term                      | Definition   | Translation                    |
|---------------------------|--|--------------------------------|
| <b>Abnormal (adj)</b>     | Different from what is considered normal, average, or expected, e.g., a gene sequence that is different than that found in most people.  | Hindi-normal                   |
| <b>Abortion (n)</b>       | The deliberate ending of a pregnancy by the removal of an embryo or fetus from the womb.<br><br>Technically, this is called an “induced abortion” in order to distinguish it from a “spontaneous abortion” which is also called a miscarriage or stillbirth. Also called a “termination of pregnancy” or just “termination.” | Pagpapalaglag                  |
| <b>Adoption (n)</b>       | The process of legally taking someone else’s child into your family to raise as your own child.  | Pag-ampon                      |
| <b>Amniocentesis (n)</b>  | A procedure by which a sample of amniotic fluid is withdrawn from the amniotic sac. This is usually done by inserting a long needle through the abdominal and uterine walls with the guidance of ultrasound.   | Amniocentesis                  |
| <b>Amniotic fluid (n)</b> | The liquid that surrounds a fetus as it develops in the uterus. This liquid contains skin cells that have sloughed off the fetus as well as other fetal cells.   | Panubigan                      |
| <b>Anencephaly (n)</b>    | A neural tube defect that results in insufficient brain growth in a fetus. Babies with anencephaly usually die soon after birth or are stillborn.  | Anencephaly                    |
| <b>Benign (adj)</b>       | Something that does not threaten health or life. May refer to a type of change to the DNA that does not create health consequences.<br>E.g., when discussing cancer, “benign” means “not cancerous.”   | Hindi-nakapipinsala            |
| <b>Birth canal (n)</b>    | The passageway from the uterus through the cervix, the vagina, and the vulva through which a baby passes during the birth process.   | Daanan ng bata sa panganganak” |
| <b>Birth defect (n)</b>   | A problem or physical difference with how the body works that is present at birth. Birth defects can be caused by genetic abnormalities, environmental influences, random chance, or by circumstances related to the birth process. Also called “congenital malformation” or “congenital anomaly.”                           | Depekto sa pagsilang           |

| Term                                       | Definition  | Translation                         |
|--|---|-------------------------------------|
| <b>Blood test (n)</b>                      | <p>A test in which blood is drawn (usually from the patient’s arm) and sent to a laboratory for analysis.</p> <p>In genetics, blood tests may provide cells for genetic sequencing, or blood samples may be used to assess things like protein or hormone levels.</p>     | Pagsusuri sa dugo                   |
| <b>Buccal swab (n)</b>                     | A way to collect DNA from the cells on the inside of a person's cheek.  | Pag-swab sa bunganga                |
| <b>Carrier (n)</b>                         | A person who has a genetic mutation in one of their two copies of a particular gene that is associated with a genetic condition. The other copy of the gene does not have a mutation, so that person usually does not have any medical issues related to the gene change. | Tagapagdala                         |
| <b>Cell (n)</b>                            | The smallest (microscopic) functional unit of living organisms. All living things are composed of one or more cells. Within each cell are the structures needed for the cell to process energy, dispose of waste, reproduce, and perform specialized functions.           | Selula                              |
| <b>Cervix (n)</b>                          | The narrow lower part of the uterus than connects to the vagina.  | Kuwelyo ng matris                   |
| <b>Chorionic Villus Sampling (CVS) (n)</b> | A procedure during pregnancy in which a sample of cells from the placenta is removed to check for possible genetic abnormalities.   | Chorionic Villus Sampling (CVS)     |
| <b>Chromosome (n)</b>                      | Thread-like structures located inside the nucleus of cells. In humans, there are 23 pairs of chromosomes, for a total of 46 chromosomes. Each chromosome is made of a long strand of DNA, which carries genetic information.  | Chromosome                          |
| <b>Chromosome test / Karyotype (n)</b>     | A test that looks at the number and types of chromosomes in a cell.   | Pagsusuri ng Chromosome / Karyotype |
| <b>Cleft lip (n)</b>                       | A congenital malformation that occurs when the upper lip does not form properly, causing an opening in the upper lip that can extend to the nose. This can occur together with a cleft palate or on its own.  | Bungi                               |
| <b>Cleft palate (n)</b>                    | A congenital malformation where the roof of the mouth (palate) does not form properly, resulting in an opening into the nasal cavity. This can occur together with a cleft lip or on its own.   | Biyak na ngalangala                 |
| <b>Clinically significant (adj)</b>        | If a test result is “clinically significant,” the result indicates a medical problem that can impact a person’s life.   | Klinikal na napakahalaga            |

| Term  | Definition  | Translation  |
|---|---|--|
| <b>Condition (e.g., “genetic condition”) (n)</b>          | A long-term medical health issue.   | Kondisyon (hal., “genetic na kondisyon”)             |
| <b>Consanguinity (n)</b>                                  | When parents are blood relatives to each other.   | Kadugo o magkamag-anak                               |
| <b>Cystic fibrosis (n)</b>                                | A progressive genetic condition that affects the exocrine glands (the glands that make sweat and digestive juices) and causes the production of thick, sticky mucus. This mucus blocks the pancreatic duct, the intestines, and the lungs, leading to persistent respiratory infections.  | Cystic fibrosis                                      |
| <b>Deleterious mutation/ Disease-causing mutation (n)</b> | A change in a person’s DNA that may cause a medical condition.  | Pagbura ng mutasyon/ Sakit na nagdudulot ng mutasyon |
| <b>Deletion (n)</b>                                       | Having a section of genetic information (DNA) missing.  | Pagbura  |
| <b>Diagnostic test (n)</b>                                | A medical test that determines whether a patient has a particular medical problem. Diagnostic tests are often used when providers have a specific reason to believe that the medical problem may be present. Compare this to screening tests, which may be given routinely, even if the provider has no reason to believe the patient has a specific problem. Screening tests often only report whether a patient is at <u>an increased risk</u> for the medical problem in question, whereas diagnostic tests report whether the problem is actually present.  | Diagnostic na pagsusuri                              |
| <b>DNA (Deoxyribonucleic Acid) (n)</b>                    | <p>The material that carries the genetic information of a cell. It provides the instructions used in the development, functioning and reproduction of the organism of which it is a part.</p> <p>If you could stretch out the DNA of a chromosome and look at it through a microscope, it would look like a long ladder that is twisted into a spiral. The ‘sides’ of the ladder are made up of alternating phosphate and sugar groups. The ‘rungs’ are various combinations of two nitrogen bases: Adenine-Thymine and Cytosine-Guanine.</p> <p>Individual sections of DNA that code for specific traits/functions are called genes.</p> | DNA (Deoxyribonucleic Acid)                          |
| <b>DNA marker (also called a “Genetic marker”) (n)</b>    | A readily recognizable genetic trait, gene, or DNA segment.   | DNA marker (tinatawag rin na “Genetic marker”)       |

| Term                                     | Definition   | Translation                   |
|--|--|-------------------------------|
| <b>DNA mutation (n)</b>                  | <p>A change in the typical sequence of the chemicals that make up the DNA, like the change in the order of letters in a word.</p> <p>Mutations or variants are often compared to misspelled words because chemicals that make up the DNA sequence are not in the expected order.</p>                       | Mutasyon ng DNA               |
| <b>DNA sequence (n)</b>                  | The exact arrangement of the chemicals that make up a section of DNA.  | Sekwensiya ng DNA             |
| <b>DNA sequencing (n)</b>                | The laboratory technique used to determine the exact arrangement of the chemicals that make up a section of DNA. This is one type of genetic testing.  | Pag-sekwensiya ng DNA         |
| <b>Dominant (adj)</b>                    | A genetic trait in which one copy of the gene is sufficient for a trait to be expressed. In a dominant genetic condition, if one copy of the gene has a mutation, the personal will be affected with the condition.  | Nangingibabaw                 |
| <b>Donor egg or sperm (n)</b>            | An egg (singular) or sperm (plural) donated by one person to be joined under laboratory conditions and implanted in a woman’s uterus. The donor egg or sperm may come from the woman or man who will raise any resulting child, or they may come from a third party.                                       | Nagbigay ng itlog o semilya   |
| <b>Down syndrome (Trisomy 21) (n)</b>    | <p>A genetic condition in which there are three copies of chromosome number 21 instead of two.</p> <p>Down syndrome causes a distinct facial appearance, intellectual disability, developmental delays, and may be associated with thyroid or heart disease.</p>   | Down syndrome (Trisomy 21)    |
| <b>Duplication (n)</b>                   | Having an extra section of genetic information (DNA). A <i>duplication</i> occurs when part of a chromosome is copied abnormally, resulting in extra <i>genetic</i> material.  | Pagkopya                      |
| <b>Edwards syndrome (Trisomy 18) (n)</b> | <p>A genetic condition in which there are three copies of chromosome number 18 instead of two.</p> <p>Trisomy 18 is a very severe condition that causes problems with the brain, the heart, the kidneys, and the digestive tract. Most children affected by trisomy 18 die before or soon after birth.</p> | Edwards syndrome (Trisomy 18) |
| <b>Egg (n)</b>                           | The reproductive cells of a woman. When fertilized by sperm, the egg will grow into an embryo. Also called an “ovum,” plural “ova.”  | Itlog                         |



| Term                                 | Definition  | Translation                            |
|--------------------------------------|---|--|
| <b>Embryo (n)</b>                    | An unborn mammal, between conception and 8 weeks of gestation.  | Binhi                                  |
| <b>Fallopian tube (n)</b>            | The tube that connects an ovary to the uterus.  | Tubong palopyan                        |
| <b>False negative (n)</b>            | A test result that finds no evidence of a condition when the condition actually does exist. For example, a false negative on a pregnancy test finds that the woman is not pregnant when, in fact, she is pregnant.  | Negatibong mali                        |
| <b>False positive (n)</b>            | A test result that finds evidence of a condition when the condition does NOT actually exist. For example, a false positive on a pregnancy test finds that the woman is pregnant when, in fact, she is not.  | Maling positibo                        |
| <b>Familial (adj)</b>                | Belonging to a family, e.g., a familial trait is a trait that is shared among family members and may be due to genetic or environmental factors or both.  | Familial o sa pamilya                  |
| <b>Family history (n)</b>            | The medical history of the members of a biological family.  | Kasaysayan ng pamilya                  |
| <b>Fertilization (n)</b>             | The joining of an egg and sperm to create the first cell that will develop into an embryo, then fetus, then baby.   | Pagpapabunga                           |
| <b>Fetal surgery (n)</b>             | Surgery conducted on a fetus while it is still in the uterus.   | Operasyon ng sanggol na ipinagbubuntis |
| <b>Fetus (n)</b>                     | An unborn mammal, between 8 weeks of gestation to birth.  | Ipinagbubuntis na sanggol              |
| <b>First trimester screening (n)</b> | A blood test and ultrasound conducted at 10-13 weeks of pregnancy to screen for Down syndrome (trisomy 21), Edwards syndrome (trisomy 18), and certain other fetal problems.  | Pagpapasuri sa unang trimester         |
| <b>Flip a coin (v)</b>               | A random decision-making tool used in the U.S. While a coin is flipped into the air and caught, a person predicts whether it will fall with the “heads” side up or the “tails” side up. If the coin falls as predicted, the person “wins.” This expression is often used as a metaphor for any outcome that is random and has two possible outcomes, and to describe a situation in which each outcome is as likely as the other. | Pagpitik ng barya                      |
| <b>Fragile X syndrome (n)</b>        | A genetic condition that affects the FMR1 gene so that it does not function properly. This syndrome causes intellectual disability, behavioral and learning challenges and various physical characteristics that are not life threatening.  | Fragile X syndrome                     |
| <b>Fragment (n)</b>                  | A small piece; an incomplete part of a whole.   | Maliit na piraso                       |

| Term                                 | Definition   | Translation                    |
|--------------------------------------|--|--------------------------------|
| <b>Gene (n)</b>                      | A specific sequence of DNA that codes for one or many functions within the cell and body.  | Gene                           |
| <b>General population (n)</b>        | <p>“Most people.”</p> <p>For example, if you have the same risk of getting cancer as the general population, that means that you have the same chance of getting cancer as everyone else. This is in contrast to a “high risk population” who has a greater chance of getting cancer than everyone else.</p>   | Pangkalahatang populasyon      |
| <b>Generation (n)</b>                | <p>The people who constitute a single step in a line of descent from an ancestor; a group of people born and living more or less at the same time.</p> <p>Example: You, your brothers, and sisters, all your spouses and your cousins are in the same generation. Your parents, your aunts, and uncles and all their spouses form a previous generation. Your grandparents, their siblings, and spouses from an even earlier generation. Your children and nieces and nephews form a later generation.</p> | Henerasyon                     |
| <b>Genetics (adj)</b>                | The science of how an organism’s genes interact with the environment to produce certain traits.  | Genetics                       |
| <b>Genetic counseling (n)</b>        | A discussion with a medical professional with expertise in genetics about the basic concepts of genetics, genetic conditions, the chances of being affected by a genetic condition or having a child with a genetic condition, and genetic testing and treatment.  | Pagpapayo sa genetic           |
| <b>Genetic counseling intern (n)</b> | A genetic counseling student who has not yet completed his/her academic studies and is now practicing under the supervision of a more experienced counselor in preparation for providing genetic counseling services independently after obtaining his/her graduate degree.  | Intern sa pagpapayo sa genetic |
| <b>Genetic counselor (n)</b>         | A healthcare professional with a specialized graduate degree who works with people who have concerns about genetic conditions in their family. Genetic counselors provide information about genetic conditions, help patients understand their chances of being affected by a genetic condition or having a child with a genetic condition, and help them make informed decisions about testing and treatment. Genetic counselors also provide emotional support to patients and families.                 | Tagapayo sa genetic            |

| Term                                    | Definition   | Translation                            |
|---|--|--|
| <b>Genetic discrimination (n)</b>       | Occurs when people are treated differently by their employer or insurance company due to their genetic makeup. There are federal and state laws that help protect against genetic discrimination.  | Diskriminasyon sa genetic              |
| <b>Genetic factors (n)</b>              | Specific aspects of a person’s genetic make-up that influence that person’s health and development.  | Mga salik sa genetic                   |
| <b>Genetic information (n)</b>          | The instructions encoded in DNA, which tells every cell in a body how to grow, what to do and how to reproduce.  | Impormasyon sa genetic                 |
| <b>Genetic material (n)</b>             | All the parts of a cell that carry genetic information. Genetic material could include genes, parts of genes, a group of genes, a DNA molecule, a fragment of DNA, a group of DNA molecules, or the entire set of genetic instructions.  | Genetic na materyal                    |
| <b>Genetic predisposition (n)</b>       | An increased chance of a person developing a certain trait or disease based on that person’s particular genetic makeup.  | Genetic na predisposition o tendensiya |
| <b>Genetic test (n)</b>                 | A laboratory test designed to determine if a person has a change to their DNA.   | Pasusuri sa genetic                    |
| <b>Genetic trait (n)</b>                | A characteristic within a family that is passed down from parent to child through their DNA.   | Genetic na katangia                    |
| <b>Genetic variant (n)</b>              | A change from the typical DNA sequences. A genetic variant can be benign, deleterious or of uncertain significance. Also called “mutation,” although “genetic variant” is becoming the more common usage.  | Pagka-iba ng genetic                   |
| <b>Geneticist (n)</b>                   | A doctor or scientist who studies genetics.  | Dalubhasa sa genetics                  |
| <b>Hereditary (adj)</b>                 | Passed down from parent to child.  | Namamana                               |
| <b>Hereditary material (n)</b>          | Genetic material that is passed down from parent to child.   | Namamanang katangian                   |
| <b>In Vitro Fertilization (IVF) (n)</b> | <p>The fertilization of an egg by a sperm outside of a woman’s body.</p> <p>The process involves extracting eggs from a woman’s ovaries, collecting sperm from a man, and combining a sperm and egg in a laboratory dish. The resulting fertilized egg is usually then implanted in a woman’s uterus so that it can develop into a baby.</p> | In Vitro Fertilization (IVF)           |
| <b>Infertility (n)</b>                  | The inability to have children.  | Pagkabaog                              |

| Term   | Definition   | Translation  |
|--|--|--|
| <b>Informed consent (n)</b>  | The process of agreeing to a procedure or course of treatment after understanding what the procedure/treatment entails, the potential risks and benefits associated with it, and the other options available.  | May kabatirang pagsang-ayon  |
| <b>Inheritance pattern (n)</b>   | The manner in which a particular genetic trait or disorder is passed from a parent to a child, e.g., autosomal dominant or recessive, X-linked dominant or recessive, or multifactorial.   | Pattern na namana  |
| <b>Inherited (adj)</b>   | Passed down from parent to child.  | Minana   |
| <b>Insertion (n)</b>   | Having an extra segment of DNA added in at a place where it is not usually found.  | Pagsingit  |
| <b>Intellectual disability (n)</b>   | A condition, varying in severity, in which a person has significant impairments in mental abilities, social skills, and core functions of daily living compared to others their age.   | Intelektwal na kapansanan  |
| <b>Klinefelter’s syndrome (47, XXY) (n)</b>  | A genetic condition in which a male has two copies of the X chromosome and one copy of the Y chromosome; compared to the typical chromosome makeup where a male has one X chromosome and one Y chromosome.   | Klinefelter’s syndrome (47, XXY)   |
| <b>Marker chromosome (n)</b>   | A small extra fragment of a chromosome detected when doing a chromosome test like a karyotype. Marker chromosomes can sometimes cause health or development problems, depending on how much and what genetic material is contained within.   | Marker chromosome  |
| <b>Maternal Serum Screening (MSS or maternal serum alpha-fetoprotein test) (n)</b> | A blood test available to pregnant women that identifies elevated risks for Down syndrome, trisomy 18 and neural tube defects. Usually conducted in the second trimester, between 14-20 weeks.   | Maternal Serum Screening (MSS o Maternal serum alpha-fetoprotein na pagsusuri) |
| <b>Microarray (n)</b>  | A high-resolution chromosome test that provides more information than a basic karyotype. A microarray measures the amount of chromosome material in a sample and can detect both large changes (e.g., if there is an extra or missing chromosome) as well as small changes (e.g., if there are very small pieces of chromosomes that are extra or missing). It does not look at the visual appearance or arrangement of chromosomes but measures the amount of genetic material. | Microarray   |
| <b>Miscarriage (n)</b>   | The spontaneous (not intentional) loss of a pregnancy. See “abortion.” Also called pregnancy loss.   | Nakunan  |

| Term  | Definition   | Translation                          |
|---|--|--------------------------------------|
| <b>Molecule (n)</b>                             | The smallest unit of a chemical compound that still has the properties of that compound. For example, a molecule of water is made up of two hydrogen atoms and one oxygen atom. Separately, they are just atoms, but when bonded together, they make a water molecule.   | Molecule                             |
| <b>Mosaicism (n)</b>                            | A condition in which some, but not all, cells in a sample show a genetic difference.   | Mosaicism                            |
| <b>Multifactorial (adj)</b>                     | Due to a combination of genetic and non-genetic (environmental, hormonal, etc.) risk factors that act together to determine risk.  | Multifactorial                       |
| <b>Mutation (n)</b>                             | A change in a gene, usually deleterious. See “genetic variant.”<br><br>In Spanish, the word is sometimes confused with “mutilation.”   | Mutasyon                             |
| <b>Non-Invasive Prenatal Testing (NIPT) (n)</b> | A blood test available to pregnant women that identifies elevated risk for certain genetic conditions in the fetus. This test focuses on fragments of DNA from placental cells – which carry the fetus’ genetic make-up – that are found in the mother’s bloodstream.  | Non-Invasive Prenatal Testing (NIPT) |
| <b>Nuchal thickening (n)</b>                    | There is a pocket of fluid at the back of the neck of a fetus which can be measured in an ultrasound between 10-14 weeks gestation (called the nuchal translucency). If there is a large amount of fluid at this point, or if later in pregnancy the neck skin itself appears to be thicker, this is associated with a higher risk of chromosome problems and other rare genetic conditions. | Nuchal thickening                    |
| <b>Open Neural Tube Defect (ONTD) (n)</b>       | A birth defect of the spine, spinal cord, or brain that results from a hole in the spinal column not closing up when appropriate during early fetal development. The two most common types of ONTDs are spina bifida and anencephaly.  | Open Neural Tube Defect (ONTD)       |
| <b>Ova (n)</b>                                  | See “egg.”   | Ova o itlog                          |
| <b>Ovary (n)</b>                                | The organ in a woman that stores and releases eggs. There are normally two.  | Obaryo                               |

| Term                            | Definition   | Translation                |
|---------------------------------|--|----------------------------|
| <b>Penetrance (n)</b>           | The probability that a specific genetic trait will be expressed if a person carries a mutation. “Complete penetrance” means that everyone who carries a particular gene mutation will show the trait related to that altered gene. “Incomplete penetrance” means that only some of the people who have the altered gene will actually show the related trait.  | Pag-penetrance             |
| <b>Placenta (n)</b>             | The organ that develops together with an embryo in a pregnant woman’s uterus to nourish the embryo through the umbilical cord.   | Inunan                     |
| <b>Presymptomatic (adj)</b>     | Before symptoms appear.  | Wala pang sintomas         |
| <b>Prognosis (n)</b>            | The most likely outcome of a disease process.  | Posibleng kalalabasan      |
| <b>Protein (n)</b>              | A molecule made up of chains of <i>amino acids</i> . Proteins do most of the work in cells and are required for the structure, function, and regulation of the body's tissues and organs. Genes determine how specific amino acids are put together to form a specific protein.  | Protina                    |
| <b>Random (adj)</b>             | Happening in an unpredictable way.   | Hindi tiyak                |
| <b>Recessive (adj)</b>          | A genetic trait in which both copies of a gene need to be altered for the trait to be expressed; recessive traits are typically inherited from both parents, each one contributing one copy of the gene in question.<br><br>In prenatal genetics, recessive inheritance refers to conditions in which both copies of a particular gene pair need to be altered to develop a specific disease or condition. | Recessive                  |
| <b>Red flag (n)</b>             | A warning sign or a clue.  | Babala                     |
| <b>Replicate (v)</b>            | To copy.   | Pag-kopya                  |
| <b>Reproductive history (n)</b> | The experiences a woman has had related to pregnancy and childbirth. A reproductive history usually includes age at the onset of menses (have a monthly period), age at the beginning of sexual intercourse, age at first conception, number of pregnancies, number of live births, number of miscarriages, number of abortions.   | Kasaysayan sa reproductibo |
| <b>Ring chromosome (n)</b>      | An abnormal formation of a chromosome in which the ends of two of the chromosome’s arms have linked together to form a ring.   | Ring chromosome            |

| Term   | Definition  | Translation  |
|--|---|--|
| <b>Risk (n)</b><br><br><b>At risk (adj)</b><br><br><b>At average risk (adj)</b><br><br><b>At high risk (adj)</b><br><br><b>At higher risk than "X" (adj)</b><br><br><b>Risk factor (n)</b> | <p>The chance that something will happen; in the case of prenatal genetics, the chance that the child will have a genetic condition.</p> <p>Has some possibility of having a genetic condition.</p> <p>Has the same possibility of having a genetic condition as the general population.</p> <p>Has a greater possibility of having a genetic condition than the general population.</p> <p>Has a greater possibility of having a genetic condition than "X".</p> <p>A circumstance that increases the risk of having a genetic condition.</p>  | <p>Panganib</p> <p>Nanganganib</p> <p>Sa katamtamang antas ng panganib</p> <p>Nasa mataas na panganib</p> <p>Nasa mas mataas na panganib kaysa sa "X"</p> <p>Salik ng panganib</p> |
| <b>Runs in the family (e.g., sickle cell disease runs in the family) (v)</b>   | <p>When a certain condition or trait seems to appear in many members of a single family</p>   | <p>Nasa lahi ng pamilya (hal., sickle cell na sakit na nasa lahi ng pamilya)</p>   |
| <b>Screen (v)</b>  | <p>To assess a person's risk for a particular health problem, even if the person has no symptoms to suggest that they have the problem.</p>   | <p>Pag-screen</p>  |
| <b>Screening test (n)</b>  | <p>A test that looks to detect a particular health problem, even if a patient has no symptoms of that particular condition.</p> <p>Prenatal screening tests aren't looking for genetic changes. They are designed to look at hormones, chemicals, other things that indicate a fetus might have a higher risk of a certain condition. They are not DNA results, do not give a definite answer about whether someone is affected, and do not provide a firm diagnosis. They are usually reported as a risk number (e.g., 1 in ____ chance), and if this number is above a certain cut-off point, the result will be categorized as 'screen positive' or 'screen negative'.</p> | <p>Screening na pagsusuri</p>  |
| <b>Semen (n)</b>   | <p>A liquid produced by the testes, the prostate gland, the seminal vesicle, and the bulbourethral gland that carries, nourishes and protects sperm cells on their way to fertilizing an egg. Also called seminal fluid.</p>  | <p>Binhi</p>   |
| <b>Seminal fluid (n)</b>   | <p>See "semen."</p>   | <p>Fluid ng binhi</p>  |

| Term                                   | Definition  | Translation                    |
|--|---|--------------------------------|
| <b>Sickle cell disease (n)</b>         | A genetic disorder caused by a mutation in a gene that helps to make hemoglobin, an important part of red blood cells. In sickle cell disease, red blood cells can become sickle-shaped (instead of round as they should be). These affected blood cells do not function properly, and die early, leaving a shortage of red blood cells, and can block blood flow causing pain. | Sickle cell na sakit           |
| <b>Sperm (n)</b>                       | The reproductive cells of the man. When sperm fertilize a woman's egg, a baby develops.   | Semilya                        |
| <b>Sperm donation (n)</b>              | The process through which a man allows his sperm to be collected and used to fertilize the eggs of a woman who is not his sexual partner.   | Donasyon ng semilya            |
| <b>Spina bifida (n)</b>                | A congenital defect of the spine in which part of the spinal cord is exposed through an opening in the bone structure. This may result in nerve damage and some degree of paralysis in the legs.  | Spina bifida                   |
| <b>Statistically significant (adj)</b> | A measurement of whether the findings of research are meaningful. Refers to the likelihood that a relationship between two factors is linked by something other than chance.  | Istatistika na napakahalaga    |
| <b>Teratogen (n)</b>                   | Something that has the potential to disturb the normal development of an embryo or fetus.   | Teratogen                      |
| <b>Termination of pregnancy (n)</b>    | See "abortion."   | Pagpapalaglag sa pinagbubuntis |



| Term   | Definition  | Translation   |
|--|---|---|
| <p><b>Test results (n)</b><br/><b>negative (adj)</b></p> <p><b>Positive (adj)</b></p> <p><b>Variant of uncertain significance (n)</b></p> <p><b>Polymorphism (n)</b></p> | <p>A negative result on a diagnostic genetic test means that the laboratory did not find the specific genetic change that the test was designed to identify. A “screen negative” result on a screening test means that the person’s risk of having whatever the test was designed to find is lower than the risk for most people.</p> <p>A positive result on a diagnostic genetic test means that the laboratory did find a specific genetic change that is associated with a hereditary condition (a deleterious mutation).</p> <p>A “screen positive” result on a screening test means that the person’s risk of having whatever the test screened for is significantly higher than expected. That still does not mean that the person definitely has that condition.</p> <p>If the laboratory finds a genetic change for which currently there is not enough information to know if this change is problematic or not, it reports a “variant of uncertain significance.” Basically, this means that the laboratory found a genetic change, but they don’t know what it means. Many of these variants will eventually be reclassified as either a “positive” or “negative” result. Most become “negative” and are thought to represent natural variation between individuals.</p> <p>Everyone has some degree of commonly occurring genetic changes that are not associated with medical problems. If the test finds this sort of change, it reports a “polymorphism.”</p> | <p>Resulta ng pagsusuri<br/>Negatibo</p> <p>Positibo</p> <p>Variant ng hindi tiyak na kahalagahan</p> <p>Polymorphism</p> |
| <p><b>Testes (n)</b></p>   | <p>The organs in a man that create and release sperm. Also called “testicles.” Singular testis.</p>   | <p>Bayag</p>  |
| <p><b>Toxic exposure (n)</b></p>   | <p>Contact with something that is harmful or poisonous.</p>   | <p>Nalantad sa nakakalason</p>  |
| <p><b>Trait (n)</b></p>  | <p>A characteristic of a person.</p> <p>In genetics, traits are aspects of a person defined or influenced by their genetic code. E.g., Eye color, blood type, risk for certain diseases.</p>  | <p>Katangian</p>  |

| Term                     | Definition  | Translation  |
|--------------------------|---|--------------|
| <b>Translocation (n)</b> | Translocations are a type of chromosome rearrangement. They can be 'balanced', meaning that two chromosomes have pieces that have 'swapped' with each other, but there is still the correct amount of chromosome material. Balanced translocations do not usually cause medical or development problems. They can also be 'unbalanced', where pieces of chromosomes have traded places, but there is missing or extra chromosome material. Unbalanced translocations will often cause medical and development problems. | Pagsasaayos  |
| <b>Typo (n)</b>          | A mistyped word; shortened slang for "typographical error."<br><br>In genetic counseling "a typo" is commonly used as an analogy to refer to mutations or variants in a gene.   | Typo         |
| <b>Ultrasound (n)</b>    | An imaging method that uses high frequency sound waves to create a picture of something inside the body, such as a fetus or baby.   | Ultrasound   |
| <b>Uterus (n)</b>        | The organ in a woman's lower abdomen in which a fertilized egg develops into an embryo, then a fetus, then a baby. Also called "womb."  | Matris       |
| <b>Vagina (n)</b>        | The tube-like part of the female reproductive system that extends from the cervix to the outside of the body.   | Ari ng babae |
| <b>Variant (n)</b>       | A version of something that differs from the norm. So, a genetic variant is a change to the usual genetic sequence.   | Variant      |
| <b>Vas deferens (n)</b>  | The tubes that lead from the testes to the urethra, through which sperm is ejaculated.  | Vas deferens |
| <b>X-linked (adj)</b>    | A trait that is influenced or determined by a gene on the "X" chromosome.   | X-linked     |

## Family Relationships

For genetic counselors, it is very important to know if a relative is a blood relative or a relative by marriage.

| Term                   | Definition  | Translation             |
|------------------------|---|-------------------------|
| <b>Parent</b>          | Your mother or father.  | Magulang                |
| <b>Mother</b>          | For genetic purposes, the woman whose egg was fertilized and grew to be you.  | Ina                     |
| <b>Mother-in-law</b>   | Your husband or wife’s mother.  | Biyenang-babae          |
| <b>Stepmother</b>      | Your father’s wife who is not your biological mother.   | Madrasta                |
| <b>Adoptive mother</b> | A woman who is not your biological mother but who accepted legal responsibility for and raised you.                         | Inang umampon           |
| <b>Godmother</b>       | A woman chosen by your parents to be your spiritual guide in life, named as such through a ceremony in the Catholic church. | Ninang                  |
| <b>Father</b>          | For genetic purposes, the man whose sperm fertilized the egg that grew to be you.   | Ama                     |
| <b>Father-in-law</b>   | Your husband or wife’s father.  | Biyenang-lalaki         |
| <b>Stepfather</b>      | Your mother’s husband who is not your biological father.  | Amain                   |
| <b>Adoptive father</b> | A man who is not your biological father but who accepted legal responsibility for and raised you.                           | Amang umampon           |
| <b>Godfather</b>       | A man chosen by your parents to be your spiritual guide in life, named as such through a ceremony in the Catholic church.   | Ninong                  |
| <b>Aunt</b>            | Your mother or father’s sister or sister-in-law.  | Tiyahin                 |
| <b>Maternal aunt</b>   | Your mother’s sister or sister-in-law.  | Tiyahin sa panig ng ina |
| <b>Paternal aunt</b>   | Your father’s sister or sister-in-law.  | Tiyahin sa panig ng ama |
| <b>Uncle</b>           | Your mother or father’s brother or brother-in-law.  | Tiyuhin                 |
| <b>Maternal uncle</b>  | Your mother’s brother or brother-in-law.  | Tiyuhin sa panig ng ina |
| <b>Paternal uncle</b>  | Your father’s brother or brother-in-law.  | Tiyuhin sa panig ng ama |

Glossary of Prenatal Genetics Terms – Tagalog

| Term                             | Definition  | Translation                      |
|----------------------------------|---|----------------------------------|
| <b>Cousin</b>                    | Usually understood to be a first cousin.                        | Pinsan                           |
| <b>First cousin</b>              | Your aunt or uncle's child.                                     | Unang pinsan                     |
| <b>First cousin once removed</b> | Your aunt or uncle's grandchild or your first cousin's child    | Anak ng pinsan                   |
| <b>Second cousin</b>             | The children of first cousins are second cousins to each other. | Pangalawang pinsan               |
| <b>Grandparent</b>               | Your parent's father or mother.                                 | Lolo at lola                     |
| <b>Grandmother</b>               | Your mother or father's mother.                                 | Lola                             |
| <b>Maternal grandmother</b>      | Your mother's mother.   | Lola sa panig ng ina             |
| <b>Paternal grandmother</b>      | Your father's mother.   | Lola sa panig ng ama             |
| <b>Grandfather</b>               | Your mother or father's father.                                 | Lolo                             |
| <b>Maternal grandfather</b>      | Your mother's father.   | Lolo sa panig ng ina             |
| <b>Paternal grandfather</b>      | Your father's father.   | Lolo sa panig ng ama             |
| <b>Great aunt</b>                | Your mother or father's aunt.                                   | Tiyahin sa tuhod                 |
| <b>Maternal great aunt</b>       | Your mother's aunt.   | Tiyahin sa tuhod sa panig ng ina |
| <b>Paternal great aunt</b>       | Your father's aunt.   | Tiyahin sa tuhod sa panig ng ama |
| <b>Great uncle</b>               | Your father or mother's uncle.                                  | Tiyuhin sa tuhod                 |
| <b>Maternal great uncle</b>      | Your mother's uncle.  | Tiyuhin sa tuhod sa side ng ina  |
| <b>Paternal great uncle</b>      | Your father's uncle.  | Tiyuhin sa tuhod sa side ng ama  |
| <b>Great grandparents</b>        | The parents of any of your grandparents.                        | Lolo at lola sa tuhod            |
| <b>Great grandmother</b>         | The mother of any of your grandparents.                         | Lola sa tuhod                    |
| <b>Great grandfather</b>         | The father of any of your grandparents.                         | Lolo sa tuhod                    |

| Term                   | Definition   | Translation                             |
|------------------------|--|---|
| <b>Siblings</b>        | The children of your father and mother.  | Mga kapatid                             |
| <b>Half siblings</b>   | Siblings (brothers and sisters) who have either the same mother and different fathers, or the same father but different mothers. Half-siblings share some genetic similarity with you.               | Mga kapatid sa ama o ina                |
| <b>Stepsiblings</b>    | The children of your stepmother but not your father; or the children of your stepfather but not your mother. Stepsiblings do not share any genetic similarity with you.                              | Mga kapatid na anak ng madrasta o amain |
| <b>Twins</b>           | Two siblings born at the same time   | Kambal                                  |
| <b>Identical twins</b> | A twin that developed from the same egg and sperm, meaning that they are mostly genetically identical. Also called monozygotic twins.  | Identical na kambal                     |
| <b>Fraternal twins</b> | A twin who developed from a different egg and sperm than, meaning that he or she is genetically different and has the same number of shared genes as any other sibling. Also called dizygotic twins. | Fraternal na kambal                     |
| <b>Triplets</b>        | Three siblings born at the same time   | Triplets                                |
| <b>Sister</b>          | A sibling who is a girl.   | Kapatid na babae                        |
| <b>Sister-in-law</b>   | Your brother's wife.   | Hipag                                   |
| <b>Half sister</b>     | A girl who is the either the child of your father with a different mother, or the child of your mother with a different father.  | Kapatid na babae sa ama o ina           |
| <b>Stepsister</b>      | The daughter of your stepmother or stepfather and therefore not biologically related to you.   | Kapatid na babae sa madrasta o amain    |
| <b>Brother</b>         | A sibling who is a boy.  | Kapatid na lalaki                       |
| <b>Brother-in-law</b>  | Your sister's husband.   | Bayaw                                   |
| <b>Half brother</b>    | A boy who is the either the child of your father with a different mother, or the child of your mother with a different father.   | Kapatid na lalaki sa ama o ina          |
| <b>Stepbrother</b>     | The son of your stepmother or stepfather and therefore not biologically related to you.  | Kapatid na lalaki sa madrasta o amain   |
| <b>Niece</b>           | Your sibling's daughter.   | Pamangkin na babae                      |
| <b>Nephew</b>          | Your sibling's son.  | Pamangkin na lalaki                     |
| <b>Spouse</b>          | Your husband or wife.  | Asawa                                   |

| Term                     | Definition  | Translation                               |
|--------------------------|---|---|
| <b>Wife</b>              | The woman to whom you are married.  | Misis                                     |
| <b>Husband</b>           | The man to whom you are married.  | Mister                                    |
| <b>Children</b>          | Genetically speaking, the people who are produced from your egg or sperm.   | Mga anak                                  |
| <b>Daughter</b>          | Your child who is a girl.   | Anak na babae                             |
| <b>Daughter-in-law</b>   | Your son's wife.  | Manugang na babae                         |
| <b>Stepdaughter</b>      | Your spouse's daughter who is not your biological child.  | Anak na babae sa dating asawa             |
| <b>Adoptive daughter</b> | A girl for whom you have accepted legal responsibility and raised even though she is not your biological child.   | Inampong anak na babae                    |
| <b>Goddaughter</b>       | A girl for whom you have accepted spiritual responsibility within a ceremony of the Catholic church; she may or may not be biologically related to you. | Inaanak na babae                          |
| <b>Son</b>               | Your child who is a boy.  | Anak na lalaki                            |
| <b>Son-in-law</b>        | Your daughter's husband.  | Manugang na lalaki                        |
| <b>Stepson</b>           | Your spouse's son who is not your biological child.   | Anak na lalaki sa dating asawa            |
| <b>Adoptive son</b>      | A boy for whom you have accepted legal responsibility and raised even though he is not your biological child.   | Inampong anak na lalaki                   |
| <b>Godson</b>            | A boy for whom you have accepted spiritual responsibility within a ceremony of the Catholic church. He may or may not be biologically related to you.   | Inaanak na lalaki                         |
| <b>Ancestor</b>          | A person from whom you are descended, usually more remote than a grandparent.   | Ninuno                                    |
| <b>Fiancé(e)</b>         | The person whom you have promised to marry.<br>Man: fiancé<br>Woman: fiancée  | Magkasintahan<br>nakatakandang magpakasal |
| <b>Domestic partner</b>  | The person with whom you are living and have an intimate relationship, but to whom you are not married.   | Ka-live in                                |
| <b>Divorced</b>          | Having ended a marriage.  | Diborsiyado                               |

| Term                  | Definition   | Translation                 |
|-----------------------|--|-----------------------------|
| <b>Engaged</b>        | Having promised to marry someone.  | May kasunduang pakasal      |
| <b>Widow</b>          | A woman whose husband has died.  | Biyuda                      |
| <b>Widower</b>        | A man whose wife has died.   | Biyudo                      |
| <b>Relative</b>       | A person in your family.   | Kamag-anak                  |
| <b>Blood relation</b> | A person who is related to you by blood not marriage, e.g., your sister, but not your sister-in-law; your mother but not your stepmother; your daughter but not your adopted daughter. | Kadugo                      |
| <b>Next of kin</b>    | Your closest living blood relation.  | Pinakamalapit na kamag-anak |

## Analogies

Genetic counselors often use analogies to explain complex ideas in genetics. An analogy explains a new concept by comparing it to something more common. A clue that an analogy is being used are the words “It’s as if” and “It’s like . . .”

Examples:

“Genes are **like** an instruction book or an instruction manual. And in a book, there is a certain sequence to a story.”

“**It’s as if** you were reading through a long book and looking for one typo, for a letter that is mistaken.”

“So, a mutation is **like** an unexpected change in the order of the letters.”

“A gene is **like** a recipe, and mutations are like changes in that recipe.”

“It’s **like** chapters in a book, and like misspellings.”

“Our cells are **like** libraries and our chromosomes are like books.”

“**Like** a flip of a coin.” (to explain that there is a 50% chance that a mutation will be passed on every time the patient has a child).

“Inside every cell are genes, which are **like** instruction books for our bodies; they tell our bodies how to grow and develop.”

“It is kind of **like** you a reading a book and you notice that a word is spelled wrong; that is what this genetic test looks for.”

Some analogies may not work with certain patients, due to linguistic or experiential differences.

Analogies that focus on genes as “letters in a book” may make no sense to speakers of character-based written languages such as Chinese, Japanese, and Korean.

“**It’s as if** you were reading through a long book and looking for one typo, for a letter that is mistaken.”

“So a mutation is **like** an unexpected change in the order of the letters.”

“It’s **like** chapters in a book, and like misspellings.”

“It is kind of **like** if you a reading a book and you notice that a word is spelled wrong; that is what this genetic test looks for.”

Analogies that focus on genes as a recipe may not work for patients who do not cook with written recipes.



“A gene is like a recipe, and mutations are like changes in that recipe.”

Analogies that discuss random chance in terms of a coin toss may not work for patients from cultures where people don't flip coins to make decisions.

“Like a flip of a coin” (to explain that there is a 50% chance that a mutation will be passed on every time the patient has a child).

This page intentionally left blank.

# Index

## A

|  |            |
|--|------------|
| A-B-C analysis .....   | 7          |
| Abnormal .....   | 29, 51, 77 |
| Abortion.....  | 51, 77     |
| Abstract language.....   | 7          |
| ACMG 59.....   | 51         |
| Adaptive behavior or adaptive skills.....                      | 7          |
| Adaptive skills.....   | 51         |
| Adoption .....   | 51, 77     |
| Adoptive daughter.....   | 45, 72     |
| Adoptive father .....  | 42, 69     |
| Adoptive mother .....  | 42, 69     |
| Adoptive son.....  | 45, 72     |
| Age of majority .....  | 7          |
| Altered gene copy.....   | 32, 57     |
| American College of Medical Genetics and Genomics (ACMG) ..... | 51         |
| Amniocentesis .....  | 51, 77     |
| Amniotic fluid .....   | 52, 77     |
| Ancestor .....   | 45, 72, 94 |
| Anencephaly.....   | 52, 77     |
| Anxiety disorder .....   | 7          |
| Applied Behavior Analysis (ABA) .....                          | 7          |
| Apraxia.....   | 7          |
| At average risk.....   | 37, 64, 87 |
| At high risk.....  | 37, 64, 87 |
| At higher risk than 'X' .....                                  | 37, 64, 87 |
| At risk.....   | 37, 64, 87 |
| ATM .....  | 41         |
| Attention Deficit Hyperactivity Disorder (ADHD) .....          | 8          |
| Audiologist.....   | 8          |
| Augmentative and Alternative Communication (AAC).....          | 8          |
| Aunt .....   | 42, 69, 91 |
| Autism Spectrum Disorder (ASD) .....                           | 8          |
| Aversive .....   | 8          |

## B

|  |            |
|--|------------|
| Behavior Intervention Plan (BIP) ..... | 8          |
| Behavioral disorder .....              | 8          |
| Benign.....                            | 29, 52, 77 |
| Biochemical testing .....              | 52         |
| Biomarker .....                        | 8          |
| Bipolar disorder .....                 | 8          |
| Birth canal.....                       | 52, 77     |

|   |            |
|---|------------|
| Birth defect.....                             | 52, 77     |
| Blood relation .....                          | 46, 73, 95 |
| Blood test .....                              | 29, 52, 78 |
| Board Certified Behavior Analyst (BCBA) ..... | 8          |
| Body language .....                           | 9          |
| Brace.....                                    | 52         |
| BRCA 1 .....                                  | 41         |
| BRCA 2 .....                                  | 41         |
| Breast cancer .....                           | 29         |
| Brother .....                                 | 44, 71, 93 |
| Brother-in-law .....                          | 44, 71     |
| Buccal swab .....                             | 29, 52, 78 |
| <b>C</b>                                      |            |
| CA-125 blood test .....                       | 29         |
| Carrier.....                                  | 29, 52, 78 |
| Case manager .....                            | 9          |
| Catatonia .....                               | 9          |
| Cell .....                                    | 29, 52, 78 |
| Cervix.....                                   | 53, 78     |
| Challenging behaviors .....                   | 9          |
| Children .....                                | 45, 72, 94 |
| Chorionic Villus Sampling (CVS).....          | 53, 78     |
| Chromosome .....                              | 29, 53, 78 |
| Chromosome test / Karyotype .....             | 53, 78     |
| Civil commitment .....                        | 9          |
| Cleft lip .....                               | 53, 78     |
| Cleft palate .....                            | 53, 78     |
| Clinically significant .....                  | 53, 78     |
| Cognition .....                               | 53         |
| Cognitive behavioral therapy .....            | 9          |
| Cognitive development .....                   | 9          |
| Colonoscopy .....                             | 29         |
| Communication .....                           | 9          |
| Communication disorder.....                   | 9          |
| Comorbid.....                                 | 9          |
| Compulsion.....                               | 9          |
| Condition (e.g., “genetic condition”).....    | 29, 53, 79 |
| Consanguinity.....                            | 30, 53, 79 |
| Conservatorship .....                         | 10         |
| Consultation model .....                      | 53         |
| Continuing care model .....                   | 53         |
| Cousin .....                                  | 43, 70, 92 |
| Crisis plan.....                              | 10         |
| Cystic fibrosis.....                          | 54, 79     |

**D**

|  |            |
|--|------------|
| Data analysis.....                               | 10         |
| Daughter.....                                    | 45, 72, 94 |
| Daughter-in-law.....                             | 45, 72     |
| DCIS (ductal carcinoma in situ).....             | 30         |
| De novo .....                                    | 54         |
| De-escalation.....                               | 10         |
| Deleterious mutation .....                       | 30, 54, 79 |
| Deletion .....                                   | 54, 79     |
| Depression.....                                  | 10         |
| Developmental assessment.....                    | 10, 54     |
| Developmental delay.....                         | 10         |
| Developmental Disability (DD) .....              | 10         |
| Developmental pediatrician .....                 | 11         |
| Diagnostic test.....                             | 54, 79     |
| Differential diagnosis.....                      | 11         |
| Disease-causing mutation .....                   | 30, 79     |
| Disruption .....                                 | 11         |
| Divorced .....                                   | 46, 73, 94 |
| DNA.....   | 30         |
| DNA (Deoxyribonucleic Acid).....                 | 54, 79     |
| DNA banking.....                                 | 30         |
| DNA marker (also called a “Genetic marker”)..... | 30, 54, 79 |
| DNA mutation.....                                | 54, 80     |
| DNA sequence .....                               | 30, 54, 80 |
| DNA sequencing .....                             | 30, 55, 80 |
| Domestic partner.....                            | 46, 73, 94 |
| Dominant.....                                    | 31, 55, 80 |
| Donor egg or sperm.....                          | 55, 80     |
| Down syndrome (Trisomy 21) .....                 | 11, 55, 80 |
| DTC (direct-to-consumer genetic testing) .....   | 30         |
| Dual diagnosis.....                              | 11         |
| Duplication .....                                | 31, 55, 80 |
| Dysarthria.....                                  | 11         |
| Dyspraxia .....                                  | 11         |

**E**

|                                       |            |
|---------------------------------------|------------|
| Early age of onset.....               | 31         |
| Early intervention.....               | 11         |
| Echolalia or Echophrasia.....         | 11         |
| Edwards syndrome (Trisomy 18).....    | 55, 80     |
| Egg.....                              | 31, 55, 80 |
| Elopement .....                       | 11         |
| Embryo .....                          | 55, 81     |
| Engaged .....                         | 46, 73, 95 |
| Environmental causes or factors ..... | 31, 55     |
| Epilepsy.....                         | 11         |

|  |            |
|--|------------|
| Escalating.....                                | 11         |
| Evidence-Based Practice (EBP) .....            | 12         |
| Executive control / executive functioning..... | 12         |
| Exome sequencing.....                          | 56, 59     |
| Exon .....                                     | 56         |
| Extinction.....                                | 12         |
| Extinction burst .....                         | 12         |
| <b>F</b>                                       |            |
| Face blindness .....                           | 12         |
| Fading .....                                   | 12         |
| Fallopian tube.....                            | 56, 81     |
| False negative .....                           | 56, 81     |
| False positive .....                           | 56, 81     |
| Familial .....                                 | 31, 56, 81 |
| Family history .....                           | 31, 56, 81 |
| Father .....                                   | 42, 69, 91 |
| Father-in-law .....                            | 42, 69     |
| Fecal digging .....                            | 12         |
| Fecal smearing.....                            | 12         |
| Fertilization.....                             | 56, 81     |
| Fetal Alcohol Spectrum Disorder (FASD) .....   | 12         |
| Fetal Alcohol Syndrome (FAS) .....             | 12         |
| Fetal surgery .....                            | 56, 81     |
| Fetus .....                                    | 56, 81     |
| Fiancé .....                                   | 94         |
| Fiancé(e).....                                 | 45, 72     |
| First cousin.....                              | 43, 70     |
| First cousin once removed .....                | 43, 70     |
| First trimester screening .....                | 56, 81     |
| Flip a coin.....                               | 56, 81     |
| Fragile X syndrome .....                       | 57, 81     |
| Fragment .....                                 | 31, 57, 81 |
| Fraternal twins.....                           | 44, 71     |
| Function of behavior .....                     | 12         |
| Functional Behavior Analysis (FBA) .....       | 13         |
| Functional communication .....                 | 13         |
| <b>G</b>                                       |            |
| Gene .....                                     | 31, 57, 82 |
| Gene copy.....                                 | 32, 57     |
| Gene deletion .....                            | 32, 57     |
| Gene panel test .....                          | 59         |
| Gene panel testing .....                       | 57         |
| Gene variant .....                             | 57         |
| General population.....                        | 57, 82     |
| Generalization .....                           | 13         |

|                                |            |
|--------------------------------|------------|
| Generation.....                | 32, 58, 82 |
| Genetic .....                  | 32         |
| Genetic alphabet .....         | 58         |
| Genetic counseling .....       | 32, 58, 82 |
| Genetic counseling intern..... | 33, 82     |
| Genetic counselor.....         | 33, 58, 82 |
| Genetic discrimination .....   | 33, 58, 83 |
| Genetic factors .....          | 33, 58, 83 |
| Genetic information .....      | 33, 58, 83 |
| Genetic material.....          | 33, 58, 83 |
| Genetic predisposition .....   | 33, 59, 83 |
| Genetic test .....             | 59, 83     |
| Genetic trait.....             | 59, 83     |
| Genetic variant .....          | 83         |
| Geneticist.....                | 59, 83     |
| Genetics.....                  | 59, 82     |
| Genome .....                   | 59         |
| Genome sequencing.....         | 59         |
| Germline testing.....          | 60         |
| Gestures .....                 | 13         |
| Goddaughter .....              | 45, 72     |
| Godfather .....                | 42, 69     |
| Godmother .....                | 42, 69     |
| Godson .....                   | 45, 72     |
| Grandfather .....              | 43, 70, 92 |
| Grandmother.....               | 43, 70, 92 |
| Grandparent .....              | 43, 70, 92 |
| Great aunt .....               | 43, 70, 92 |
| Great grandfather.....         | 43, 70, 92 |
| Great grandmother .....        | 43, 70, 92 |
| Great grandparents .....       | 43, 70, 92 |
| Great uncle .....              | 43, 70, 92 |
| Guardianship .....             | 13, 60     |
| <b>H</b>                       |            |
| Half brother .....             | 44, 71     |
| Half siblings.....             | 44, 71     |
| Half sister.....               | 44, 71     |
| Helix.....                     | 60         |
| Hereditary.....                | 60, 83     |
| Hereditary material .....      | 34, 60, 83 |
| Huntington's disease .....     | 60         |
| Husband.....                   | 45, 72, 94 |
| Hypersensitivity .....         | 13         |
| Hyposensitivity .....          | 13         |

**I**

|  |            |
|--|------------|
| Identical twins .....                                    | 44, 71     |
| Idiosyncratic language/ vocabulary .....                 | 14         |
| In Vitro Fertilization (IVF) .....                       | 60, 83     |
| Incontinence.....  | 14         |
| Individual gene testing .....                            | 59, 60     |
| Individualized Education Plan (IEP) .....                | 60         |
| Individualized Education Program (IEP) .....             | 14         |
| Individualized Family Service Plan (IFSP) .....          | 14         |
| Individuals with Disabilities Education Act (IDEA) ..... | 14         |
| Infertility .....  | 60, 83     |
| Informed consent .....                                   | 34, 61, 84 |
| Inheritance pattern .....                                | 34, 61, 84 |
| Inherited .....  | 34, 61, 84 |
| Insertion .....  | 84         |
| Intellectual disability .....                            | 14, 61, 84 |
| Interdisciplinary evaluation team.....                   | 15         |
| Intervention.....  | 15         |
| Involuntary commitment.....                              | 15         |

**J**

|                       |    |
|-----------------------|----|
| Joint attention ..... | 15 |
|-----------------------|----|

**K**

|  |        |
|--|--------|
| Klinefelter's syndrome (47, XXY) ..... | 61, 84 |
|--|--------|

**L**

|  |        |
|--|--------|
| Language delay .....                     | 15     |
| Language disorder .....                  | 15     |
| Learning disability.....                 | 15     |
| Least Restrictive Environment (LRE)..... | 15     |
| Lynch syndrome .....                     | 34, 61 |

**M**

|  |        |
|--|--------|
| Maladaptive behavior.....  | 15     |
| Malignant .....  | 35     |
| Marker chromosome .....  | 61, 84 |
| Maternal aunt.....   | 42, 69 |
| Maternal grandfather.....  | 43, 70 |
| Maternal grandmother.....  | 43, 70 |
| Maternal great aunt .....  | 43, 70 |
| Maternal great uncle.....  | 43, 70 |
| Maternal Serum Screening (MSS or maternal serum alphafetoprotein test) ..... | 61, 84 |
| Maternal uncle .....   | 42, 69 |
| Medicaid.....  | 15     |
| Medical home.....  | 15     |
| Mental health hold.....  | 15     |



|  |            |
|--|------------|
| Metastasis .....                           | 35, 61     |
| Microarray .....                           | 59, 62, 84 |
| Miscarriage .....                          | 62, 84     |
| MLH1 .....                                 | 41         |
| Molecule .....                             | 35, 62     |
| Mosaicism .....                            | 62, 85     |
| Mother .....                               | 42, 69, 91 |
| Mother-in-law .....                        | 42, 69     |
| Motor Abilities .....                      | 62         |
| Motor skill .....                          | 16         |
| MSH2 .....                                 | 41         |
| MSH6 .....                                 | 41         |
| Multifactorial .....                       | 35, 62, 85 |
| Mutation .....                             | 35, 62     |
| <b>N</b>                                   |            |
| Negative .....                             | 39         |
| Nephew .....                               | 45, 71, 93 |
| Neurodevelopmental conditions .....        | 16         |
| Next of kin .....                          | 46, 73, 95 |
| Niece .....                                | 44, 71, 93 |
| Non-Invasive Prenatal Testing (NIPT) ..... | 62, 85     |
| Nonverbal communication .....              | 16         |
| Normal gene copy .....                     | 32, 57     |
| Nuchal thickening .....                    | 62, 85     |
| Nutritionist .....                         | 16         |
| <b>O</b>                                   |            |
| Obsession .....                            | 16         |
| Obsessive compulsive disorder (OCD) .....  | 16         |
| Occupational therapist (OT) .....          | 16         |
| Oncologist .....                           | 35         |
| Oophorectomy .....                         | 35         |
| Open neural tube defect .....              | 63, 85     |
| Ototoxic .....                             | 16         |
| Ova .....                                  | 63, 85     |
| Ovarian cancer .....                       | 35         |
| Ovary .....                                | 63, 85     |
| Overcorrection .....                       | 16         |
| <b>P</b>                                   |            |
| Packets of genetic information .....       | 35, 63     |
| PALB2 .....                                | 41         |
| Parent .....                               | 42, 69     |
| Paternal aunt .....                        | 42, 69     |
| Paternal grandfather .....                 | 43, 70     |
| Paternal grandmother .....                 | 43, 70     |

|   |            |
|---|------------|
| Paternal great aunt.....  | 43, 70     |
| Paternal great uncle .....  | 43, 70     |
| Paternal uncle.....   | 42, 69     |
| Pathogenic.....   | 63         |
| Pattern.....  | 35         |
| Pediatric Autoimmune Neuropsychiatric Disorders Associated with Streptococcal infections (PANDAS) ..... | 17         |
| Pedigree.....   | 35, 63     |
| Penetrance .....  | 35, 63, 86 |
| Phenylketonuria (PKU) .....   | 17         |
| Physical therapist (PT) .....   | 17         |
| Pica .....  | 17         |
| Picture Exchange Communication Systems (PECS) .....   | 17         |
| Placenta .....  | 63, 86     |
| PMS2.....   | 41         |
| Polymorphism.....   | 39, 67, 89 |
| Polypharmacy .....  | 17         |
| Positive .....  | 39         |
| Positive Behavior Supports (PBS) .....  | 17         |
| Post-Traumatic Stress Disorder (PTSD) .....   | 17         |
| Predisposition to cancer .....  | 36         |
| Prematurity .....   | 17         |
| Presymptomatic .....  | 63, 86     |
| Prognosis .....   | 36, 63, 86 |
| Proliferation (cell Proliferation).....   | 36         |
| Prompting.....  | 17         |
| Prophylactic mastectomy .....   | 36         |
| Protein .....   | 36, 63, 86 |
| Psychologist.....   | 18         |
| Psychosis.....  | 18         |
| Psychotropic.....   | 18         |
| Puberty .....   | 18         |
| <b>R</b>  |            |
| Random .....  | 36, 63, 86 |
| Recessive .....   | 36, 64, 86 |
| Recurrence .....  | 36         |
| Red flag.....   | 36, 64, 86 |
| Red flags .....   | 18         |
| Reinforce .....   | 18         |
| Reinforcement strategies .....  | 18         |
| Relative .....  | 46, 73, 95 |
| Replicate.....  | 64, 86     |
| Reproductive history .....  | 64, 86     |
| Resilience.....   | 18         |
| Respite care .....  | 18         |
| Restraints.....   | 18         |
| Restricted or repetitive behaviors or interests .....   | 18         |

|                                     |                |
|-------------------------------------|----------------|
| Reward .....                        | 18             |
| Ring chromosome.....                | 64, 86         |
| Risk .....                          | 37, 64, 87     |
| Risk factor .....                   | 18, 37, 64, 87 |
| Ritual.....                         | 18             |
| Rumination .....                    | 18             |
| Runs in the family.....             | 37, 64, 87     |
| <b>S</b>                            |                |
| Saliva (spit) sample.....           | 64             |
| Saliva (spit) test .....            | 37             |
| Schizophrenia .....                 | 19             |
| Screen.....                         | 37, 65, 87     |
| Screening test.....                 | 37, 65, 87     |
| Screening test or tool .....        | 19             |
| Seclusion.....                      | 19             |
| Second cousin.....                  | 43, 70         |
| Sedating .....                      | 19             |
| Seizure disorder .....              | 19             |
| Self-advocacy.....                  | 19             |
| Semen.....                          | 65, 87         |
| Seminal fluid .....                 | 65, 87         |
| Sensory abilities.....              | 65             |
| Sensory avoidance.....              | 19             |
| Sensory defensiveness .....         | 19             |
| Sensory input.....                  | 19             |
| Sensory processing disorder.....    | 19             |
| Sensory-seeking behavior.....       | 19             |
| Siblings.....                       | 44, 71, 93     |
| Sickle cell disease .....           | 65, 88         |
| Single site analysis .....          | 65             |
| Single site gene testing.....       | 59             |
| Sister.....                         | 44, 71, 93     |
| Sister-in-law .....                 | 44, 71         |
| Sleep apnea .....                   | 19             |
| Sleep disturbances.....             | 19             |
| Social communication disorder ..... | 19             |
| Social reciprocity .....            | 20             |
| Social work or social worker .....  | 20             |
| Somatic genetic changes .....       | 65             |
| Son.....                            | 45, 72, 94     |
| Son-in-law.....                     | 45, 72         |
| Special education .....             | 65             |
| Special Needs Parent Advocate.....  | 20             |
| Specific learning disability .....  | 20             |
| Speech generating device.....       | 20             |
| Speech sound disorder .....         | 20             |

|   |            |
|---|------------|
| Speech-language pathologist .....       | 20         |
| Sperm .....                             | 37, 65, 88 |
| Sperm donation .....                    | 66, 88     |
| Spina bifida .....                      | 66, 88     |
| Sporadic .....                          | 37         |
| Spouse .....                            | 45, 72, 93 |
| Standardized test.....                  | 20         |
| Staring spells.....                     | 20         |
| Statistically significant .....         | 37, 66, 88 |
| Stepbrother .....                       | 44, 71     |
| Stepdaughter .....                      | 45, 72     |
| Stepfather .....                        | 42, 69     |
| Stepmother.....                         | 42, 69     |
| Stepsiblings.....                       | 44, 71     |
| Stepsister .....                        | 44, 71     |
| Stepson .....                           | 45, 72     |
| Stereotypy .....                        | 20         |
| Stimulation .....                       | 20         |
| Supplemental Security Income (SSI)..... | 21         |
| Supportive seating.....                 | 66         |
| Syndrome .....                          | 38         |

**T**

|   |            |
|---|------------|
| Tangibles.....                                | 21         |
| Teratogen .....                               | 66, 88     |
| Termination of pregnancy .....                | 66, 88     |
| Test result.....                              | 39, 67, 89 |
| Testes .....                                  | 67, 89     |
| Time delay .....                              | 21         |
| To flip a coin .....                          | 31, 81     |
| Tourette syndrome or Tourette's syndrome..... | 21         |
| Toxic exposure.....                           | 67, 89     |
| Tracking scales.....                          | 21         |
| Trait .....                                   | 39, 67, 89 |
| Transition plan / transition services .....   | 21         |
| Translocation .....                           | 68, 90     |
| TRICARE .....                                 | 21         |
| Triplets.....                                 | 44, 71, 93 |
| True negative.....                            | 39         |
| Tumor .....                                   | 39         |
| Tumor testing .....                           | 40         |
| Twins .....                                   | 44, 71, 93 |
| Typo.....                                     | 40, 68, 90 |

**U**

|                 |            |
|-----------------|------------|
| Ultrasound..... | 40, 68, 90 |
| Uncle.....      | 42, 69, 91 |

|  |            |
|--|------------|
| Uninformative negative.....            | 39         |
| Uterus.....                            | 68, 90     |
| <b>V</b>                               |            |
| Vagina.....                            | 68, 90     |
| Variant.....                           | 40, 68, 90 |
| Variant of uncertain significance..... | 39, 67, 89 |
| Vas deferens.....                      | 68, 90     |
| Visual cues.....                       | 21         |
| Visual schedules.....                  | 21         |
| Vocational rehabilitation.....         | 21         |
| <b>W</b>                               |            |
| Widow.....                             | 46, 73, 95 |
| Widower.....                           | 46, 73, 95 |
| Wife.....                              | 45, 72, 94 |
| Wraparound.....                        | 22         |
| <b>X</b>                               |            |
| X-linked.....                          | 68, 90     |