

The National Coordinating Center for the Regional Genetics Networks

Glossary of

Autism Spectrum Disorder (ASD) Genetics Terms

English – Russian

2023 Edition

Compiled and edited by: Cynthia E. Roat, MPH

In collaboration with: The Cross Cultural Health Care Program (CCHCP) Glossary of Autism Spectrum Disorder (ASD) Genetics Terms - Russian

This page intentionally left blank.

Acknowledgments

Mission of the NCC

The National Coordinating Center for the Regional Genetics Networks (NCC) has been funded by the Health Resources and Services Administration (HRSA) since 2004. Our mission is to improve access to genetics for underserved populations. This mission is accomplished through different programs, many of which are educational tools and resources for non-genetics professionals. Learn more at <u>https://nccrcg.org</u>.

NCC Funding Acknowledgment

This project is supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) under Cooperative Agreement #UH9MC30770 from 6/2020-5/2024 for \$800,000 per award year. This information or content and conclusions are those of the author and should not be construed as the official position or policy of, nor should any endorsements be inferred by HRSA, HHS or the U.S. Government.

Additional Acknowledgments

Cynthia E. Roat, MPH

Cindy Roat is an international consultant in language access in health care and patient navigation. She provides training and consulting for health care interpreters, providers, administrators, and patient navigators. Cindy compiled and edited this glossary for the NCC.

The Cross Cultural Health Care Program

The mission of The Cross Cultural Health Care Program (CCHCP) is to serve as a bridge between communities and health care institutions to advance access to quality health care that is culturally and linguistically appropriate. CCHCP provides resources, such as bilingual medical glossaries, as well as medical interpreter, patient navigator, and cultural competence training for individuals and institutions with the goal of systems change. Learn more at: https://xculture.org

CCHCP is supporting and coordinating the translation process of this glossary and is providing the glossary free of charge in its online store: <u>https://xculture.org/store/</u>

Table of Contents

| Preface | 5 |
|-------------------------|----|
| How to Use the Glossary | 5 |
| Glossary of Terms | 7 |
| References | 23 |
| Index | 25 |



Preface

The seven Regional Genetics Networks (RGNs), the National Genetics Education and Family Support Center (Family Center), and the National Coordinating Center for the Regional Genetics Networks (NCC) mission is to improve access to quality genetic services for medically underserved populations. This bilingual glossary of terms related to Autism Spectrum Disorders (ASD) is provided to help enable access to ASD medical services to limited English proficiency populations.

How to Use the Glossary

This glossary is organized alphabetically in English. The first column shows the term in English. The second column has the definition of the term in English. The third column has the translation of the term.

At the end of the translations is a list of references used for the definitions and places where you can find more information.

Glossary of Autism Spectrum Disorder (ASD) Genetics Terms - Russian

This page intentionally left blank.

Glossary of Terms

English – Russian

 $(n) - noun \qquad (v) - verb \qquad (adj) - adjective \qquad (adv) - adverb$

| Term | Definition | Translation |
|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| A-B-C analysis (n) | An approach to understanding behavior by examining the Antecedent (the cause), the Behavior, and the Consequence (the result). ¹ | Анализ А-В-С |
| Abstract language (n) | Any vocabulary or phrases with meanings that are not clearly stated. Examples include idioms like, "it's raining cats and dogs" or "break a leg" where the intended meaning does not match the literal meaning. There are also many examples of this in books and poetry where the author may describe something using abstract language like "it felt like a weight on my chest." ⁵ | Абстрактный язык |
| Adaptive behavior or adaptive skills (n) | Includes communication, self-care, home living, social skills, community use, self-direction, health and safety, functional academics, leisure, and work. These are skills that help the person be successful in their environment and are learned skills rather than innate abilities. ² | Адаптивное поведение или адаптивные навыки |
| Age of majority (n) | The age established under state law when an individual is no longer a minor and has the right to make certain legal decisions without consent. ¹ | Возраст совершеннолетия |
| Anxiety disorder (n) | A pattern of constant worry or tension under many different circumstances. ¹ | Тревожное расстройство |
| Applied Behavior Analysis (ABA) (n) | ABA is the name of a professional field that uses principles of learning to increase performance of socially desirable behaviors. ABA practitioners carefully observe and measure behaviors and the context in which they occur in order to individualize teaching plans to improve specific behaviors. ABA is commonly used as one component in interventions for Autism Spectrum Disorders. ² | Прикладной анализ поведения (ПАП) |
| Apraxia (n) | See "Dyspraxia." ² | Апраксия |

| Term | Definition | Translation |
|------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Attention Deficit Hyperactivity Disorder (ADHD) (n) | A disorder that shows up in the areas of inattention, hyperactivity, and impulsiveness. It is evidenced by frequent shifting from one activity or focus to another, having difficulty organizing and completing tasks correctly, impulsive response, or failure to follow rules. It may occur with or without hyperactivity which includes behaviors such as excessive running, talking, fidgeting, and/or restlessness. ² | Синдром дефицита внимания и гиперактивности (СДВГ) |
| Audiologist (n) | A specialist who evaluates for hearing loss as a potential cause or contributor to developmental delay, and designs/supports interventions to minimize the impact of hearing loss when it is found. ² | Аудиолог |
| Augmentative and Alternative Communication (AAC) (n) | Any method of communicating without speech, such as by signs, gestures, picture boards, or electronic or non-electronic devices. These methods can help individuals who are unable to use speech or who need to supplement their speech to communicate effectively. ² | Альтернативная и дополнительная коммуникация (АДК) |
| Autism Spectrum Disorder (ASD) (n) | A neurodevelopmental disorder. ASD symptoms are typically evident before a child is 3 years of age. The symptoms range from mild to severe – and individuals often have varied skills levels in different domains of functioning. Autism affects the person's overall development in 2 primary areas: 1. social communication, or the way a person uses gestures, body language, and language to communicate and interact socially and relate with others. 2. the presence of restricted, repetitive patterns of behavior, interests, or activities (e.g., repetitive motor movements, echolalia/repeating speech, idiosyncratic phrases, extreme distress at small changes/difficulty with transitions, strong attachment to unusual objects/topics, adverse or intense responses to sensory input).² | Расстройство аутистического спектра (РАС) |
| Aversive (adj) | An unwanted stimulus designed to change an individual's behavior through punishment. These should rarely be used in the treatment of autism. ¹ | Вызывающий отвращение |
| Behavior Intervention Plan (BIP) (n) | A plan to improve an individual's behavior, created based on the results of a Functional Behavior Assessment. ¹ | План вмешательства в поведение (ПВП) |
| Behavioral disorder (n) | A condition in which behavior significantly deviates from acceptable norms. ¹ | Расстройство поведения |
| Biomarker (n) | An indicator of a certain biological state. ¹ | Биомаркер |
| Bipolar disorder (n) | A brain disorder that causes unusual shifts in mood, energy, activity levels, and the ability to carry out day-to-day tasks; also known as manic-depressive illness. ¹ | Биполярное расстройство |

| Term | Definition | Translation |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Board Certified Behavior Analyst (BCBA) (n) | A professional certified to provide ABA therapy by the Behavior Analyst Certification Board (BACB). ¹ | Сертифицированный министерством здравоохранения поведенческий аналитик (СМЗПА) |
| Body language (n) | A form of non-verbal communication that is an important part of social communication. It includes things like gestures (head nodding or shaking), personal space, facial expressions, and eye contact. ⁵ | Язык тела |
| Case manager (n) | A professional from a school or service agency such as the Department of Developmental Disabilities who serves as a direct contact for families and helps gather resources, team members and ideas. ¹ | Специалист по ведению пациентов / Куратор |
| Catatonia (n) | A state in which a person does not move and does not respond to others. ¹ | Кататония |
| Challenging behaviors (n) | Behaviors that are destructive and harmful to the individual or others (e.g., hitting, biting, running away), that prevent learning and cause others to label or isolate the individual for being odd or different. ¹ | Вызывающее поведение |
| Civil commitment (n) | A legal process in which an individual experiencing a mental health crisis is ordered into treatment against his or her will, including to a hospital. ¹ | недобровольная госпитализация |
| Cognitive behavioral therapy (n) | Type of therapy designed to help improve an individual's inappropriate or challenging behaviors by replacing the negative thoughts that cause these behaviors with positive thoughts. ¹ | Когнитивно- поведенческая терапия |
| Cognitive development (n) | How children learn to think, interpret information, make decisions, and solve problems. Areas of cognitive development include verbal reasoning (using language), non-verbal reasoning (using visual/spatial information), as well as executive control/functioning. ² | Когнитивное развитие |
| Communication (n) | The developmental area that involves skills which enable people to understand (receptive communication) and share (expressive communication) thoughts and feelings. Waving goodbye, smiling, nodding, making eye-contact, using spoken language, following directions, and reading and writing are examples of communication. ² | Коммуникация |

| Term | Definition | Translation |
|-------------------------|-------------------------------------------------------------------------------------------------------------------|------------------------|
| Communication disorder | Difficulty with understanding and/or expressing | Коммуникативное |
| (n) | messages. ² Communication disorders include | расстройство |
| | problems with hearing, with making speech sounds | |
| | (articulation), with having a clear voice (voice | |
| | disorders), stuttering (fluency disorders), difficulty | |
| | learning, knowing, and using grammar (language | |
| | disorders), difficulty using language to get things done | |
| | (social communication or pragmatic language | |
| | disorders), and using language to learn (language- based learning disabilities such as dyslexia). ² | |
| Comorbid (adj) | Pertaining to a disease or disorder that occurs | Коморбидный |
| | simultaneously with another. ¹ | Комороидный |
| Compulsion (n) | The drive to do something in particular or in a | Компульсивность |
| | particular way, such as the need to straighten all the | Компульсивность |
| | forks at the dinner table. ¹ | |
| Conservatorship (n) | The legal right given to a person to be responsible | Опекунство над лицом |
| | for the assets and finances of a person deemed fully | с инвалидностью |
| | or partially incapable of providing these necessities | |
| | for himself or herself. ¹ | |
| Crisis plan (n) | A document that outlines in specific detail the | План выхода из кризиса |
| | necessary strategies and steps that must be taken | |
| | when a crisis occurs. ¹ | |
| Data analysis (n) | The process of thoroughly inspecting information | Анализ данных |
| | related to challenging behaviors in order to draw | |
| | out useful information and conclusions that may | |
| | result in strategies to improve behavior. ¹ | |
| De-escalation (n) | The process of stopping a challenging behavior or | Деэскалация |
| | crisis from intensifying and calming the situation. ¹ | |
| Depression (n) | A mood disorder in which feelings of sadness, | Депрессия |
| | anger, or frustration interfere with everyday life for | |
| Developmental | an extended period of time. ¹ A structured evaluation of a child's development in | Оценка развития |
| assessment (n) | one or more areas including cognitive, language, | Оценка развития |
| | motor, social/emotional, and adaptive. Professionals | |
| | that conduct developmental assessments include | |
| | developmental behavioral pediatricians, psychologists, | |
| | speech language pathologists, occupational therapists, | |
| | physical therapists, educators, and audiologists. Types | |
| | of tests that are used during developmental | |
| | assessments include interview, observation, | |
| | questionnaires, standardized tests, and non- | |
| | standardized tests. ² | |
| Developmental delay (n) | The term used to describe the condition of an infant or | Задержка в развитии |
| | young child who is not achieving new skills in the | |
| | typical time frame and/or is exhibiting behaviors that | |
| | are not appropriate for his or her age. Some children | |
| | who are developmentally delayed eventually have a | |
| | specific diagnosis of a particular developmental | |
| | disability. Other children with delays catch up with | |
| | their typically developing peers. ² | l |

| Term | Definition | Translation |
|----------------------------|------------------------------------------------------------------------------------------------------------|------------------------------|
| Developmental Disability | A severe chronic disability that is attributed to a | Инвалидность |
| (DD) (n) | physical or mental impairment, other than the sole | вследствие порока |
| | diagnosis of mental illness, or to a combination of | развития (ИПР) |
| | mental and physical impairments, is manifested | |
| | before the individual attains the age of 22, is likely to | |
| | continue indefinitely, results in the inability to live | |
| | independently without external support or continuing | |
| | and regular assistance, reflects the need for a | |
| | combination and sequence of special, interdisciplinary, | |
| | or generic care, treatment, or other services that are | |
| . | planned and coordinated for that individual. ² | |
| Developmental | Also known as a developmental-behavioral | Педиатр, |
| pediatrician (n) | pediatrician, these professionals have training and experience to assess and treat a wide range of medical | специализирующийся |
| | and psychosocial aspects of a child's developmental | в вопросах развития детей |
| | and behavioral difficulties. Their expertise may make | детеи |
| | them a good choice for children with complicated | |
| | medical or developmental problems. ² | |
| Differential diagnosis (n) | Distinguishing between two or more diseases with | Дифференциальный |
| | similar symptoms to identify which is causing | диагноз |
| | distress or challenging behavior. ¹ | |
| Disruption (n) | An event that causes an unplanned deviation from a | Нарушение |
| | situation. ¹ | ., |
| Down syndrome, | The most common and readily identifiable | Синдром Дауна, |
| also known as trisomy 21 | chromosomal condition associated with intellectual | также известный как |
| (n) | disability. Children with Down syndrome typically have | трисомия 21 |
| | developmental delays, but this can range from mild to | |
| | severe. Common physical signs of Down syndrome | |
| | include decreased muscle tone; short neck; flattened | |
| | facial profile and nose; small head, ears, and mouth; | |
| | upward slanting eyes; white spots on the colored part | |
| | of the eye (called Brushfield spots); wide, short hands | |
| | with short fingers; a single, deep, crease across the | |
| | palm of the hand; a deep groove between the first and second toes. ² | |
| Dual diagnosis (n) | The identification of an additional mental health | Двойной диагноз |
| Dual diagnosis (II) | disorder individuals with developmental disabilities. ¹ | двоиной диагноз |
| Dysarthria (n) | A term used to describe the impact on speech | Дизартрия |
| | production of muscle weakness and/or reduced | дизартрия |
| | muscle control due to neural damage. ² | |
| Dyspraxia (n) | A condition characterized by a difficulty with planning | Диспраксия |
| =)-h () | and performing coordinated movements although | |
| | there is no apparent damage to muscles. Dyspraxia | |
| | can impact any motor system and will be described | |
| | based on the motor system affected (e.g., upper limb | |
| | dyspraxia, speech/verbal dyspraxia). The term | |
| | "apraxia" is often used as a synonym for dyspraxia. ² | |
| Early intervention (n) | Programs or services designed to meet the | Раннее вмешательство |
| | developmental needs of infants and toddlers (birth to | |
| | three years old) and their families. | |

| Term | Definition | Translation |
|--------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| Echolalia or Echophrasia (n) | The immediate and involuntary repetition of words or phrases just spoken by others, often a symptom of autism or some types of schizophrenia. Also called echophrasia. ³ | Эхолалия или эхофразия |
| Elopement (n) | A situation in which an individual leaves a safe place, a caretaker, or supervised situation, either by "bolting," wandering or sneaking away. ¹ | Тайный побег |
| Epilepsy (n) | A brain disorder in which a person has repeated seizures (episodes of disturbed brain activityor convulsions) over time. ¹ | Эпилепсия |
| Escalating (v) | Increasing or worsening rapidly. ¹ | Обострение |
| Evidence-Based Practice (EBP) (n) | A teaching strategy or practice that has been proven through research studies to improve skills or behaviors for a certain population. ⁵ | Доказательная практика (ДП) |
| Executive control / executive functioning (n) | A group of skills that helps people plan, organize, control behavior, focus on multiple streams of information at the same time, self-monitor, and revise action plans as necessary. Acquiring these skills is one of the most important tasks of the early childhood years. ² | Исполнительный контроль / исполнительное функционирование |
| Extinction (n) | A response used to eliminate a behavior that involves ignoring a mild behavior when it is used for attention. ¹ | Угасание |
| Extinction burst (n) | Short term response to extinction in which there is a sudden and temporary increase in the response's frequency, followed by an eventual decline. ¹ | Вспышка при угасании ответа |
| Face blindness (n) | An impairment in the recognition of faces. ¹ | Неспособность различать и/или запоминать лица |
| Fading (v) | Gradually reducing the number of prompts or types of prompts to encourage more independence for the learner. ⁵ | уменьшение поощрения |
| Fecal digging (v) | The process in which an individual puts his fingers into his rectum. ¹ | копание в анусе/прямой кишке |
| Fecal smearing (v) | The process in which feces are spread on property or the individual himself. ¹ | Измазывание экскрементами |
| Fetal Alcohol Spectrum Disorder (FASD) (n) | Children whose mothers drank during pregnancy, and who have developmental impairment may be diagnosed with one of several FASDs. The developing brain is the organ most vulnerable to prenatal alcohol exposure, but the range of impact of prenatal alcohol exposure includes both physical and neurodevelopmental impairment. These can include growth difficulty, minor facial anomalies, general developmental delays, seizures, learning disabilities, ADHD, executive functioning and processing challenges, as well as mental health or behavioral challenges. The most severe FASD is Fetal Alcohol Syndrome (FAS – see FAS), but other FASDs are far more common. ² | Фетальный алкогольный спектр нарушений (ФАСН) |

| Term | Definition | Translation |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| Fetal Alcohol Syndrome (FAS) (n) | A permanent birth defect syndrome caused by maternal drinking during pregnancy. FAS is characterized by growth deficiency; a cluster of 3 minor facial abnormalities including a thin upper lip, a | Фетальный алкогольный синдром (ФАС) |
| | smooth philtrum (i.e., the groove between nose and upper lip); small eyes; and significant abnormalities in brain development. FAS is the leading preventable cause of intellectual disability and other neurodevelopmental conditions. ² | |
| Function of behavior (n) | The purpose or reason behind a specific behavior for an individual. ¹ | Функция поведения |
| Functional Behavior Analysis (FBA) (n) | The process of systematically determining the function of behaviors, usually inappropriate, that are displayed by people. Behaviors are defined, measured, and analyzed in terms of what happened before and after their occurrence. Over time the events before and after the behavior occurs are systematically changed in order to determine the function of the behavior for the person displaying it. ² | Функциональный анализ поведения (ФАП) |
| Functional | Effective and appropriate communication that an | Функциональная |
| communication (n) | individual uses across his daily activities to meet his or her needs. ¹ Can be verbal or non-verbal. | коммуникация |
| Generalization (n) Gestures (n) | The ability to use a target skill or behavior across the intervention timespan or timeframe, setting, and individuals (e.g., teachers, peers, parents). For example, when teaching a child to greet others, a teacher may initially implement the intervention when the student first enters classroom. Although the child may begin to independently greet others in the context of entering the classroom, she may not be able to do so when coming home from or entering a different room in the school. If she can greet others across settings and individuals, then she has engaged in generalization of the skill. ⁵ Body and hand movements used to communicate. | Обобщение Жесты |
| | Examples include pointing, waving, opening arms to demonstrate something is "big," banging a fist on a table to emphasize a point or show anger, etc. ⁵ | месты |
| Guardianship (n) | The legal right given to a person to be responsible for the food, health care, housing, and other necessities of a person deemed fully or partially incapable of providing these necessities for himself or herself. ¹ | Попечительство / Опекунство |
| Hypersensitivity (n) | Overly intense or exaggerated response to sensation. It may include defensive responses (like covering ears in anticipation of a sound, pulling away quickly when touched lightly) or disliking or avoiding of certain situations that involve an undesirable sensory experience (like avoiding public restrooms because the toilet flushing is aversive). ⁵ | Гиперчувствительность |

| Term | Definition | Translation |
|--------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| Hyposensitivity (n) | Under exaggerated response to sensation. May include lack of response entirely or a reduced or slower response than expected. A child with hyposensitivity may not stop working and turn around when their name is called, may not seem to notice that another child ran into them, may smile, or laugh several seconds after you tickle them, may cry several seconds after getting hurt or not at all, etc. ⁵ | Гипочувствительность |
| Idiosyncratic language/ vocabulary (n) | Using language in unusual ways that may not be obvious to the communication partner. This includes using scripts from previous conversations or media applied to different contexts like saying "C is for cookie" to express that they like something. Or "Dora loves waterfall!" to request to take a bath/shower. ⁵ | Идиосинкрастическая речь/лексика |
| Incontinence (n) | The (usually) involuntary passing of feces or urine, generally not into a toilet or diaper. ¹ | Недержание |
| Individualized Education Program (IEP) (n) | A written statement of a child's current level of development (abilities and impairments) and an individualized plan of instruction, including the goals, the specific services to be received, the people who will carry out the services, the standards, and timelines for evaluating progress, and the amount and degree to which the child will participate with non- handicapped peers at school. The IEP is developed by the child's parents and the professionals who evaluated the child. It is required by the Individuals with Disabilities Education Act (IDEA) for all children in special education, ages three years and up. ² | Индивидуальная программа обучения (ИПО) |
| Individualized Family Service Plan (IFSP) (n) | A written plan describing the infant's or toddler's current level of development, the family's strengths and needs related to enhancement of the infant's or toddler's development, goals for the child and the other family members (as applicable), including the criteria, procedures and time lines used to evaluate progress (the IFSP should be evaluated and adjusted at least once a year and reviewed at least every six months), and the specific early intervention services needed to meet the goals (including the frequency and intensity and method of delivering services, the projected date of initiating services and the anticipated duration of services). The IFSP is developed and implemented by the child's parents and a multidisciplinary early intervention team (IFSP Team). The Individualized Family Service Plan is required by the Individuals with Disabilities Education Act (IDEA) for all infants and toddlers receiving early intervention services. ² | Индивидуальный план обслуживания семьи (ИПОС) |

| Term | Definition | Translation |
|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| Individuals with Disabilities Education Act (IDEA) (n) | The federal law reauthorized in 2004 that amends the Education for All Handicapped Children Act (Public Law 94-142). Part C of the law focuses on services to infants and toddlers who are at-risk or have developmental disabilities. ² | Закон об образовании лиц с инвалидностью (ЗОЛИ) |
| Intellectual disability (n) | Characterized by significantly impaired intellectual functioning, existing concurrently with related limitations in two or more of the following applicable adaptive skill areas: communication, self-care, home living, social skills, community use, self-direction, health and safety, functional academics, leisure, and work. ² | Интеллектуальное нарушение |
| Interdisciplinary evaluation team (n) | A group of health care professionals from diverse disciplines who form a team to work collaboratively in conducting a cohesive patient evaluation. ² | Группа по междисциплинарной оценке |
| Intervention (n) | A strategy or process put in place in order to improve or modify an individual's behavior e.g., medication, Applied Behavior Analysis). ¹ | Вмешательство |
| Involuntary commitment (n) | A legal process in which an individual experiencing a mental health crisis is ordered into treatment against his or her will, including to a hospital. ¹ | Лечение в недобровольном порядке/принудительно е лечение |
| Joint attention (n) | A set of early social communication skills used to show and/or share interest about an outside object or event with a communication partner. They include initiating joint attention where the child shifts their gaze and/or gestures toward an object with the goal of getting another person to notice it. They also include responding to gaze shifts and gestures from other people so that they can learn what others find interesting. ⁵ | Совместное внимание |
| Language delay (n) | A disorder in which a learner's ability to understand and/or use language is behind what would be expected based on their age. ⁵ | Задержка речевого развития |
| Language disorder (n) | In children, this could mean trouble getting their meaning or message across to others (expressive language disorder), or understanding messages coming from others (receptive language disorder), as well as difficulty using language to get things done (pragmatic language/social communication disorder). ² | Расстройство речи |
| Learning disability (n) | A disorder that affects how a person learns and understands primary skills such as reading, writing and math. ² | Нарушение обучаемости |

| Term | Definition | Translation |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| Least Restrictive | The educational setting that permits a child with | Наименее |
| Environment (LRE) (n) | disabilities to derive the most educational benefit | ограничивающая среда |
| | while participating in a regular educational | (HOC) |
| | environment to the maximum extent appropriate. It is | |
| | presumed that a child with a disability will be | |
| | educated in the general education classroom, with | |
| | appropriate supports, unless the IEP Team deems | |
| | another setting as more appropriate. LRE is a | |
| | requirement under the IDEA. ² | |
| Maladaptive behavior (n) | A type of behavior that is often used to reduce | Неадаптивное |
| | anxiety, but whose result does not provide | поведение |
| | adequate or appropriate adjustment to the environment or situation. ¹ | |
| Medicaid (n) | | Medicaid |
| | A government program that provides healthcare coverage for low-income families and individuals | ואוכטונמוט |
| | with disabilities in the United States. ¹ | |
| Medical home (n) | A team-based healthcare delivery model led by a | Стратегия медицинской |
| Wedical Home (II) | physician that provides comprehensive and | помощи, |
| | continuous medical care to patients. ¹ | ориентированной |
| | | на пациента |
| Mental health hold (n) | Involuntary hospitalization due to a mental health | Недобровольная |
| | crisis. ¹ | психиатрическая |
| | | госпитализация |
| Motor skill (n) | The learned ability to perform movements, such as | Двигательный навык |
| | holding the body upright to sit, using the hands to | |
| | manipulate small items, scooping food onto a spoon | |
| | and bringing it to the mouth, and moving the lips and | |
| | tongue to articulate different sounds. Fine motor skills | |
| | involve use of the small muscles of the body while | |
| | gross motor skills are associated with large muscle | |
| | movements. ² | |
| Neurodevelopmental | Problems affecting the development of the central | Условия |
| conditions (n) | nervous system or brain, resulting in delayed or | неврологического |
| | unusual motor, speech, social or learning deficits. | развития |
| Nonverbal | Any form of or attempt at unspoken or "physical" | Невербальная |
| communication (n) | communication. Examples are temper tantrums, | коммуникация |
| | gestures, pointing and leading another person to a | |
| | desired object. ² | |
| Nutritionist (n) | Nutrition services are provided by Registered Dietitian Nutritionists (RDNs). The nutritionist evaluates the | Диетолог |
| | child's growth, energy intake, and nutritional status to | |
| | make sure they are getting appropriate nutrients from | |
| | their diet. A nutritionist often will work with a feeding | |
| | therapist (e.g., speech or occupational therapist), to | |
| | develop a plan when feeding problems are suspected. ² | |
| Obsession (n) | | Навязчивое состояние / |
| | | |
| | | |
| Obsession (n) | A repetitive thought or feeling dominated by a particular idea, image, or desire, such as a person who only wants to talk about elevators. ¹ | Навязчивое состояние / обсессия |

| Term | Definition | Translation |
|-----------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------|
| Obsessive Compulsive | An anxiety disorder in which people have unwanted | Обсессивно- |
| Disorder (OCD) (n) | and repeated thoughts, feelings, ideas, or | компульсивное |
| | sensations (obsessions) that make them feel driven | расстройство (ОКР) |
| | to do something (compulsions). ¹ | |
| Occupational Therapist | A skilled healthcare provider that assists people across | Эрготерапевт (ЭТ) |
| (OT) (n) | the lifespan participate in the things they want and | |
| | need to do through the therapeutic use of everyday | |
| | activities (occupations). Occupational therapy benefits | |
| | individuals who have physical, developmental, or | |
| | cognitive limitations. With children, treatment is | |
| | geared toward development of fine motor skills (e.g., | |
| | writing, cutting), gross motor skills (e.g., climbing | |
| | stairs, jumping), self-care (e.g., dressing, eating), and | |
| | play. OT is the primary profession that addresses | |
| e () | sensory processing differences. ² | |
| Ototoxic (n) | Damaging to the ears, causing sound sensitivities, dizziness, or balance issues. ¹ | Оказывающий вредное влияние на слух |
| Overcorrection (n) | A punishment mechanism for a challenging | Гиперкоррекция |
| overcon ection (ii) | behavior that involves requiring an individual to | типеркоррекция |
| | engage in repetitive behavior to an excessive extent | |
| | in an attempt to prevent the behavior from | |
| | reoccurring. ¹ | |
| Pediatric Autoimmune | Asubset of children and adolescents who have | Детские аутоиммунные |
| Neuropsychiatric | Obsessive Compulsive Disorder (OCD) and/or tic | нервно-психические |
| Disorders Associated with | disorders, and in whom symptoms worsen following | расстройства, связанные |
| Streptococcal infections | infections such as strep throat and scarlet fever. ¹ | со стрептококковыми |
| (PANDAS) (n) | | инфекциями (ДАНРССИ |
| Phenylketonuria (PKU) | An inherited disorder that increases the levels of a | Фенилкетонурия (ФКУ) |
| (n) | substance called phenylalanine in the blood. | |
| | Phenylalanine is found in food proteins and in some | |
| | artificial sweeteners. If PKU is not treated, | |
| | phenylalanine can build up to harmful levels in the | |
| | body, causing intellectual disability and other serious | |
| | health problems such as seizures, delayed | |
| | development, behavioral problems, and psychiatric | |
| | disorders. ² | |
| Physical Therapist (PT) (n) | A healthcare team member who treats conditions that | физический терапевт / |
| | limit the ability to move and perform functional | врач лечебной |
| | activities of daily life. Physical therapists provide | физкультуры (ЛФК) |
| | services to improve body structures (e.g., muscles), | |
| | enhance functional activities (e.g., walking), and | |
| | promote improved participation in daily life. Goals for | |
| | children may include developing improved strength, | |
| | range of motion, coordination, balance, and | |
| | acquisition of new motor skills. ² | |
| Pica (n) | An eating disorder that involves eating things that | Пикацизм |
| | are not food (e.g., dirt, plastic). ¹ | |

| Term | Definition | Translation |
|------------------------------|-----------------------------------------------------------------------|-----------------------------------|
| Picture Exchange | A unique augmentative/alternative communication | Система общения |
| Communication Systems | intervention package that involves teaching an | с помощью обмена |
| (PECS) (n) | individual to give a picture of a desired item to a | изображениями (СООК) |
| | "communicative partner," and goes on to teach | |
| | discrimination of pictures and how to put them | |
| | together in sentences. ¹ | |
| Polypharmacy (n) | The use of multiple medications by a patient. ¹ | Полипрагмазия |
| Positive Behavior | An approach to helping people improve their difficult | Поддержание |
| Supports (PBS) (n) | behavior by understanding what is causing it, and then | положительного |
| | developing strategies to increase positive behaviors. ¹ | поведения (ППП) |
| Post-Traumatic Stress | An anxiety disorder that can occur after witnessing or | Посттравматическое |
| Disorder (PTSD) (n) | experiencing a traumatic event. ¹ | стрессовое расстройство (ПТСР) |
| Prematurity (n) | A premature birth is a birth that takes place more than | недоношенность |
| | three weeks before a baby is due. Normally, a | |
| | pregnancy lasts about 40 weeks, so a premature birth | |
| | is one occurring before the start of the 37 th week of | |
| | pregnancy. ² | |
| Prompting (v) | Any help given to a learner to assist in using a specific | Подсказывание |
| | skill or behavior. Prompts can come in many different | |
| | forms including visual, verbal, gestural, models, and | |
| | partial or full physical. ⁵ | |
| Psychologist (n) | Someone with a PhD or PsyD, trained in the | Психолог |
| | evaluation, study and/or treatment of psychiatric and | |
| | cognitive disorders. A school psychologist is a | |
| | professional trained in psychology and education who | |
| | collaborates with children, educators, parents, and | |
| | other professionals to create healthy and supportive | |
| | learning environments for students based on careful | |
| | evaluation of cognitive, executive, and adaptive skills. ² | |
| Psychosis (n) | A loss of contact with reality that usually includes | Психоз |
| | delusions and hallucinations. ¹ | |
| Psychotropic (adj) | A medication or intervention that affects brain | Психотропный |
| | activity, behavior, or perception. ¹ | |
| Puberty (n) | The process of physical changes that occur when a | Период полового |
| | child's body matures into an adult. ¹ | созревания |
| Red flags (n) | Behaviors that cause caregivers concern in an area of a | Настораживающие |
| 5., | child's development. They warn you to stop, look, and | признаки |
| | think, and then observe and document. ² | |
| Reinforce (v) | To strengthen with additional material or support. ¹ | Подкреплять |
| Reinforcement strategies | Methods used to promote or increase positive | Стратегии подкрепления |
| (n) | behavior by providing motivating reinforcers, such as | |
| · / | praise, a favorite toy, a cookie, or a preferred activity. | |
| | Also called a "reward" or an "incentive." | |
| Resilience (n) | An ability to recover from or adjust easily to change or | Устойчивость |
| | a difficult situation. ¹ | |

| Term | Definition | Translation |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Respite care (n) | A service that provides short-term breaks that can relieve stress, restore energy, and promote balance for caregivers. ¹ | Временный уход за больными и инвалидами в период отдыха лиц, обычно осуществляющих уход за ними |
| Restraints (n) | Physical restrictions immobilizing or reducing the ability of an individual to move their arms, legs, body, or head freely. This can be someone holding a person so they cannot move, or it can be an item that restrains their body such as a device that holds their hands or bodies down. ¹ | средства фиксации |
| Restricted or repetitive behaviors or interests (n) | Topics or tangible items that individuals with autism pursue with great intensity and focus for long durations of time. ⁴ | Ограниченное или повторяющееся поведение или интересы |
| Reward (n) | A prize, token, or preferred activity given to an individual for good behavior, designed to promote the same behavior in the future. ¹ | Вознаграждение |
| Risk factor (n) | Conditions that increase the likelihood of aggression. ¹ | Фактор риска |
| Ritual (n) | A repetitive behavior that a person appears to use in a systematic way in order to promote calm or prevent anxiety, such as arranging all the pillows in a certain way before being able to settle in to sleep. ¹ | Ритуал |
| Rumination (n) | The practice of (voluntarily or involuntarily) spitting up partially digested food and re-chewing it, then swallowing again or spitting it out. Rumination often seems to be triggered by reflux or other gastrointestinal concerns. ¹ | Руминация |
| Schizophrenia (n) | A chronic, severe, and disabling brain disorder that makes it hard for individuals to think clearly and tell the difference between what is real and not real. ¹ | Шизофрения |
| Screening test or tool (n) | An evaluation tool to identify children who are at-risk for having or developing a developmental disability. This is different from a diagnostic tool that is used to determine if a person has, or does not have, a neurodevelopmental disability. ² | Скрининг-тест или инструмент |
| Seclusion (n) | A situation in which an individual is isolated in a room in response to a behavior they have exhibited. ¹ | Уединение |
| Sedating (v) | Calming, sleep-inducing, or numbing an individual experiencing challenging behaviors or struggling during difficult situations. ¹ | Успокаивать (глагол) Успокоительный |
| Seizure disorder (n) | A seizure disorder, which can also be called epilepsy, is a disorder in which brain activity is disturbed and causes seizures. There are many types of seizures. Some involve uncontrollable jerking movements or losing awareness, but some can just look like a staring spell. ⁵ | Судорожное расстройство |
| Self-advocacy (n) | The ability of an individual to communicate his or her wants and concerns and make his or her own decisions. ¹ | Самоадвокация |

| Term | Definition | Translation |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| Sensory avoidance (n) | Blocking or staying away from something that is painful or bothersome. ¹ | Сенсорное избегание |
| Sensory defensiveness (n) | A tendency to react negatively or with alarm to sensory input which is generally considered | Сенсорная защита |
| Sensory input (n) | harmless or non-irritating. ¹ Any source that creates sensation and activates one or more of the senses -vision, smell, sound, taste, and touch. ¹ | Сенсорная информация |
| Sensory processing disorder (n) | Refers to difficulty detecting, organizing, or responding to sensory information received and interpreted in the brain via all seven senses <u>and</u> that interferes with participation in daily life, development, behavior, and social interactions. ² | Нарушение/расстройств о сенсорной обработки |
| Sensory-seeking behavior (n) | Behaviors caused by a need for additional stimulation of certain senses as a way of maintaining attention or achieving a calmer state. ¹ | Поведение, основанное на поиске сенсорных ощущений |
| Sleep apnea (n) | A usually chronic, common disorder in which an individual has one or more pauses in breathing or shallow breaths up to 30 or more times per hour during sleep, and results in daytime sleepiness. ¹ | Апноэ во сне |
| Sleep disturbances (n) | Sleep disturbances can include a variety of issues including difficulties falling asleep or staying asleep, being on different sleep rhythms (e.g., awake at night), or needing increased amounts of sleep. ⁵ | Нарушения сна |
| Social communication disorder (n) | Applies to children who have deficits in the social use of language, but do not have the restricted interests or repetitive behavior commonly found in autism spectrum disorders. ² | Расстройство социальной коммуникации |
| Social reciprocity (n) | The primary component of healthy social development – acts of kindness – interactions. It is about "joint attention" where there is purposeful language including body language and pretend play. Lack of social reciprocity is a key red flag, whether the child is not engaged in the world around him. This concern should not be ignored. ² | Социальная взаимность |
| Social work or social worker (n) | Social work practice is aimed at assisting individuals, groups, or communities to enhance or restore their capacity for social functioning and creating societal conditions favorable to reach their goals. The primary mission of the social work profession is to enhance human well-being and help meet the basic human needs of all people, with particular attention to the needs and empowerment of people who are vulnerable, oppressed, and living in poverty. ² | Социальная работа или социальный работник |
| Special Needs Parent Advocate (n) | An advocate for parents of children with special needs who helps ensures that the child's rights and needs are met in school and in the community. ¹ | Правозащитник родителей, имеющих детей с особыми потребностями |

| Term | Definition | Translation |
|---------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| Specific learning disability (n) | A disorder that manifests itself with a deficit in areas such as attention, reasoning, processing, memory, communication, reading, writing, spelling, calculation, coordination, social competence, and emotional maturity. Often identified by a discrepancy between school performance and the performance expected based on overall intelligence. ² | Специфическое расстройство обучения |
| Speech generating device or Voice output technology (n) | A technological device that helps people who are unable to use speech to express their needs and exchange information with other people. ¹ | Устройство для генерации речи или технология речевого вывода |
| Speech sound disorder (n) | Speech disorders in which some speech sounds in a child's native language are not produced, not produced correctly, or are not used correctly. ² | Расстройство речевого звучания |
| Speech-language pathologist (n) | A clinician who assesses, diagnoses, treats, and helps prevent speech, language, cognitive, communication, voice, swallowing, fluency, and other related disorders. ² | Специалист по расстройствам речи / Логопед |
| Standardized test (n) | A test administered and scored in a consistent or standard manner. It is administered in controlled conditions that specify where, when, how, and for how long children respond to the questions. In standardized tests, the questions, conditions for administering, scoring procedures, and interpretations are consistent. A well designed standardized test provides an assessment of an individual's mastery of a domain of knowledge or skill. ² | Стандартизированный тест |
| Staring spells (n) | Occasions when an individual is in a trance staring into space, which can often signal seizure activity. ¹ | Приступы пристального взгляда |
| Stereotypy (n) | Repetitive or ritualistic movements such as body rocking or crossing and uncrossing of legs. ¹ | Стереотипия |
| Stimulation (n) | Excitement or activity triggered by a stimulus either internally or externally. ¹ | Стимуляция |
| Supplemental Security Income (SSI) (n) | A Federal income supplement program designed to help aged, blind, and disabled people who have little or no income, and provides cash to meet basic needs for food, clothing, and shelter. ¹ | Дополнительный социальный доход |
| Tangibles (n) | Items or rewards that can be touched, such as a toy or piece of candy. ¹ | Материальные ценности |
| Time delay (n) | A prompting procedure that fades prompts during activities by having longer delays before a prompt is provided. | Задержка по времени |
| Tourette syndrome or Tourette's syndrome (n) | A neurological disorder characterized by tics, or repetitive, stereotyped, involuntary movements and vocalizations. ¹ | Синдром Туретта |
| Tracking scales (n) | A document or other tool used to track information such as changes in an individual's behaviors, side effects of medications, school performance, etc. ¹ | Шкала отслеживания |

| Term | Definition | Translation |
|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Transition plan / transition services (n) | Part of IDEA, transition services means a coordinated set of activities for a child with a disability that is results-oriented and focused on improving the academic and functional achievement of the child with a disability in order to facilitate the child's movement from school to post-school activities, including postsecondary education, vocational education, integrated employment (including supported employment), continuing and adult education, adult services, independent living, or community participation. Transition services will be based on the individual child's needs, taking into account the child's strengths, preferences, and interests. ² | План перехода / услуги перехода |
| TRICARE (n) | The health care program for Uniformed Service members, retirees, and their families worldwide. ¹ | TRICARE |
| Visual cues (n) | An image or symbol presented to the learner that either prompts him to complete the target behavior/skill or assists in supporting the understanding of a particular activity, instruction, or direction. Visual cues can be used as prompts or supports. ⁵ | Визуальные подсказки |
| Visual schedules (n) | A display that shows the activities of a day or steps of an activity to support the learner in moving between activities or through activities. The displays can be made from objects, pictures, photos, or written text, and may be created for a full day, part of a day, or just the next two activities. ⁵ | Визуальные расписания |
| Vocational rehabilitation (n) | A state and federally funded program designed to help people with disabilities become employed and to help those already employed perform more successfully through training, counseling, and other support methods. | Профессиональная реабилитация |
| Voice output technology or Voice output communication aid or Speech generating device (n) | A technological device that helps people who are unable to use speech to express their needs and exchange information with other people. ¹ | Устройство речевого вывода или вспомогательное коммуникативное озвучивающее устройство или устройство для генерации речи |
| Wraparound (n) | An integrated, multi-agency, community-based planning process designed to build teams of providers, family members and natural supports to help keep complex youth in their homes and communities. ¹ | Организация всеобъемлющего ухода |

References

- ¹ The definition for these terms were taken from "Challenging Behaviors Glossary" published in 2012 by Autism Speaks. This glossary is part of a downloadable toolkit available at: <u>https://www.autismspeaks.org/tool-kit/challenging-behaviors-tool-kit</u>
- ² The definitions for these terms were taken from "Glossary of Terms Related to Neurodevelopmental Disabilities" by John Thorne, PhD, CCC-SLP. The "Glossary of Terms Related to Neurodevelopmental Disabilities" was adapted by John Thorne, PhD, CCC-SLP, from a number of in-depth resources (12/16) including: http://www.inclusivechildcare.org/inclusion_glossary.cfm http://www.ddrcco.com/resources-and-training/glossary-of-developmental-disability-terms.php http://autismnow.org/at-home/learn-and-understand-autism/autism-and-developmentaldisabilities-glossary/ http://www.gennextmsp.org/wp-content/uploads/2015/05/ECS-Glossary-May2015.pdf http://www.ncca.biz/Aistear/pdfs/PrinciplesThemes_ENG/Glossary_ENG.pdf http://www.johnson-center.org/downloads/pdfs/What_is_a_Standardized_Test.pdf
- ³ The definition was taken from The American Heritage[®] Stedman's Medical Dictionary. Copyright ©2002,2001, 1995 by Houghton Mifflin Company. Published by Houghton Mifflin Company.
- ⁴ DSM-IV, 1994.
- ⁵ Excerpted from Steinbrenner, J., Sam, A., Chin, J., Morgan, W., & AFIRM for Paras Team.
 (2019). *Introduction to ASD*. FPG Child Development Institute, University of North Carolina. Retrieved from <u>https://afirm.fpg.unc.edu/introduction-asd</u>

More information is available at:

<u>Autism Society</u>

Founded in 1965 by Dr. Bernard Rimland, Dr. Ruth Sullivan and many other parents of children with autism, the Autism Society is the leading source of trusted and reliable information about autism. Through its national network, the Autism Society has spearheaded numerous pieces of federal, state and local legislation, including the 2006 Combating Autism Act, the first federal autism-specific law. The Autism Society's website is one of the most visited websites on autism in the world and our on-line resource database, <u>Autism Source™</u>, and National Contact Center (800-3-AUTISM) provide information and service referrals to thousands of people each year. Look online at <u>https://www.autism-society.org/</u>.

<u>Autism Speaks</u>

Autism Speaks was founded in February 2005 by Bob and Suzanne Wright, grandparents of a child with autism. Recognizing the need for a powerful voice Bernie Marcus donated

\$25 million to help financially launch the organization.

Building upon the legacy of three leading autism organizations, Autism Coalition for Research and Education (ACRE), the National Alliance for Autism Research (NAAR) and Cure Autism Now (CAN), who merged with the organization, Autism Speaks has made extraordinary advancements in the autism community.

Chief among these are increased global awareness of autism, better understanding of the breadth of the autism spectrum, and advocacy to increase research and access to care and support.

Today, Autism Speaks is dedicated to advancing research into causes and better treatments for autism spectrum disorders and related conditions both through direct funding and collaboration.

Look online at https://www.autismspeaks.org/.

• <u>Centers for Disease Control and Prevention</u> (CDC)

CDC <u>works 24/7</u> to protect America from health, safety, and security threats, both foreign and in the U.S. Whether diseases start at home or abroad, are chronic or acute, curable or preventable, human error or deliberate attack, CDC fights disease and supports communities and citizens to do the same.

CDC increases the health security of our nation. As the nation's health protection agency, CDC saves lives and protects people from health threats. To accomplish our mission, CDC conducts critical science and provides health information that protects our nation against expensive and dangerous health threats, and responds when these arise.

Look online at: <u>https://search.cdc.gov/search/index.html?query=autism%20spectrum%20disorder</u>

Index

Α

| A-B-C analysis | .7 |
|--------------------------------------------------|----|
| Abstract language | .7 |
| Adaptive behavior or adaptive skills | .7 |
| Age of majority | .7 |
| Anxiety disorder | .7 |
| Applied Behavior Analysis (ABA) | .7 |
| Apraxia | .7 |
| Attention Deficit Hyperactivity Disorder (ADHD) | .8 |
| Audiologist | .8 |
| Augmentative and Alternative Communication (AAC) | .8 |
| Autism Spectrum Disorder (ASD) | .8 |
| Aversive | |

В

| Behavior Intervention Plan (BIP) | 8 |
|-----------------------------------------|---|
| Behavioral disorder | 8 |
| Biomarker | 8 |
| Bipolar disorder | 8 |
| Board Certified Behavior Analyst (BCBA) | 9 |
| Body language | 9 |

С

| Case manager | 9 |
|------------------------------|----|
| Catatonia | 9 |
| Challenging behaviors | 9 |
| Civil commitment | 9 |
| Cognitive behavioral therapy | 9 |
| Cognitive development | 9 |
| Communication | 9 |
| Communication disorder | 10 |
| Comorbid | 10 |
| Compulsion | 10 |
| Conservatorship | 10 |
| Crisis plan | 10 |

D

| Data analysis | |
|--------------------------|--|
| De-escalation | |
| Depression | |
| Developmental assessment | |
| Developmental delay | |

| Developmental Disability (DD) | |
|-------------------------------|--|
| Developmental pediatrician | |
| Differential diagnosis | |
| Disruption | |
| Down syndrome (Trisomy 21) | |
| Dual diagnosis | |
| Dysarthria | |
| Dyspraxia | |
| · · | |

Ε

| Early intervention | 11 |
|-------------------------------------------|----|
| Echolalia or Echophrasia | 12 |
| Elopement | |
| Epilepsy | 12 |
| Escalating | 12 |
| Evidence-Based Practice (EBP) | 12 |
| Executive control / executive functioning | 12 |
| Extinction | 12 |
| Extinction burst | 12 |

F

| Face blindness | |
|----------------------------------------|--|
| Fading | |
| Fecal digging | |
| Fecal smearing | |
| Fetal Alcohol Spectrum Disorder (FASD) | |
| Fetal Alcohol Syndrome (FAS) | |
| Function of behavior | |
| Functional Behavior Analysis (FBA) | |
| Functional communication | |
| | |

G

| Generalization | |
|----------------|----|
| Gestures | |
| Guardianship | |
| | 20 |

н

| Hypersensitivity | 13 |
|------------------|----|
| Hyposensitivity | 14 |

I

| Idiosyncratic language/ vocabulary | 14 |
|----------------------------------------------------|----|
| Incontinence | 14 |
| Individualized Education Program (IEP) | 14 |
| Individualized Family Service Plan (IFSP) | |
| Individuals with Disabilities Education Act (IDEA) | 15 |
| Intellectual disability | 15 |

| Interdisciplinary evaluation team | 15 |
|-----------------------------------|----|
| Intervention | |
| Involuntary commitment | |
| | |
| J | |

| pint attention |
|----------------|
|----------------|

L

| Language delay | 15 |
|-------------------------------------|----|
| Language disorder | 15 |
| Learning disability | 15 |
| Least Restrictive Environment (LRE) | 16 |

М

| Maladaptive behavior | 16 |
|----------------------|----|
| Medicaid | 16 |
| Medical home | 16 |
| Mental health hold | 16 |
| Motor skill | 16 |
| | |

N

| Neurodevelopmental conditions | 16 |
|-------------------------------|----|
| Nonverbal communication | 16 |
| Nutritionist | |
| | |

0

| Obsession | 16 |
|-------------------------------------|----|
| Obsessive compulsive disorder (OCD) | 17 |
| Occupational therapist (OT) | 17 |
| Ototoxic | 17 |
| Overcorrection | 17 |
| | |

Ρ

| Pediatric Autoimmune Neuropsychiatric Disorders Associated with Streptococcal infections (PANDAS) | 17 |
|---------------------------------------------------------------------------------------------------|----|
| Phenylketonuria (PKU) | 17 |
| Physical therapist (PT) | 17 |
| Pica | |
| Picture Exchange Communication Systems (PECS) | |
| Polypharmacy | |
| Positive Behavior Supports (PBS) | |
| Post-Traumatic Stress Disorder (PTSD) | |
| Prematurity | |
| Prompting | |
| Psychologist | |
| Psychosis | |
| Psychotropic | |
| Puberty | |
| | |

R

| Red flags | 18 |
|-------------------------------------------------|----|
| Reinforce | |
| Reinforcement strategies | |
| Resilience | |
| Respite care | 19 |
| Restraints | 19 |
| Restricted or repetitive behaviors or interests | 19 |
| Reward | |
| Risk factor | 19 |
| Ritual | 19 |
| Rumination | 19 |
| | |

S

| Schizophrenia | 19 |
|------------------------------------|----|
| Screening test or tool | |
| Seclusion | 19 |
| Sedating | |
| Seizure disorder | |
| Self-advocacy | 19 |
| Sensory avoidance | 20 |
| Sensory defensiveness | 20 |
| Sensory input | 20 |
| Sensory processing disorder | 20 |
| Sensory-seeking behavior | 20 |
| Sleep apnea | 20 |
| Sleep disturbances | 20 |
| Social communication disorder | 20 |
| Social reciprocity | 20 |
| Social work or social worker | 20 |
| Special Needs Parent Advocate | 20 |
| Specific learning disability | 21 |
| Speech generating device | 21 |
| Speech sound disorder | 21 |
| Speech-language pathologist | 21 |
| Standardized test | 21 |
| Staring spells | 21 |
| Stereotypy | 21 |
| Stimulation | 21 |
| Supplemental Security Income (SSI) | 21 |

Т

| Tangibles | 21 |
|-----------------------------------------------|----|
| - Time delay | 21 |
| , Tourette syndrome or Tourette's syndrome | |
| Tracking scales | |
| | |

| Fransition plan / transition services | |
|---------------------------------------|----|
| TRICARE | |
| V | |
| Visual cues | 22 |
| Visual schedules | 22 |
| Vocational rehabilitation | 22 |
| w | |
| Wraparound | 22 |